

Table 7.13A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2004 and 2005

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
ILLCIT DRUGS¹	11,983	12,216	7,088	7,504
Marijuana and Hashish	9,768	9,928	4,808	4,698
Cocaine	1,604 ^a	1,950	417	447
Crack	428	555	38 ^a	127
Heroin	145	116	22	19
Hallucinogens	668	784	261	303
LSD	117	70	24	34
PCP	33	42	16	*
Ecstasy	311	377	140	125
Inhalants	262	267	376	344
Nonmedical Use of Psychotherapeutics ²	3,686	3,601	2,321 ^a	2,804
Pain Relievers	2,727	2,634	1,677	2,024
OxyContin [®]	282	270	43	64
Tranquilizers	1,052	1,165	564	652
Stimulants	818	738	372	329
Methamphetamine	445	409	138	103
Sedatives	165	144	101	128
ILLCIT DRUGS OTHER THAN MARIJUANA¹	5,185	5,376	3,062 ^a	3,587

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.13B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2004 and 2005

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
ILLCIT DRUGS¹	20.0	20.2	3.9	4.1
Marijuana and Hashish	16.3	16.4	2.7	2.6
Cocaine	2.7 ^a	3.2	0.2	0.2
Crack	0.7	0.9	0.0 ^a	0.1
Heroin	0.2	0.2	0.0	0.0
Hallucinogens	1.1	1.3	0.1	0.2
LSD	0.2	0.1	0.0	0.0
PCP	0.1	0.1	0.0	*
Ecstasy	0.5	0.6	0.1	0.1
Inhalants	0.4	0.4	0.2	0.2
Nonmedical Use of Psychotherapeutics ²	6.2	5.9	1.3 ^a	1.5
Pain Relievers	4.6	4.4	0.9	1.1
OxyContin [®]	0.5	0.4	0.0	0.0
Tranquilizers	1.8	1.9	0.3	0.4
Stimulants	1.4	1.2	0.2	0.2
Methamphetamine	0.7	0.7	0.1	0.1
Sedatives	0.3	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	8.7	8.9	1.7 ^a	2.0

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.14A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2004 and 2005

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
ILLCIT DRUGS¹	1,423	1,276	1,251	1,235
Marijuana and Hashish	1,215	1,095	694	635
Cocaine	113	111	13	31
Crack	12	21	4	4
Heroin	9	10	7	5
Hallucinogens	160	139	51	66
LSD	30	19	8	13
PCP	9	14	2	3
Ecstasy	66	57	12	17
Inhalants	123	108	189	204
Nonmedical Use of Psychotherapeutics ²	439	382	475	457
Pain Relievers	355	316	396	370
OxyContin [®]	60 ^a	31	6	4
Tranquilizers	102	114	60	47
Stimulants	113	108	66	63
Methamphetamine	42	41	15	25
Sedatives	10	14	17	13
ILLCIT DRUGS OTHER THAN MARIJUANA¹	635	557	693	696

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.14B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2004 and 2005

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
ILLCIT DRUGS¹	47.5	46.7	5.6	5.5
Marijuana and Hashish	40.5	40.1	3.1	2.8
Cocaine	3.8	4.0	0.1	0.1
Crack	0.4	0.8	0.0	0.0
Heroin	0.3	0.4	0.0	0.0
Hallucinogens	5.3	5.1	0.2	0.3
LSD	1.0	0.7	0.0	0.1
PCP	0.3	0.5	0.0	0.0
Ecstasy	2.2	2.1	0.1	0.1
Inhalants	4.1	4.0	0.9	0.9
Nonmedical Use of Psychotherapeutics ²	14.6	14.0	2.1	2.0
Pain Relievers	11.8	11.6	1.8	1.6
OxyContin [®]	2.0 ^a	1.1	0.0	0.0
Tranquilizers	3.4	4.2	0.3	0.2
Stimulants	3.8	3.9	0.3	0.3
Methamphetamine	1.4	1.5	0.1	0.1
Sedatives	0.3	0.5	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	21.2	20.4	3.1	3.1

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.15A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2004 and 2005

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
ILLCIT DRUGS¹	4,410	4,565	1,829	1,978
Marijuana and Hashish	3,836	3,893	1,359	1,495
Cocaine	598	698	94	134
Crack	73	85	8	19
Heroin	38	54	4	4
Hallucinogens	370	370	107	133
LSD	68	44	15	16
PCP	15	11	1	*
Ecstasy	186	205	45	62
Inhalants	99	100	45	46
Nonmedical Use of Psychotherapeutics ²	1,404	1,418	555	617
Pain Relievers	1,076	1,080	428	455
OxyContin [®]	131	121	11	25
Tranquilizers	421	457	145	149
Stimulants	366	333	81	101
Methamphetamine	162	169	24	25
Sedatives	32	55	17	19
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,902	2,044	717	806

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.15B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2004 and 2005

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
ILLCIT DRUGS¹	34.6	36.0	9.4	10.0
Marijuana and Hashish	30.1	30.7	7.0	7.5
Cocaine	4.7	5.5	0.5	0.7
Crack	0.6	0.7	0.0	0.1
Heroin	0.3	0.4	0.0	0.0
Hallucinogens	2.9	2.9	0.6	0.7
LSD	0.5	0.3	0.1	0.1
PCP	0.1	0.1	0.0	*
Ecstasy	1.5	1.6	0.2	0.3
Inhalants	0.8	0.8	0.2	0.2
Nonmedical Use of Psychotherapeutics ²	11.0	11.2	2.9	3.1
Pain Relievers	8.5	8.5	2.2	2.3
OxyContin [®]	1.0	1.0	0.1	0.1
Tranquilizers	3.3	3.6	0.7	0.8
Stimulants	2.9	2.6	0.4	0.5
Methamphetamine	1.3	1.3	0.1	0.1
Sedatives	0.2	0.4	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	14.9	16.1	3.7	4.1

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.16A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2004 and 2005

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
ILLCIT DRUGS¹	6,150	6,375	4,009	4,291
Marijuana and Hashish	4,716	4,940	2,755	2,568
Cocaine	894	1,141	310	282
Crack	344	448	27 ^a	104
Heroin	98	53	11	10
Hallucinogens	138	275	103	105
LSD	20	7	*	*
PCP	8	17	13	*
Ecstasy	59	115	83	46
Inhalants	40	59	141	93
Nonmedical Use of Psychotherapeutics ²	1,843	1,802	1,291 ^a	1,730
Pain Relievers	1,297	1,238	853 ^a	1,199
OxyContin [®]	92	118	26	36
Tranquilizers	529	594	360	457
Stimulants	339	297	226	164
Methamphetamine	241	199	99	53
Sedatives	123	74	67	96
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,649	2,775	1,652	2,085

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.16B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2004 and 2005

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
ILLCIT DRUGS¹	13.9	14.1	2.9	3.1
Marijuana and Hashish	10.7	10.9	2.0	1.8
Cocaine	2.0	2.5	0.2	0.2
Crack	0.8	1.0	0.0 ^a	0.1
Heroin	0.2	0.1	0.0	0.0
Hallucinogens	0.3	0.6	0.1	0.1
LSD	0.0	0.0	*	*
PCP	0.0	0.0	0.0	*
Ecstasy	0.1	0.3	0.1	0.0
Inhalants	0.1	0.1	0.1	0.1
Nonmedical Use of Psychotherapeutics ²	4.2	4.0	0.9 ^a	1.2
Pain Relievers	2.9	2.7	0.6 ^a	0.9
OxyContin [®]	0.2	0.3	0.0	0.0
Tranquilizers	1.2	1.3	0.3	0.3
Stimulants	0.8	0.7	0.2	0.1
Methamphetamine	0.5	0.4	0.1	0.0
Sedatives	0.3	0.2	0.0	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	6.0	6.1	1.2	1.5

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.