

**Table 7.76A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2004 and 2005**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>3</sup></b>	4,433	4,539	1,626	1,726	2,807	2,813
Marijuana and Hashish	3,709	3,808	1,395	1,479	2,315	2,329
Cocaine	482	541	155	185	327	355
Crack	57	81	9	8	48	73
Heroin	31	39	8	7	23	32
Hallucinogens	355	396	122	153	233	243
LSD	66	52	15	13	51	39
PCP	17	11	4	2	13	9
Ecstasy	157	199	42	70	115	128
Inhalants	109	117	49	46	60	71
Nonmedical Use of Psychotherapeutics <sup>4</sup>	1,425	1,393	457	495	968	898
Pain Relievers	1,090	1,040	332	342	758	697
OxyContin <sup>®</sup>	112	102	40	30	72	73
Tranquilizers	401	428	111	144	290	284
Stimulants	366	319	147	146	219	173
Methamphetamine	137	140	12 <sup>a</sup>	42	125	98
Sedatives	37	44	13	12	24	32
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	1,884	1,954	602	693	1,282	1,261

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.76B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2004 and 2005**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>3</sup></b>	21.5	21.6	20.2	21.2	22.3	21.8
Marijuana and Hashish	18.0	18.1	17.3	18.2	18.4	18.1
Cocaine	2.3	2.6	1.9	2.3	2.6	2.8
Crack	0.3	0.4	0.1	0.1	0.4	0.6
Heroin	0.1	0.2	0.1	0.1	0.2	0.3
Hallucinogens	1.7	1.9	1.5	1.9	1.9	1.9
LSD	0.3	0.2	0.2	0.2	0.4	0.3
PCP	0.1	0.1	0.0	0.0	0.1	0.1
Ecstasy	0.8	0.9	0.5	0.9	0.9	1.0
Inhalants	0.5	0.6	0.6	0.6	0.5	0.6
Nonmedical Use of Psychotherapeutics <sup>4</sup>	6.9	6.6	5.7	6.1	7.7	7.0
Pain Relievers	5.3	4.9	4.1	4.2	6.0	5.4
OxyContin <sup>®</sup>	0.5	0.5	0.5	0.4	0.6	0.6
Tranquilizers	1.9	2.0	1.4	1.8	2.3	2.2
Stimulants	1.8	1.5	1.8	1.8	1.7	1.3
Methamphetamine	0.7	0.7	0.2 <sup>a</sup>	0.5	1.0	0.8
Sedatives	0.2	0.2	0.2	0.2	0.2	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	9.1	9.3	7.5	8.5	10.2	9.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.77A Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2004 and 2005**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>3</sup></b>	2,646	2,791	884	1,000	1,761	1,791
Marijuana and Hashish	2,306	2,435	804	889	1,503	1,547
Cocaine	288	304	93	97	194	207
Crack	34	37	5	2	30	35
Heroin	20	18	5	5	15	13
Hallucinogens	250	264	85	105	164	158
LSD	55	32	10	11	45	21
PCP	14	10	3	2	12	8
Ecstasy	97	115	22	44	75	71
Inhalants	79	77	37	25	42	52
Nonmedical Use of Psychotherapeutics <sup>4</sup>	750	796	218	252	532	544
Pain Relievers	576	609	151	169	425	441
OxyContin <sup>®</sup>	60	68	23	19	38	49
Tranquilizers	196	224	55	76	141	149
Stimulants	176	155	79	68	97	87
Methamphetamine	67	78	6	27	61	51
Sedatives	18	23	7	5	11	19
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	1,064	1,137	313	373	750	764

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.77B Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2004 and 2005**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>3</sup></b>	25.2	26.1	23.6	26.3	26.1	26.0
Marijuana and Hashish	21.9	22.8	21.5	23.4	22.2	22.5
Cocaine	2.7	2.8	2.5	2.6	2.9	3.0
Crack	0.3	0.3	0.1	0.0	0.4	0.5
Heroin	0.2	0.2	0.1	0.1	0.2	0.2
Hallucinogens	2.4	2.5	2.3	2.8	2.4	2.3
LSD	0.5	0.3	0.3	0.3	0.7	0.3
PCP	0.1	0.1	0.1	0.0	0.2	0.1
Ecstasy	0.9	1.1	0.6	1.1	1.1	1.0
Inhalants	0.8	0.7	1.0	0.7	0.6	0.8
Nonmedical Use of Psychotherapeutics <sup>4</sup>	7.1	7.4	5.8	6.6	7.9	7.9
Pain Relievers	5.5	5.7	4.0	4.4	6.3	6.4
OxyContin <sup>®</sup>	0.6	0.6	0.6	0.5	0.6	0.7
Tranquilizers	1.9	2.1	1.5	2.0	2.1	2.2
Stimulants	1.7	1.4	2.1	1.8	1.4	1.3
Methamphetamine	0.6	0.7	0.2	0.7	0.9	0.7
Sedatives	0.2	0.2	0.2	0.1	0.2	0.3
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	10.1	10.6	8.4	9.8	11.1	11.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.78A Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2004 and 2005**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>3</sup></b>	1,788	1,748	741	726	1,046	1,022
Marijuana and Hashish	1,403	1,373	591	591	812	782
Cocaine	195	237	62	88	133	149
Crack	23	44	4	6	19	38
Heroin	11	21	3	2	7	19
Hallucinogens	105	132	36	47	69	85
LSD	11	21	5	2	6	18
PCP	2	1	1	*	2	1
Ecstasy	60	84	20	27	40	57
Inhalants	30	40	12	21	18	19
Nonmedical Use of Psychotherapeutics <sup>4</sup>	675	597	239	243	436	354
Pain Relievers	514	430	181	174	333 <sup>a</sup>	257
OxyContin <sup>®</sup>	52	34	17	10	34	24
Tranquilizers	204	204	55	69	149	135
Stimulants	189	165	67	79	122	86
Methamphetamine	70	62	6	15	64	47
Sedatives	18	21	6	7	12	13
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	821	817	289	320	532	497

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.78B Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2004 and 2005**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>3</sup></b>	17.7	16.9	17.2	16.8	18.0	17.0
Marijuana and Hashish	13.9	13.3	13.7	13.7	14.0	13.0
Cocaine	1.9	2.3	1.4	2.0	2.3	2.5
Crack	0.2	0.4	0.1	0.1	0.3	0.6
Heroin	0.1	0.2	0.1	0.1	0.1	0.3
Hallucinogens	1.0	1.3	0.8	1.1	1.2	1.4
LSD	0.1	0.2	0.1	0.1	0.1	0.3
PCP	0.0	0.0	0.0	*	0.0	0.0
Ecstasy	0.6	0.8	0.5	0.6	0.7	1.0
Inhalants	0.3	0.4	0.3	0.5	0.3	0.3
Nonmedical Use of Psychotherapeutics <sup>4</sup>	6.7	5.8	5.5	5.6	7.5 <sup>a</sup>	5.9
Pain Relievers	5.1 <sup>a</sup>	4.2	4.2	4.0	5.7 <sup>a</sup>	4.3
OxyContin <sup>®</sup>	0.5	0.3	0.4	0.2	0.6	0.4
Tranquilizers	2.0	2.0	1.3	1.6	2.6	2.2
Stimulants	1.9	1.6	1.6	1.8	2.1	1.4
Methamphetamine	0.7	0.6	0.1	0.3	1.1	0.8
Sedatives	0.2	0.2	0.1	0.2	0.2	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	8.1	7.9	6.7	7.4	9.2	8.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.79A Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:  
Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	4,433	4,539	1,626	1,726	2,807	2,813
<b>AGE</b>						
18	974	934	309	298	665	637
19	897	970	388	410	509	560
20	851	990	362	426	489	564
21	885	832	328	347	558	485
22	826	813	239	244	587	569
<b>GENDER</b>						
Male	2,646	2,791	884	1,000	1,761	1,791
Female	1,788	1,748	741	726	1,046	1,022
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	3,830	3,902	1,463	1,546	2,367	2,356
White	3,075	3,145	1,228	1,314	1,847	1,831
Black or African American	532	556	154	144	378	411
American Indian or Alaska Native	*	33	*	*	*	29
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	84	77	55	55	28	22
Two or More Races	82	74	18	*	63	44
Hispanic or Latino	603	637	162	180	441	458

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.79B Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	21.5	21.6	20.2	21.2	22.3	21.8
<b>AGE</b>						
18	21.2	20.5	19.2	20.0	22.3	20.7
19	22.8	22.6	20.1	20.4	25.3	24.5
20	21.3	24.1	20.3	22.5	22.1	25.6
21	21.7	20.7	20.4	21.4	22.6	20.2
22	20.5	20.0	21.1	21.9	20.3	19.3
<b>GENDER</b>						
Male	25.2	26.1	23.6	26.3	26.1	26.0
Female	17.7	16.9	17.2	16.8	18.0	17.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	22.5	22.5	20.3	21.2	24.1	23.4
White	23.8	24.2	22.1	23.3	25.2	24.9
Black or African American	19.1	19.1	16.7	16.2	20.3	20.4
American Indian or Alaska Native	*	25.0	*	*	*	30.4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9.5	8.0	9.2	9.2	10.2	6.1
Two or More Races	33.3	30.8	25.4	*	36.5	31.0
Hispanic or Latino	16.7	17.2	19.2	21.4	16.0	16.0

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 7.80A Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:  
Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	3,709	3,808	1,395	1,479	2,315	2,329
<b>AGE</b>						
18	790	797	256	255	534	541
19	748	805	343	355	405	450
20	744	854	321	365	423	489
21	736	662	274	290	463	372
22	692	691	201	214	490	477
<b>GENDER</b>						
Male	2,306	2,435	804	889	1,503	1,547
Female	1,403	1,373	591	591	812	782
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	3,280	3,301	1,261	1,323	2,019	1,978
White	2,627	2,636	1,066	1,120	1,561	1,516
Black or African American	468	499	137	130	331	369
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	57	60	36	43	21	17
Two or More Races	73	62	15	*	58	36
Hispanic or Latino	429	507	133	157	296	351

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.80B Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	18.0	18.1	17.3	18.2	18.4	18.1
<b>AGE</b>						
18	17.2	17.4	15.9	17.2	17.9	17.6
19	19.0	18.7	17.8	17.6	20.1	19.7
20	18.6	20.8	18.0	19.3	19.1	22.2
21	18.0	16.5	17.0	17.9	18.7	15.5
22	17.2	17.0	17.8	19.2	17.0	16.2
<b>GENDER</b>						
Male	21.9	22.8	21.5	23.4	22.2	22.5
Female	13.9	13.3	13.7	13.7	14.0	13.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	19.3	19.0	17.5	18.1	20.6	19.7
White	20.4	20.3	19.2	19.8	21.3	20.6
Black or African American	16.8	17.2	14.8	14.6	17.8	18.3
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	6.5	6.2	6.1	7.3	7.4	4.6
Two or More Races	29.9	25.8	20.6	*	33.7	25.0
Hispanic or Latino	11.9	13.7	15.7	18.6	10.7	12.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.81A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2004 and 2005**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOBACCO PRODUCTS<sup>3</sup></b>	9,151	9,212	2,962	3,086	6,188	6,124
Cigarettes	8,074	7,999	2,458	2,486	5,616	5,512
Smokeless Tobacco	1,044	1,129	430	403	614 <sup>a</sup>	726
Cigars	2,870	2,771	961	1,045	1,909	1,726
Pipe Tobacco	301	373	99	134	201	239
<b>ALCOHOL</b>	12,025	12,100	5,025	5,235	6,999	6,863
Binge Alcohol Use <sup>4</sup>	8,451	8,581	3,497	3,640	4,954	4,940
Heavy Alcohol Use <sup>4</sup>	3,200	3,256	1,502	1,583	1,698	1,673

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.81B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2004 and 2005**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOBACCO PRODUCTS<sup>3</sup></b>	44.4	43.8	36.8	38.0	49.3	47.5
Cigarettes	39.2	38.0	30.5	30.6	44.7	42.7
Smokeless Tobacco	5.1	5.4	5.3	5.0	4.9	5.6
Cigars	13.9	13.2	11.9	12.8	15.2 <sup>b</sup>	13.4
Pipe Tobacco	1.5	1.8	1.2	1.6	1.6	1.8
<b>ALCOHOL</b>	58.3	57.5	62.4	64.4	55.7 <sup>a</sup>	53.2
Binge Alcohol Use <sup>4</sup>	41.0	40.8	43.4	44.8	39.4	38.3
Heavy Alcohol Use <sup>4</sup>	15.5	15.5	18.6	19.5	13.5	13.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.82A Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2004 and 2005**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOBACCO PRODUCTS<sup>3</sup></b>	5,399	5,450	1,646	1,766	3,753	3,682
Cigarettes	4,512	4,441	1,233	1,271	3,279	3,168
Smokeless Tobacco	1,003	1,068	416	377	587	692
Cigars	2,228	2,151	723	790	1,505	1,361
Pipe Tobacco	263	287	96	90	167	197
<b>ALCOHOL</b>	6,521	6,601	2,441	2,570	4,079	4,029
Binge Alcohol Use <sup>4</sup>	5,154	5,262	1,924	2,004	3,230	3,256
Heavy Alcohol Use <sup>4</sup>	2,229	2,243	978	1,026	1,251	1,217

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.82B Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2004 and 2005**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOBACCO PRODUCTS<sup>3</sup></b>	51.4	51.0	43.9	46.4	55.5	53.5
Cigarettes	42.9	41.5	32.9	33.4	48.5	46.0
Smokeless Tobacco	9.5	10.0	11.1	9.9	8.7	10.1
Cigars	21.2	20.1	19.3	20.8	22.3 <sup>a</sup>	19.8
Pipe Tobacco	2.5	2.7	2.6	2.4	2.5	2.9
<b>ALCOHOL</b>	62.1	61.7	65.1	67.6	60.3	58.6
Binge Alcohol Use <sup>4</sup>	49.0	49.2	51.4	52.7	47.8	47.3
Heavy Alcohol Use <sup>4</sup>	21.2	21.0	26.1	27.0	18.5	17.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.83A Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2004 and 2005**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOBACCO PRODUCTS<sup>3</sup></b>	3,752	3,762	1,316	1,320	2,436	2,442
Cigarettes	3,562	3,558	1,225	1,214	2,337	2,344
Smokeless Tobacco	41	61	14	27	27	35
Cigars	642	620	237	255	404	365
Pipe Tobacco	37 <sup>b</sup>	85	3 <sup>b</sup>	44	34	41
<b>ALCOHOL</b>	5,504	5,499	2,584	2,665	2,920	2,834
Binge Alcohol Use <sup>4</sup>	3,296	3,320	1,573	1,636	1,723	1,683
Heavy Alcohol Use <sup>4</sup>	971	1,012	524	557	446	456

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.83B Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2004 and 2005**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOBACCO PRODUCTS<sup>3</sup></b>	37.1	36.4	30.5	30.5	42.0	40.6
Cigarettes	35.2	34.4	28.4	28.1	40.3	39.0
Smokeless Tobacco	0.4	0.6	0.3	0.6	0.5	0.6
Cigars	6.3	6.0	5.5	5.9	7.0	6.1
Pipe Tobacco	0.4 <sup>b</sup>	0.8	0.1 <sup>b</sup>	1.0	0.6	0.7
<b>ALCOHOL</b>	54.4	53.2	59.9	61.6	50.3 <sup>a</sup>	47.1
Binge Alcohol Use <sup>4</sup>	32.6	32.1	36.5	37.8	29.7	28.0
Heavy Alcohol Use <sup>4</sup>	9.6	9.8	12.2	12.9	7.7	7.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 7.84A Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	8,074	7,999	2,458	2,486	5,616	5,512
<b>AGE</b>						
18	1,597	1,462	436	413	1,161	1,047
19	1,464	1,534	513	490	951	1,044
20	1,608	1,633	600	613	1,008	1,020
21	1,680	1,673	523	590	1,157	1,083
22	1,725	1,697	387	380	1,338	1,317
<b>GENDER</b>						
Male	4,512	4,441	1,233	1,271	3,279	3,168
Female	3,562	3,558	1,225	1,214	2,337	2,344
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	6,892	6,822	2,217	2,210	4,675	4,611
White	5,758	5,665	1,939	1,933	3,820	3,730
Black or African American	762	756	145	130	617	627
American Indian or Alaska Native	54	63	*	*	48	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	183	209	104	106	79	103
Two or More Races	106	97	17	*	88	65
Hispanic or Latino	1,182	1,177	242	276	941	901

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.84B Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	39.2	38.0	30.5	30.6	44.7	42.7
<b>AGE</b>						
18	34.8	32.0	27.1	27.8	38.9 <sup>b</sup>	34.0
19	37.2	35.7	26.6	24.4	47.3	45.7
20	40.3	39.8	33.7	32.3	45.6	46.3
21	41.2	41.6	32.5	36.3	46.8	45.2
22	42.9	41.8	34.1	34.0	46.4	44.8
<b>GENDER</b>						
Male	42.9	41.5	32.9	33.4	48.5	46.0
Female	35.2	34.4	28.4	28.1	40.3	39.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	40.5	39.3	30.7	30.3	47.7	45.9
White	44.6	43.5	34.9	34.2	52.0	50.6
Black or African American	27.4	26.0	15.7	14.5	33.2	31.1
American Indian or Alaska Native	44.1	48.2	*	*	53.4	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	20.8	21.7	17.3	17.9	28.2	27.9
Two or More Races	43.1	40.6	24.3	*	51.0	45.6
Hispanic or Latino	32.8	31.8	28.5	32.9	34.1	31.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.85A Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	12,025	12,100	5,025	5,235	6,999	6,863
<b>AGE</b>						
18	2,130	2,026	852	777	1,278	1,247
19	2,027	2,235	1,037	1,167	990	1,067
20	2,246	2,367	1,108	1,223	1,139	1,144
21	2,846	2,788	1,189	1,233	1,657	1,555
22	2,776	2,684	840	835	1,934	1,850
<b>GENDER</b>						
Male	6,521	6,601	2,441	2,570	4,079	4,029
Female	5,504	5,499	2,584	2,665	2,920	2,834
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	10,303	10,326	4,576	4,745	5,726	5,579
White	8,467	8,491	3,858	4,009	4,607	4,480
Black or African American	1,244	1,204	434	402	810	802
American Indian or Alaska Native	*	62	*	*	49	51
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	336	403	222	260	114	143
Two or More Races	158	135	*	*	119	82
Hispanic or Latino	1,722	1,774	449	490	1,273	1,284

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.85B Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	58.3	57.5	62.4	64.4	55.7 <sup>a</sup>	53.2
<b>AGE</b>						
18	46.3	44.4	52.9	52.2	42.8	40.5
19	51.5	52.1	53.8	58.1	49.3	46.7
20	56.3	57.6	62.2	64.5	51.5	51.9
21	69.8	69.4	73.9	76.0	67.1	64.9
22	69.1	66.2	74.1	74.8	67.1 <sup>a</sup>	62.9
<b>GENDER</b>						
Male	62.1	61.7	65.1	67.6	60.3	58.6
Female	54.4	53.2	59.9	61.6	50.3 <sup>a</sup>	47.1
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	60.5	59.6	63.5	65.1	58.4 <sup>a</sup>	55.5
White	65.6	65.2	69.4	71.0	62.7	60.8
Black or African American	44.7	41.4	47.0	45.1	43.6	39.8
American Indian or Alaska Native	*	47.4	*	*	55.1	53.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	38.2	41.9	37.1	43.8	40.7	38.9
Two or More Races	64.5	56.4	*	*	69.0	57.2
Hispanic or Latino	47.8	47.9	53.0	58.3	46.2	45.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.86A Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:  
Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	8,451	8,581	3,497	3,640	4,954	4,940
<b>AGE</b>						
18	1,522	1,408	594	528	928	879
19	1,472	1,636	738	816	734	820
20	1,610	1,640	806	833	804	807
21	1,965	2,006	813	896	1,152	1,110
22	1,882	1,891	546	567	1,335	1,324
<b>GENDER</b>						
Male	5,154	5,262	1,924	2,004	3,230	3,256
Female	3,296	3,320	1,573	1,636	1,723	1,683
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	7,190	7,284	3,181	3,319	4,008	3,964
White	6,178	6,243	2,837	2,939	3,341	3,302
Black or African American	652	638	194	174	458	464
American Indian or Alaska Native	47	51	*	*	41	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	178	234	105	156	*	78
Two or More Races	109	99	*	*	78	61
Hispanic or Latino	1,261	1,297	316	321	945	976

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.86B Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	41.0	40.8	43.4	44.8	39.4	38.3
<b>AGE</b>						
18	33.1	30.8	36.9	35.5	31.1	28.5
19	37.4	38.1	38.3	40.6	36.5	35.9
20	40.3	39.9	45.3	43.9	36.4	36.6
21	48.2	49.9	50.6	55.2	46.6	46.4
22	46.8	46.6	48.2	50.8	46.3	45.0
<b>GENDER</b>						
Male	49.0	49.2	51.4	52.7	47.8	47.3
Female	32.6	32.1	36.5	37.8	29.7	28.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	42.3	42.0	44.1	45.5	40.9	39.5
White	47.9	48.0	51.1	52.0	45.5	44.8
Black or African American	23.4	21.9	21.0	19.5	24.6	23.0
American Indian or Alaska Native	38.0	38.7	*	*	45.2	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	20.2	24.3	17.5	26.3	*	21.1
Two or More Races	44.3	41.3	*	*	45.3	42.3
Hispanic or Latino	35.0	35.0	37.3	38.2	34.3	34.2

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.87A Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:  
Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	3,200	3,256	1,502	1,583	1,698	1,673
<b>AGE</b>						
18	507	486	213	225	295	260
19	548	601	310	367	238	235
20	649	597	377	332	271	266
21	781	794	357	403	425	391
22	715	777	246	256	469	521
<b>GENDER</b>						
Male	2,229	2,243	978	1,026	1,251	1,217
Female	971	1,012	524	557	446	456
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	2,870	2,886	1,411	1,470	1,459	1,416
White	2,602	2,615	1,315	1,357	1,287	1,259
Black or African American	146	136	48	42	98	94
American Indian or Alaska Native	13	*	*	*	10	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	50	69	32	50	18	19
Two or More Races	49	38	*	*	*	20
Hispanic or Latino	331	370	92	113	239	257

\*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.87B Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	15.5	15.5	18.6	19.5	13.5	13.0
<b>AGE</b>						
18	11.0	10.6	13.2	15.2	9.9	8.5
19	13.9	14.0	16.1	18.2	11.8	10.3
20	16.3	14.5	21.2	17.5	12.3	12.1
21	19.2	19.8	22.2	24.8	17.2	16.3
22	17.8	19.2	21.7	22.9	16.3	17.7
<b>GENDER</b>						
Male	21.2	21.0	26.1	27.0	18.5	17.7
Female	9.6	9.8	12.2	12.9	7.7	7.6
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	16.9	16.6	19.6	20.2	14.9	14.1
White	20.2	20.1	23.7	24.0	17.5	17.1
Black or African American	5.2	4.7	5.2	4.8	5.3	4.6
American Indian or Alaska Native	10.3	*	*	*	11.2	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	5.7	7.1	5.3	8.4	6.4	5.1
Two or More Races	19.8	15.8	*	*	*	14.3
Hispanic or Latino	9.2	10.0	10.8	13.4	8.7	9.0

\*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.