

**Table 7.92A Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Numbers in Thousands, 2004 and 2005**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>2</sup></b>	16,397	17,209	1,239	1,367	15,127	15,767
Marijuana and Hashish	12,667	12,896	982	1,061	11,665	11,777
Cocaine	1,895	2,255	294	326	1,599	1,913
Crack	451	657	115	116	336 <sup>a</sup>	541
Heroin	151	121	64 <sup>a</sup>	16	76	96
Hallucinogens	719	883	99	161	614	710
LSD	103	72	15	11	88	56
PCP	37	31	5	13	33	14
Ecstasy	373	428	62	90	310	336
Inhalants	325	298	30	20	293	276
Nonmedical Use of Psychotherapeutics <sup>3</sup>	5,093	5,567	450	413	4,629	5,134
Pain Relievers	3,653	3,972	327	320	3,315	3,641
OxyContin <sup>®</sup>	260	299	39	41	220	255
Tranquilizers	1,455	1,657	130	124	1,321	1,518
Stimulants	1,011	896	109	98	897	793
Methamphetamine	526	446	82	78	442	364
Sedatives	239	245	20	10	218	235
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	6,920 <sup>a</sup>	7,710	699	678	6,194 <sup>a</sup>	7,005

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.92B Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Percentages, 2004 and 2005**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>2</sup></b>	7.6	7.9	26.2	29.2	7.2	7.4
Marijuana and Hashish	5.9	5.9	20.8	22.7	5.6	5.5
Cocaine	0.9	1.0	6.2	6.9	0.8	0.9
Crack	0.2	0.3	2.4	2.5	0.2 <sup>a</sup>	0.3
Heroin	0.1	0.1	1.3 <sup>a</sup>	0.3	0.0	0.0
Hallucinogens	0.3	0.4	2.1	3.4	0.3	0.3
LSD	0.0	0.0	0.3	0.2	0.0	0.0
PCP	0.0	0.0	0.1	0.3	0.0	0.0
Ecstasy	0.2	0.2	1.3	1.9	0.1	0.2
Inhalants	0.2	0.1	0.6	0.4	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>3</sup>	2.4	2.6	9.5	8.8	2.2	2.4
Pain Relievers	1.7	1.8	6.9	6.8	1.6	1.7
OxyContin <sup>®</sup>	0.1	0.1	0.8	0.9	0.1	0.1
Tranquilizers	0.7	0.8	2.7	2.7	0.6	0.7
Stimulants	0.5	0.4	2.3	2.1	0.4	0.4
Methamphetamine	0.2	0.2	1.7	1.7	0.2	0.2
Sedatives	0.1	0.1	0.4	0.2	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	3.2	3.5	14.8	14.5	2.9 <sup>a</sup>	3.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.93A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Numbers in Thousands, 2004 and 2005**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>2</sup></b>	14,774	15,068	1,184	1,249	13,559	13,778
Marijuana and Hashish	11,585	11,508	944	981	10,620	10,503
Cocaine	1,770	2,032	294	324	1,474	1,692
Crack	403	558	115	115	288 <sup>a</sup>	443
Heroin	149	121	64 <sup>a</sup>	16	74	96
Hallucinogens	719	772	99	120	614	640
LSD	103	72	15	11	88	56
PCP	37	31	5	13	33	14
Ecstasy	373	422	62	84	310	336
Inhalants	285	255	30	20	253	233
Nonmedical Use of Psychotherapeutics <sup>3</sup>	4,641	4,828	433	399	4,194	4,409
Pain Relievers	3,349	3,455	309	312	3,029	3,133
OxyContin <sup>®</sup>	260	298	39	39	220	255
Tranquilizers	1,382	1,414	130	124	1,248	1,276
Stimulants	945	877	109	92	831	780
Methamphetamine	492	440	82	71	408	364
Sedatives	183	221	20	10	162	211
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	6,309	6,721	681	628	5,601	6,066

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.93B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Percentages, 2004 and 2005**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>2</sup></b>	11.2	11.4	27.9	29.9	10.6	10.8
Marijuana and Hashish	8.8	8.7	22.3	23.5	8.3	8.2
Cocaine	1.3	1.5	6.9	7.8	1.2	1.3
Crack	0.3	0.4	2.7	2.7	0.2 <sup>a</sup>	0.3
Heroin	0.1	0.1	1.5 <sup>a</sup>	0.4	0.1	0.1
Hallucinogens	0.5	0.6	2.3	2.9	0.5	0.5
LSD	0.1	0.1	0.3	0.3	0.1	0.0
PCP	0.0	0.0	0.1	0.3	0.0	0.0
Ecstasy	0.3	0.3	1.5	2.0	0.2	0.3
Inhalants	0.2	0.2	0.7	0.5	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>3</sup>	3.5	3.6	10.2	9.6	3.3	3.4
Pain Relievers	2.5	2.6	7.3	7.5	2.4	2.4
OxyContin <sup>®</sup>	0.2	0.2	0.9	0.9	0.2	0.2
Tranquilizers	1.0	1.1	3.1	3.0	1.0	1.0
Stimulants	0.7	0.7	2.6	2.2	0.7	0.6
Methamphetamine	0.4	0.3	1.9	1.7	0.3	0.3
Sedatives	0.1	0.2	0.5	0.2	0.1	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	4.8	5.1	16.1	15.0	4.4	4.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.94A Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>TOTAL 18 OR OLDER</b>	16,397	17,209	1,239	1,367	15,127	15,767
<b>AGE</b>						
18-49	14,774	15,068	1,184	1,249	13,559	13,778
18-25	6,239	6,543	614	734	5,614	5,798
26-34	3,866	3,851	288	205	3,570	3,618
35-49	4,670	4,674	283	310	4,375	4,362
<b>GENDER/AGE</b>						
Male 18 or Older	10,132	10,768	944	1,005	9,167	9,692
Male 18-49	9,206	9,425	889	887	8,296	8,502
Female 18 or Older	6,265	6,441	295	362	5,961	6,075
Female 18-49	5,568	5,643	295	362	5,263	5,276

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.94B Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>TOTAL 18 OR OLDER</b>	7.6	7.9	26.2	29.2	7.2	7.4
<b>AGE</b>						
18-49	11.2	11.4	27.9	29.9	10.6	10.8
18-25	19.4	20.1	34.9	39.9	18.5	19.0
26-34	11.1	11.0	26.0	19.8	10.6	10.7
35-49	7.2	7.2	20.6	23.8	6.9	6.8
<b>GENDER/AGE</b>						
Male 18 or Older	9.8	10.3	27.5	29.3	9.2	9.6
Male 18-49	14.0	14.3	28.8	30.0	13.3	13.6
Female 18 or Older	5.6	5.7	22.7	28.7	5.4	5.5
Female 18-49	8.3	8.4	25.6	29.8	8.0	8.1

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.95A Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>TOTAL 18 OR OLDER</b>	5,951	5,647	855	772	5,077	4,861
<b>AGE</b>						
18-49	5,544	5,197	846	752	4,679	4,431
18-25	2,684	2,728	407	436	2,269	2,288
26-34	1,390	1,129	187	131	1,203	988
35-49	1,469	1,339	251	185	1,208	1,154
<b>GENDER/AGE</b>						
Male 18 or Older	3,921	3,557	614	499	3,290	3,045
Male 18-49	3,671	3,295	604	479	3,049	2,802
Female 18 or Older	2,030	2,089	241	273	1,788	1,816
Female 18-49	1,873	1,902	241	273	1,630	1,628

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.95B Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>TOTAL 18 OR OLDER</b>	2.8	2.6	18.1	16.5	2.4	2.3
<b>AGE</b>						
18-49	4.2	3.9	20.0	18.0	3.7	3.5
18-25	8.3	8.4	23.1	23.7	7.5	7.5
26-34	4.0	3.2	16.9	12.7	3.6	2.9
35-49	2.3	2.1	18.3	14.2	1.9	1.8
<b>GENDER/AGE</b>						
Male 18 or Older	3.8	3.4	17.9	14.6	3.3	3.0
Male 18-49	5.6	5.0	19.6	16.2	4.9	4.5
Female 18 or Older	1.8	1.9	18.5	21.6	1.6	1.6
Female 18-49	2.8	2.8	20.9	22.5	2.5	2.5

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 7.96A Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>TOTAL 18 OR OLDER</b>	20,278	20,180	1,822	1,741	18,425	18,404
<b>AGE</b>						
18-49	17,462	17,167	1,755	1,629	15,677	15,503
18-25	6,840	7,069	773	859	6,048	6,201
26-34	4,599	4,322	441	330	4,157	3,975
35-49	6,023	5,777	540	440	5,472	5,327
<b>GENDER/AGE</b>						
Male 18 or Older	13,664	13,195	1,422	1,252	12,217	11,910
Male 18-49	11,678	11,037	1,354	1,149	10,298	9,856
Female 18 or Older	6,614	6,985	400	489	6,208	6,494
Female 18-49	5,785	6,130	400	480	5,379	5,648

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.96B Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2004 and 2005**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
<b>TOTAL 18 OR OLDER</b>	9.4	9.3	38.5	37.2	8.8	8.7
<b>AGE</b>						
18-49	13.2	12.9	41.4	39.0	12.3	12.1
18-25	21.2	21.8	44.0	46.6	19.9	20.3
26-34	13.1	12.4	39.9	32.1	12.3	11.8
35-49	9.2	8.9	39.4	33.8	8.6	8.3
<b>GENDER/AGE</b>						
Male 18 or Older	13.2	12.6	41.5	36.5	12.2	11.8
Male 18-49	17.8	16.8	43.9	38.8	16.6	15.7
Female 18 or Older	5.9	6.2	30.8	38.9	5.6	5.8
Female 18-49	8.7	9.2	34.7	39.6	8.2	8.6

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.