

Table 7.127C No Illicit Drug or Alcohol Use in Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	NO PAST MONTH USE					
	Illicit Drugs or Alcohol ¹		Illicit Drugs ¹		Alcohol	
	2004	2005	2004	2005	2004	2005
TOTAL	88	90	67	64	81	81
RACE²						
American Indian or Alaska Native	14	19	14	20	17	22
Asian or Pacific Islander	61	76	63	80	63	77
Asian Only	58	75	60	78	60	76
Native Hawaiian or Other Pacific Islander Only	*	*	13	*	*	13
Black or African American	28	36	23	29	24	29
White	81	80	61	55	75	75
Two or More Races	24	23	28	24	26	23
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	42	46	30	33	41	41
Not Hispanic or Latino	76	80	59	57	71	72
Black or African American	104	112	111	120	113	119
White	181	196	200	218	187	201
GENDER						
Male	62	64	44	49	59	57
Female	66	64	50	43	59	58
FAMILY INCOME						
Less Than \$20,000	103	112	110	119	107	119
\$20,000 - \$49,999	125	138	136	148	133	145
\$50,000 - \$74,999	95	104	102	112	97	106
\$75,000 or More	142	163	156	180	144	166
REGION						
Northeast	41	37	34	26	36	36
Midwest	38	36	25	27	34	33
South	51	55	39	39	46	49
West	45	51	35	39	44	44

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-10A (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.127D No Illicit Drug or Alcohol Use in Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	NO PAST MONTH USE					
	Illicit Drugs or Alcohol ¹		Illicit Drugs ¹		Alcohol	
	2004	2005	2004	2005	2004	2005
TOTAL	0.35	0.35	0.27	0.25	0.32	0.32
RACE²						
American Indian or Alaska Native	1.96	2.35	2.08	2.27	1.84	1.68
Asian or Pacific Islander	1.66	1.34	1.18	0.82	1.47	1.17
Asian Only	1.79	1.39	1.26	0.80	1.58	1.22
Native Hawaiian or Other Pacific Islander Only	*	*	2.64	*	*	3.39
Black or African American	0.70	0.90	0.57	0.73	0.61	0.72
White	0.42	0.41	0.32	0.29	0.39	0.39
Two or More Races	2.29	1.68	1.77	1.32	2.20	1.47
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.99	1.05	0.71	0.74	0.96	0.94
Not Hispanic or Latino	0.36	0.38	0.28	0.27	0.34	0.34
Black or African American	0.71	0.92	0.57	0.75	0.62	0.73
White	0.43	0.44	0.34	0.31	0.40	0.42
GENDER						
Male	0.48	0.49	0.34	0.38	0.45	0.44
Female	0.53	0.51	0.40	0.35	0.48	0.47
FAMILY INCOME						
Less Than \$20,000	0.90	0.86	0.75	0.67	0.77	0.72
\$20,000 - \$49,999	0.58	0.59	0.46	0.42	0.54	0.54
\$50,000 - \$74,999	0.86	0.85	0.65	0.60	0.80	0.76
\$75,000 or More	0.76	0.66	0.51	0.47	0.69	0.64
REGION						
Northeast	0.89	0.81	0.75	0.56	0.80	0.79
Midwest	0.67	0.64	0.43	0.47	0.60	0.58
South	0.56	0.60	0.43	0.43	0.52	0.54
West	0.74	0.84	0.58	0.64	0.73	0.73

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-10A (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.127P No Illicit Drug or Alcohol Use in Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic/Geographic Characteristic	NO PAST MONTH USE					
	Illicit Drugs or Alcohol ¹		Illicit Drugs ¹		Alcohol	
	2004	2005	2004	2005	2004	2005
TOTAL	0.0364		0.0563		0.0190	
RACE²						
American Indian or Alaska Native	0.1424		0.4482		0.1493	
Asian or Pacific Islander	0.2101		0.1925		0.2175	
Asian Only	0.2128		0.0801		0.2404	
Native Hawaiian or Other Pacific Islander Only	*		*		*	
Black or African American	0.0083		0.0862		0.0427	
White	0.0077		0.0168		0.0084	
Two or More Races	0.0440		0.3293		0.1136	
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.3507		0.3988		0.3228	
Not Hispanic or Latino	0.0626		0.0906		0.0364	
Black or African American	0.0097		0.0692		0.0510	
White	0.0143		0.0261		0.0180	
GENDER						
Male	0.1282		0.4026		0.0361	
Female	0.1656		0.0624		0.2402	
FAMILY INCOME						
Less Than \$20,000	0.5378		0.2221		0.4816	
\$20,000 - \$49,999	0.0269		0.5219		0.0049	
\$50,000 - \$74,999	0.6703		0.4621		0.4437	
\$75,000 or More	0.4970		0.3256		0.7404	
REGION						
Northeast	0.0835		0.0499		0.4989	
Midwest	0.4015		0.8921		0.3216	
South	0.3379		0.3725		0.7442	
West	0.0041		0.0078		0.0009	

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-10A (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.128C Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	PAST MONTH USE					
	Illicit Drug Use ¹		Marijuana Use		Binge Alcohol Use ²	
	2004	2005	2004	2005	2004	2005
TOTAL	67	64	57	56	73	65
RACE³						
American Indian or Alaska Native	8	8	8	7	5	5
Asian or Pacific Islander	14	10	11	6	14	9
Asian Only	14	9	11	5	13	9
Native Hawaiian or Other Pacific Islander Only	2	*	2	*	*	2
Black or African American	23	29	19	24	18	21
White	61	55	53	49	68	59
Two or More Races	9	6	9	5	10	6
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	30	33	26	28	38	37
Not Hispanic or Latino	59	57	52	49	63	55
Black or African American	26	33	21	26	18	22
White	59	52	51	44	62	55
GENDER						
Male	44	49	39	43	52	48
Female	50	43	38	35	50	43
FAMILY INCOME						
Less Than \$20,000	38	35	31	27	31	30
\$20,000 - \$49,999	43	38	36	30	42	37
\$50,000 - \$74,999	34	30	29	25	37	31
\$75,000 or More	40	39	32	35	50	42
REGION						
Northeast	34	26	27	24	28	28
Midwest	25	27	23	23	29	26
South	39	39	31	32	38	37
West	35	39	31	33	48	38

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10B and 26-11D (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

³ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.128D Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	PAST MONTH USE					
	Illicit Drug Use ¹		Marijuana Use		Binge Alcohol Use ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.27	0.25	0.23	0.22	0.29	0.26
RACE³						
American Indian or Alaska Native	2.08	2.27	2.44	2.05	1.55	1.53
Asian or Pacific Islander	1.18	0.82	1.00	0.55	1.22	0.75
Asian Only	1.26	0.80	1.07	0.50	1.28	0.80
Native Hawaiian or Other Pacific Islander Only	2.64	*	2.18	*	*	2.19
Black or African American	0.57	0.73	0.49	0.59	0.45	0.53
White	0.32	0.29	0.27	0.25	0.35	0.30
Two or More Races	1.77	1.32	1.68	1.10	1.92	1.30
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.71	0.74	0.61	0.64	0.90	0.84
Not Hispanic or Latino	0.28	0.27	0.25	0.23	0.30	0.26
Black or African American	0.57	0.75	0.49	0.61	0.45	0.54
White	0.34	0.31	0.30	0.27	0.36	0.31
GENDER						
Male	0.34	0.38	0.30	0.33	0.40	0.37
Female	0.40	0.35	0.31	0.29	0.41	0.35
FAMILY INCOME						
Less Than \$20,000	0.75	0.67	0.62	0.55	0.61	0.62
\$20,000 - \$49,999	0.46	0.42	0.40	0.34	0.47	0.43
\$50,000 - \$74,999	0.65	0.60	0.57	0.50	0.73	0.62
\$75,000 or More	0.51	0.47	0.41	0.42	0.62	0.48
REGION						
Northeast	0.75	0.56	0.58	0.52	0.63	0.61
Midwest	0.43	0.47	0.41	0.40	0.52	0.45
South	0.43	0.43	0.35	0.35	0.42	0.40
West	0.58	0.64	0.52	0.55	0.80	0.62

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10B and 26-11D (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

³ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.128P Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic/Geographic Characteristic	PAST MONTH USE					
	Illicit Drug Use ¹		Marijuana Use		Binge Alcohol Use ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.0563		0.0182		0.0027	
RACE³						
American Indian or Alaska Native	0.4482		0.8870		0.1709	
Asian or Pacific Islander	0.1925		0.0536		0.1952	
Asian Only	0.0801		0.0201		0.1997	
Native Hawaiian or Other Pacific Islander Only	*		*		*	
Black or African American	0.0862		0.2887		0.4055	
White	0.0168		0.0135		0.0028	
Two or More Races	0.3293		0.1666		0.2852	
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.3988		0.6040		0.1888	
Not Hispanic or Latino	0.0906		0.0189		0.0070	
Black or African American	0.0692		0.2985		0.4700	
White	0.0261		0.0141		0.0095	
GENDER						
Male	0.4026		0.1917		0.0212	
Female	0.0624		0.0293		0.0461	
FAMILY INCOME						
Less Than \$20,000	0.2221		0.0826		0.4708	
\$20,000 - \$49,999	0.5219		0.1380		0.0011	
\$50,000 - \$74,999	0.4621		0.3104		0.3055	
\$75,000 or More	0.3256		0.6599		0.3712	
REGION						
Northeast	0.0499		0.4103		0.4849	
Midwest	0.8921		0.3986		0.1394	
South	0.3725		0.6860		0.7209	
West	0.0078		0.0010		0.0019	

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10B and 26-11D (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

³ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.129C Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in Past Month among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic Characteristic	PAST MONTH USE					
	Illicit Drug Use ¹		Marijuana Use		Binge Alcohol Use ²	
	2004	2005	2004	2005	2004	2005
TOTAL	404	430	349	357	699	701
RACE³						
American Indian or Alaska Native	24	36	20	26	55	67
Asian or Pacific Islander	71	68	46	30	136	125
Asian Only	59	66	35	26	127	118
Native Hawaiian or Other Pacific Islander Only	*	16	*	13	*	37
Black or African American	132	154	112	140	231	244
White	374	383	316	323	638	624
Two or More Races	42	55	28	54	61	67
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	129	140	122	112	238	259
Not Hispanic or Latino	383	391	328	329	659	645
Black or African American	138	163	116	145	256	285
White	355	360	296	303	663	691
GENDER						
Male	298	320	267	278	511	529
Female	227	232	189	176	389	401
FAMILY INCOME						
Less Than \$20,000	203	192	182	148	341	333
\$20,000 - \$49,999	221	276	194	234	421	430
\$50,000 - \$74,999	182	170	150	147	331	336
\$75,000 or More	210	186	168	161	453	457
EDUCATION						
< High School	146	174	125	146	301	312
High School Graduate	216	227	180	202	422	425
Some College/College Graduate	303	294	259	232	576	607

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10C and 26-11C (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

³ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.129D Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in Past Month among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic Characteristic	PAST MONTH USE					
	Illicit Drug Use ¹		Marijuana Use		Binge Alcohol Use ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.19	0.20	0.16	0.16	0.32	0.32
RACE³						
American Indian or Alaska Native	1.30	1.68	1.09	1.25	2.93	2.68
Asian or Pacific Islander	0.71	0.69	0.47	0.32	1.22	1.26
Asian Only	0.65	0.72	0.39	0.30	1.24	1.29
Native Hawaiian or Other Pacific Islander Only	*	2.22	*	1.84	*	4.55
Black or African American	0.53	0.61	0.45	0.56	0.93	0.97
White	0.21	0.22	0.18	0.18	0.36	0.35
Two or More Races	1.70	1.98	1.17	1.95	2.59	2.39
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.48	0.51	0.45	0.40	0.89	0.93
Not Hispanic or Latino	0.20	0.21	0.17	0.17	0.35	0.34
Black or African American	0.53	0.62	0.45	0.56	0.94	0.99
White	0.23	0.23	0.19	0.19	0.39	0.37
GENDER						
Male	0.29	0.30	0.26	0.27	0.49	0.50
Female	0.20	0.21	0.17	0.16	0.35	0.36
FAMILY INCOME						
Less Than \$20,000	0.45	0.44	0.41	0.35	0.70	0.69
\$20,000 - \$49,999	0.28	0.35	0.25	0.31	0.50	0.54
\$50,000 - \$74,999	0.46	0.43	0.38	0.37	0.75	0.75
\$75,000 or More	0.34	0.29	0.28	0.26	0.66	0.64
EDUCATION						
< High School	0.39	0.48	0.34	0.41	0.78	0.80
High School Graduate	0.32	0.33	0.26	0.29	0.59	0.57
Some College/College Graduate	0.26	0.25	0.23	0.20	0.45	0.45

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10C and 26-11C (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

³ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.129P Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in Past Month among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic Characteristic	PAST MONTH USE					
	Illicit Drug Use ¹		Marijuana Use		Binge Alcohol Use ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.2989		0.8762		0.9785	
RACE³						
American Indian or Alaska Native	0.6046		0.5894		0.2665	
Asian or Pacific Islander	0.8006		0.3909		0.8562	
Asian Only	0.7654		0.8952		0.7956	
Native Hawaiian or Other Pacific Islander Only	*		*		*	
Black or African American	0.2584		0.4067		0.0830	
White	0.4518		0.8363		0.5058	
Two or More Races	0.7949		0.3740		0.4781	
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.4147		0.7681		0.9354	
Not Hispanic or Latino	0.3978		0.9368		0.9626	
Black or African American	0.2730		0.4121		0.0982	
White	0.5756		0.7937		0.4902	
GENDER						
Male	0.2533		0.3520		0.5229	
Female	0.7394		0.2655		0.3970	
FAMILY INCOME						
Less Than \$20,000	0.2509		0.6371		0.3748	
\$20,000 - \$49,999	0.0025		0.0063		0.3559	
\$50,000 - \$74,999	0.4935		0.3747		0.6203	
\$75,000 or More	0.1013		0.1248		0.2041	
EDUCATION						
< High School	0.0456		0.1004		0.8853	
High School Graduate	0.1166		0.0466		0.9592	
Some College/College Graduate	0.4687		0.0289		0.9928	

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10C and 26-11C (<http://www.healthypeople.gov/>).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

³ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.130C Inhalant Use in Past Year among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	INHALANT USE IN PAST YEAR	
	2004	2005
TOTAL	45	47
RACE¹		
American Indian or Alaska Native	4	3
Asian or Pacific Islander	16	9
Asian Only	16	8
Native Hawaiian or Other Pacific Islander Only	1	*
Black or African American	13	19
White	41	43
Two or More Races	7	5
HISPANIC ORIGIN AND RACE		
Hispanic or Latino	22	22
Not Hispanic or Latino	41	42
Black or African American	12	20
White	40	38
GENDER		
Male	34	33
Female	34	33
FAMILY INCOME		
Less Than \$20,000	20	19
\$20,000 - \$49,999	27	29
\$50,000 - \$74,999	23	23
\$75,000 or More	31	26
REGION		
Northeast	18	18
Midwest	17	18
South	30	28
West	23	27

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-15 (<http://www.healthypeople.gov/>).

¹ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.130D Inhalant Use in Past Year among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	INHALANT USE IN PAST YEAR	
	2004	2005
TOTAL	0.18	0.19
RACE¹		
American Indian or Alaska Native	1.18	0.89
Asian or Pacific Islander	1.42	0.74
Asian Only	1.53	0.73
Native Hawaiian or Other Pacific Islander Only	0.95	*
Black or African American	0.31	0.46
White	0.21	0.22
Two or More Races	1.29	1.17
HISPANIC ORIGIN AND RACE		
Hispanic or Latino	0.53	0.51
Not Hispanic or Latino	0.20	0.20
Black or African American	0.32	0.48
White	0.24	0.24
GENDER		
Male	0.26	0.26
Female	0.27	0.27
FAMILY INCOME		
Less Than \$20,000	0.41	0.40
\$20,000 - \$49,999	0.29	0.33
\$50,000 - \$74,999	0.46	0.48
\$75,000 or More	0.41	0.31
REGION		
Northeast	0.39	0.40
Midwest	0.31	0.31
South	0.33	0.31
West	0.38	0.45

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-15 (<http://www.healthypeople.gov/>).

¹ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.130P Inhalant Use in Past Year among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic/Geographic Characteristic	INHALANT USE IN PAST YEAR	
	2004	2005
TOTAL	0.6354	
RACE¹		
American Indian or Alaska Native	0.8615	
Asian or Pacific Islander	0.1950	
Asian Only	0.1010	
Native Hawaiian or Other Pacific Islander Only	*	
Black or African American	0.0993	
White	0.5025	
Two or More Races	0.8276	
HISPANIC ORIGIN AND RACE		
Hispanic or Latino	0.6540	
Not Hispanic or Latino	0.7764	
Black or African American	0.0582	
White	0.5938	
GENDER		
Male	0.2692	
Female	0.6534	
FAMILY INCOME		
Less Than \$20,000	0.7914	
\$20,000 - \$49,999	0.5088	
\$50,000 - \$74,999	0.6089	
\$75,000 or More	0.3991	
REGION		
Northeast	0.4276	
Midwest	0.5620	
South	0.6593	
West	0.6789	

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-15 (<http://www.healthypeople.gov/>).

¹ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.131C Marijuana Use, Alcohol Use, and Cigarette Use in Lifetime among Persons Aged 12 to 13, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	LIFETIME USE					
	Marijuana Use		Alcohol Use		Cigarette Use	
	2004	2005	2004	2005	2004	2005
TOTAL	24	23	55	49	40	40
RACE¹						
American Indian or Alaska Native	1	3	3	*	3	7
Asian or Pacific Islander	*	5	12	9	9	5
Asian Only	*	*	11	8	8	5
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	11	8	22	19	16	17
White	21	20	46	44	36	34
Two or More Races	3	2	10	5	5	4
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	13	13	27	27	16	24
Not Hispanic or Latino	20	19	47	40	37	33
Black or African American	11	8	21	19	16	14
White	17	16	38	34	32	29
GENDER						
Male	19	18	39	35	29	31
Female	15	15	37	33	27	25
FAMILY INCOME						
Less Than \$20,000	14	12	24	23	20	18
\$20,000 - \$49,999	14	13	33	31	25	27
\$50,000 - \$74,999	8	10	21	20	17	16
\$75,000 or More	11	12	26	24	17	15
REGION						
Northeast	9	6	27	17	13	15
Midwest	11	7	20	21	18	15
South	15	14	31	31	27	25
West	12	16	30	27	21	22

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-9 and 27-4 (<http://www.healthypeople.gov/>).

¹ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.131D Marijuana Use, Alcohol Use, and Cigarette Use in Lifetime among Persons Aged 12 to 13, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	LIFETIME USE					
	Marijuana Use		Alcohol Use		Cigarette Use	
	2004	2005	2004	2005	2004	2005
TOTAL	0.28	0.27	0.58	0.53	0.46	0.46
RACE¹						
American Indian or Alaska Native	1.16	2.37	3.13	*	3.08	4.90
Asian or Pacific Islander	*	1.41	3.02	2.35	2.37	1.46
Asian Only	*	*	3.21	2.28	2.26	1.48
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	0.74	0.63	1.42	1.34	1.09	1.20
White	0.33	0.32	0.65	0.61	0.53	0.50
Two or More Races	1.54	1.29	4.53	2.75	2.79	2.31
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.87	0.79	1.65	1.50	1.05	1.46
Not Hispanic or Latino	0.29	0.29	0.61	0.55	0.52	0.46
Black or African American	0.78	0.66	1.43	1.39	1.12	1.07
White	0.33	0.32	0.68	0.63	0.61	0.55
GENDER						
Male	0.44	0.42	0.83	0.75	0.66	0.70
Female	0.35	0.35	0.79	0.75	0.62	0.58
FAMILY INCOME						
Less Than \$20,000	0.86	0.76	1.36	1.34	1.17	1.14
\$20,000 - \$49,999	0.46	0.43	1.02	0.98	0.79	0.86
\$50,000 - \$74,999	0.48	0.69	1.20	1.31	1.02	1.02
\$75,000 or More	0.48	0.47	1.04	0.92	0.69	0.60
REGION						
Northeast	0.62	0.41	1.60	1.03	0.84	0.92
Midwest	0.55	0.37	0.96	1.01	0.88	0.76
South	0.49	0.47	0.92	0.94	0.86	0.80
West	0.62	0.74	1.36	1.16	1.00	1.03

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-9 and 27-4 (<http://www.healthypeople.gov/>).

¹ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.131P Marijuana Use, Alcohol Use, and Cigarette Use in Lifetime among Persons Aged 12 to 13, by Demographic, Socioeconomic, and Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic/Geographic Characteristic	LIFETIME USE					
	Marijuana Use		Alcohol Use		Cigarette Use	
	2004	2005	2004	2005	2004	2005
TOTAL	0.5103		0.1491		0.0872	
RACE¹						
American Indian or Alaska Native	0.1356		*		0.2785	
Asian or Pacific Islander	*		0.3925		0.4091	
Asian Only	*		0.1831		0.6449	
Native Hawaiian or Other Pacific Islander Only	*		*		*	
Black or African American	0.5196		0.9228		0.7414	
White	0.4563		0.1778		0.0432	
Two or More Races	0.7445		0.4383		0.3604	
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.7961		0.9282		0.6248	
Not Hispanic or Latino	0.5249		0.0964		0.0278	
Black or African American	0.5219		0.6985		0.9394	
White	0.5269		0.0792		0.0364	
GENDER						
Male	0.3318		0.1439		0.2404	
Female	0.8645		0.5718		0.2018	
FAMILY INCOME						
Less Than \$20,000	0.3469		0.3130		0.3618	
\$20,000 - \$49,999	0.9461		0.5844		0.8895	
\$50,000 - \$74,999	0.3930		0.8435		0.6017	
\$75,000 or More	0.4485		0.2021		0.0118	
REGION						
Northeast	0.4892		0.0399		0.6666	
Midwest	0.0148		0.6383		0.0207	
South	0.9357		0.6798		0.8425	
West	0.4821		0.2764		0.1681	

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-9 and 27-4 (<http://www.healthypeople.gov/>).

¹ These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.132C Perceptions of Great Risk of Smoking Marijuana Once a Month, Using Cocaine Once a Month, or Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	PERCEPTIONS OF GREAT RISK					
	Smoke Marijuana Once a Month ¹		Use Cocaine Once a Month ¹		Have Five or More Drinks Once or Twice a Week ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	109	107	106	114	101	118
RACE²						
American Indian or Alaska Native	10	9	10	13	10	11
Asian or Pacific Islander	36	43	39	44	44	57
Asian Only	36	42	38	41	43	56
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	40	41	49	46	43	47
White	97	94	94	92	90	89
Two or More Races	14	11	19	17	17	15
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	56	57	47	55	52	55
Not Hispanic or Latino	92	92	93	100	94	105
Black or African American	57	58	76	84	74	79
White	106	108	136	131	109	114
GENDER						
Male	73	73	72	79	78	78
Female	73	74	74	78	76	80
FAMILY INCOME						
Less Than \$20,000	64	66	72	87	65	76
\$20,000 - \$49,999	80	85	90	99	79	96
\$50,000 - \$74,999	62	57	74	70	64	66
\$75,000 or More	82	84	100	105	86	92
REGION						
Northeast	49	41	39	44	40	47
Midwest	43	43	47	41	43	40
South	61	63	62	72	65	77
West	64	66	62	65	50	63

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-17B, 26-17C, and 26-17A (<http://www.healthypeople.gov/>).

¹ Respondents with unknown data were excluded.

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.132D Perceptions of Great Risk of Smoking Marijuana Once a Month, Using Cocaine Once a Month, or Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic/Geographic Characteristic	PERCEPTIONS OF GREAT RISK					
	Smoke Marijuana Once a Month ¹		Use Cocaine Once a Month ¹		Have Five or More Drinks Once or Twice a Week ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	0.44	0.43	0.43	0.46	0.40	0.47
RACE²						
American Indian or Alaska Native	2.59	2.45	2.66	2.83	2.39	2.46
Asian or Pacific Islander	2.54	2.32	2.36	2.77	2.86	2.77
Asian Only	2.72	2.50	2.51	2.97	3.04	3.02
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	1.02	1.04	1.26	1.17	1.08	1.19
White	0.50	0.49	0.49	0.48	0.47	0.46
Two or More Races	2.56	2.23	2.55	2.73	2.45	2.58
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	1.34	1.32	1.13	1.28	1.25	1.27
Not Hispanic or Latino	0.44	0.44	0.45	0.49	0.45	0.51
Black or African American	1.06	1.05	1.29	1.19	1.09	1.21
White	0.50	0.51	0.52	0.51	0.52	0.50
GENDER						
Male	0.58	0.57	0.57	0.63	0.61	0.61
Female	0.60	0.60	0.61	0.64	0.62	0.65
FAMILY INCOME						
Less Than \$20,000	1.05	1.03	1.03	1.10	1.06	1.05
\$20,000 - \$49,999	0.77	0.76	0.73	0.79	0.67	0.79
\$50,000 - \$74,999	0.96	0.96	1.04	1.09	0.95	0.98
\$75,000 or More	0.79	0.74	0.78	0.81	0.84	0.79
REGION						
Northeast	1.09	0.92	0.86	1.00	0.89	1.04
Midwest	0.76	0.76	0.83	0.73	0.77	0.71
South	0.68	0.70	0.70	0.81	0.72	0.85
West	1.08	1.10	1.05	1.08	0.83	1.05

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-17B, 26-17C, and 26-17A (<http://www.healthypeople.gov/>).

¹ Respondents with unknown data were excluded.

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.132P Perceptions of Great Risk of Smoking Marijuana Once a Month, Using Cocaine Once a Month, or Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic/Geographic Characteristic	PERCEPTIONS OF GREAT RISK					
	Smoke Marijuana Once a Month ¹		Use Cocaine Once a Month ¹		Have Five or More Drinks Once or Twice a Week ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	0.1024		0.2035		0.5955	
RACE²						
American Indian or Alaska Native	0.1695		0.1855		0.2175	
Asian or Pacific Islander	0.9821		0.9297		0.3188	
Asian Only	0.9160		0.9703		0.4297	
Native Hawaiian or Other Pacific Islander Only	*		*		*	
Black or African American	0.3530		0.8666		0.9603	
White	0.2287		0.1705		0.7867	
Two or More Races	0.1158		0.3701		0.7838	
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.4532		0.2291		0.9484	
Not Hispanic or Latino	0.1382		0.0406		0.5411	
Black or African American	0.3863		0.8889		0.9763	
White	0.2933		0.0156		0.7813	
GENDER						
Male	0.0662		0.3235		0.2896	
Female	0.5941		0.3890		0.7632	
FAMILY INCOME						
Less Than \$20,000	0.7109		0.2621		0.3757	
\$20,000 - \$49,999	0.7778		0.8075		0.4015	
\$50,000 - \$74,999	0.0121		0.0026		0.8536	
\$75,000 or More	0.3354		0.3631		0.8539	
REGION						
Northeast	0.8781		0.7469		0.8813	
Midwest	0.3577		0.9174		0.2795	
South	0.0153		0.0601		0.8907	
West	0.3556		0.9304		0.8748	

*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-17B, 26-17C, and 26-17A (<http://www.healthypeople.gov/>).

¹ Respondents with unknown data were excluded.

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.133C Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug or Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED AT A SPECIALITY FACILITY					
	Illicit Drugs		Alcohol		Either Illicit Drugs or Alcohol ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	114	108	136	140	166	157
RACE²						
American Indian or Alaska Native	3	5	*	6	*	7
Asian or Pacific Islander	*	2	*	3	*	3
Asian Only	*	1	*	3	*	3
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	63	66	59	80	74	91
White	81	79	120	110	139	121
Two or More Races	11	7	11	6	11	12
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	38	48	95	60	100	72
Not Hispanic or Latino	108	93	98	122	132	141
Black or African American	63	66	59	80	74	91
White	72	63	74	91	96	104
GENDER						
Male	88	83	131	117	144	135
Female	72	66	47	73	84	79
FAMILY INCOME						
Less Than \$20,000	81	79	92	96	111	110
\$20,000 - \$49,999	56	48	59	72	79	80
\$50,000 - \$74,999	51	36	32	50	53	64
\$75,000 or More	27	42	38	49	40	52
AGE GROUP						
12-17	16	15	15	14	18	17
18 or Older	113	106	135	138	164	155

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-18 and 26-21 (<http://www.healthypeople.gov/>).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.133D Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug or Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED AT A SPECIALITY FACILITY					
	Illicit Drugs		Alcohol		Either Illicit Drugs or Alcohol ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	0.46	0.45	0.55	0.57	0.65	0.63
RACE²						
American Indian or Alaska Native	0.92	1.30	*	1.76	*	1.97
Asian or Pacific Islander	*	0.29	*	0.55	*	0.64
Asian Only	*	0.32	*	0.66	*	0.68
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	2.16	2.13	2.05	2.54	2.47	2.80
White	0.41	0.41	0.58	0.55	0.67	0.60
Two or More Races	2.86	2.34	2.80	1.87	3.00	3.70
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	1.14	1.46	2.74	1.74	2.84	2.04
Not Hispanic or Latino	0.51	0.45	0.47	0.59	0.61	0.67
Black or African American	2.24	2.16	2.13	2.58	2.56	2.84
White	0.43	0.39	0.43	0.55	0.56	0.63
GENDER						
Male	0.56	0.53	0.80	0.74	0.87	0.84
Female	0.86	0.77	0.57	0.84	0.97	0.91
FAMILY INCOME						
Less Than \$20,000	1.22	1.25	1.33	1.49	1.56	1.63
\$20,000 - \$49,999	0.69	0.59	0.72	0.87	0.95	0.96
\$50,000 - \$74,999	1.22	1.00	0.80	1.39	1.27	1.72
\$75,000 or More	0.50	0.72	0.67	0.83	0.72	0.88
AGE GROUP						
12-17	0.67	0.69	0.63	0.64	0.74	0.77
18 or Older	0.51	0.49	0.60	0.62	0.71	0.69

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-18 and 26-21 (<http://www.healthypeople.gov/>).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.133P Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug or Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED AT A SPECIALITY FACILITY					
	Illicit Drugs		Alcohol		Either Illicit Drugs or Alcohol ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	0.3923		0.5483		0.9567	
RACE²						
American Indian or Alaska Native	0.1714		*		*	
Asian or Pacific Islander	*		*		*	
Asian Only	*		*		*	
Native Hawaiian or Other Pacific Islander Only	*		*		*	
Black or African American	0.9293		0.4464		0.6891	
White	0.4978		0.6378		0.9254	
Two or More Races	0.6036		0.2751		0.7815	
HISPANIC ORIGIN AND RACE						
Hispanic or Latino	0.4772		0.8427		0.5728	
Not Hispanic or Latino	0.2122		0.5488		0.7762	
Black or African American	0.8525		0.5071		0.7724	
White	0.2623		0.5874		0.8645	
GENDER						
Male	0.2400		0.6959		1.0000	
Female	0.9538		0.0295		0.9002	
FAMILY INCOME						
Less Than \$20,000	0.8026		0.5787		0.8867	
\$20,000 - \$49,999	0.0567		0.9360		0.3082	
\$50,000 - \$74,999	0.8962		0.7221		0.4157	
\$75,000 or More	0.3119		0.4047		0.2765	
AGE GROUP						
12-17	0.3559		0.8752		0.5975	
18 or Older	0.3225		0.5630		0.9858	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-18 and 26-21 (<http://www.healthypeople.gov/>).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

² These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.