

**Table 7.13C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	324	310	248	277
Marijuana and Hashish	274	269	200	212
Cocaine	109	125	61	55
Crack	64	70	14	37
Heroin	32	21	11	10
Hallucinogens	46	72	34	38
LSD	25	13	8	9
PCP	11	12	13	*
Ecstasy	34	35	29	23
Inhalants	27	32	58	47
Nonmedical Use of Psychotherapeutics <sup>2</sup>	154	159	136	166
Pain Relievers	129	129	108	141
OxyContin <sup>®</sup>	32	33	16	16
Tranquilizers	81	89	66	78
Stimulants	66	60	62	45
Methamphetamine	54	48	37	27
Sedatives	41	27	26	38
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	200	205	165	182

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.13D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2004 and 2005**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.48	0.47	0.14	0.15
Marijuana and Hashish	0.42	0.42	0.11	0.12
Cocaine	0.17	0.20	0.03	0.03
Crack	0.11	0.11	0.01	0.02
Heroin	0.05	0.03	0.01	0.01
Hallucinogens	0.08	0.12	0.02	0.02
LSD	0.04	0.02	0.00	0.01
PCP	0.02	0.02	0.01	*
Ecstasy	0.06	0.06	0.02	0.01
Inhalants	0.04	0.05	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.24	0.25	0.08	0.09
Pain Relievers	0.20	0.21	0.06	0.08
OxyContin <sup>®</sup>	0.05	0.06	0.01	0.01
Tranquilizers	0.13	0.15	0.04	0.04
Stimulants	0.11	0.10	0.03	0.02
Methamphetamine	0.09	0.08	0.02	0.01
Sedatives	0.07	0.05	0.01	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.31	0.31	0.09	0.10

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.13P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.7927		0.3648	
Marijuana and Hashish	0.8757		0.5729	
Cocaine	0.0415		0.7556	
Crack	0.1943		0.0258	
Heroin	0.4337		0.8711	
Hallucinogens	0.2042		0.4417	
LSD	0.0866		0.3905	
PCP	0.5956		*	
Ecstasy	0.1986		0.6587	
Inhalants	0.9487		0.6273	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.5553		0.0334	
Pain Relievers	0.4846		0.0651	
OxyContin <sup>®</sup>	0.7408		0.3639	
Tranquilizers	0.3915		0.4275	
Stimulants	0.3226		0.5375	
Methamphetamine	0.5727		0.4272	
Sedatives	0.6442		0.5692	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.6078		0.0460	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.14C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	56	49	52	49
Marijuana and Hashish	50	47	37	35
Cocaine	15	14	5	9
Crack	4	6	2	3
Heroin	4	4	3	3
Hallucinogens	16	15	9	11
LSD	7	6	3	5
PCP	5	5	1	2
Ecstasy	12	10	5	6
Inhalants	15	15	21	19
Nonmedical Use of Psychotherapeutics <sup>2</sup>	29	25	30	29
Pain Relievers	26	22	28	26
OxyContin <sup>®</sup>	10	7	3	1
Tranquilizers	12	14	10	9
Stimulants	15	14	11	11
Methamphetamine	10	9	6	8
Sedatives	3	5	5	4
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	37	31	38	35

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.14D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2004 and 2005**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	1.25	1.25	0.22	0.21
Marijuana and Hashish	1.19	1.26	0.17	0.15
Cocaine	0.48	0.49	0.02	0.04
Crack	0.15	0.23	0.01	0.02
Heroin	0.12	0.14	0.01	0.01
Hallucinogens	0.52	0.54	0.04	0.05
LSD	0.23	0.21	0.02	0.02
PCP	0.16	0.20	0.01	0.01
Ecstasy	0.38	0.35	0.02	0.02
Inhalants	0.48	0.52	0.10	0.08
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.85	0.82	0.13	0.13
Pain Relievers	0.79	0.75	0.12	0.12
OxyContin <sup>®</sup>	0.34	0.26	0.01	0.01
Tranquilizers	0.40	0.50	0.04	0.04
Stimulants	0.48	0.49	0.05	0.05
Methamphetamine	0.34	0.34	0.03	0.04
Sedatives	0.11	0.17	0.02	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.99	0.99	0.16	0.15

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.14P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLICIT DRUGS<sup>1</sup></b>	0.6622		0.5720	
Marijuana and Hashish	0.7906		0.1580	
Cocaine	0.6655		0.0730	
Crack	0.1716		0.9853	
Heroin	0.7191		0.7461	
Hallucinogens	0.7537		0.3219	
LSD	0.3494		0.4698	
PCP	0.4093		0.6849	
Ecstasy	0.8402		0.4824	
Inhalants	0.8630		0.6889	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.5664		0.5200	
Pain Relievers	0.7978		0.3923	
OxyContin <sup>®</sup>	0.0438		0.4501	
Tranquilizers	0.2151		0.2922	
Stimulants	0.7846		0.8279	
Methamphetamine	0.8184		0.3175	
Sedatives	0.3539		0.5008	
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.5729		0.8508	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.15C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	128	127	71	78
Marijuana and Hashish	117	116	59	69
Cocaine	41	44	16	19
Crack	13	14	4	8
Heroin	9	10	3	3
Hallucinogens	30	29	16	21
LSD	13	9	7	7
PCP	5	5	1	*
Ecstasy	22	21	10	14
Inhalants	14	18	12	10
Nonmedical Use of Psychotherapeutics <sup>2</sup>	62	65	39	39
Pain Relievers	52	53	35	33
OxyContin <sup>®</sup>	19	17	4	8
Tranquilizers	33	37	19	19
Stimulants	31	32	13	16
Methamphetamine	21	25	8	8
Sedatives	8	12	6	9
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	76	81	46	45

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.15D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2004 and 2005**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.74	0.71	0.33	0.36
Marijuana and Hashish	0.71	0.69	0.29	0.33
Cocaine	0.30	0.33	0.08	0.09
Crack	0.10	0.11	0.02	0.04
Heroin	0.07	0.08	0.01	0.01
Hallucinogens	0.23	0.22	0.08	0.11
LSD	0.10	0.07	0.03	0.03
PCP	0.04	0.04	0.01	*
Ecstasy	0.17	0.17	0.05	0.07
Inhalants	0.11	0.14	0.06	0.05
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.43	0.46	0.20	0.19
Pain Relievers	0.37	0.39	0.18	0.16
OxyContin <sup>®</sup>	0.15	0.13	0.02	0.04
Tranquilizers	0.25	0.28	0.10	0.10
Stimulants	0.23	0.24	0.07	0.08
Methamphetamine	0.16	0.19	0.04	0.04
Sedatives	0.06	0.10	0.03	0.05
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.50	0.54	0.23	0.22

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 7.15P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLICIT DRUGS<sup>1</sup></b>	0.1715		0.2384	
Marijuana and Hashish	0.5457		0.2019	
Cocaine	0.0713		0.1244	
Crack	0.4914		0.2123	
Heroin	0.2181		0.9638	
Hallucinogens	0.9585		0.3751	
LSD	0.1342		0.8908	
PCP	0.5660		*	
Ecstasy	0.5143		0.3634	
Inhalants	0.9356		0.9914	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.7969		0.3405	
Pain Relievers	0.8918		0.6915	
OxyContin <sup>®</sup>	0.7251		0.1454	
Tranquilizers	0.4177		0.9498	
Stimulants	0.4786		0.3621	
Methamphetamine	0.8224		0.9626	
Sedatives	0.0998		0.8944	
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.1035		0.2304	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.16C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLICIT DRUGS<sup>1</sup></b>	278	279	228	262
Marijuana and Hashish	230	239	186	198
Cocaine	98	113	59	52
Crack	63	68	13	36
Heroin	30	18	11	10
Hallucinogens	31	65	31	30
LSD	13	6	*	*
PCP	8	10	13	*
Ecstasy	23	27	27	17
Inhalants	19	22	52	43
Nonmedical Use of Psychotherapeutics <sup>2</sup>	137	144	126	159
Pain Relievers	115	116	96	134
OxyContin <sup>®</sup>	24	27	15	13
Tranquilizers	70	82	62	74
Stimulants	55	49	59	40
Methamphetamine	48	39	35	24
Sedatives	40	23	25	37
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	175	183	148	173

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.16D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2004 and 2005**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.58	0.57	0.16	0.18
Marijuana and Hashish	0.49	0.50	0.13	0.14
Cocaine	0.22	0.25	0.04	0.04
Crack	0.14	0.15	0.01	0.03
Heroin	0.07	0.04	0.01	0.01
Hallucinogens	0.07	0.14	0.02	0.02
LSD	0.03	0.01	*	*
PCP	0.02	0.02	0.01	*
Ecstasy	0.05	0.06	0.02	0.01
Inhalants	0.04	0.05	0.04	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.30	0.31	0.09	0.11
Pain Relievers	0.25	0.25	0.07	0.10
OxyContin <sup>®</sup>	0.05	0.06	0.01	0.01
Tranquilizers	0.16	0.18	0.04	0.05
Stimulants	0.13	0.11	0.04	0.03
Methamphetamine	0.11	0.09	0.03	0.02
Sedatives	0.09	0.05	0.02	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.37	0.38	0.11	0.12

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.16P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.8046		0.4767	
Marijuana and Hashish	0.7036		0.4333	
Cocaine	0.1227		0.6986	
Crack	0.2885		0.0441	
Heroin	0.1787		0.9440	
Hallucinogens	0.0637		0.9807	
LSD	0.3759		*	
PCP	0.5124		*	
Ecstasy	0.1263		0.2418	
Inhalants	0.5490		0.4678	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.6742		0.0356	
Pain Relievers	0.5886		0.0407	
OxyContin <sup>®</sup>	0.5172		0.6434	
Tranquilizers	0.6240		0.3353	
Stimulants	0.4989		0.3750	
Methamphetamine	0.4499		0.2745	
Sedatives	0.2682		0.5171	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.7776		0.0664	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.