

**Table 7.1C Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	256	255	53	48	85	92	245	230
12-49	162	186	41	37	64	72	143	168
50-99	149	148	28	27	45	48	140	140
100-299	209	222	36	38	84	79	182	206
300 or More	163	165	25	23	61	67	149	149
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	169	174	34	37	56	58	163	160
3-5	145	141	27	24	43	53	133	129
6-19	144	164	27	28	54	55	126	154
20 or More	199	192	32	26	79	80	178	174

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.1D Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.82	0.79	1.17	1.09	0.73	0.79	1.53	1.46
12-49	0.55	0.65	0.98	0.95	0.59	0.66	0.98	1.15
50-99	0.55	0.53	0.72	0.71	0.45	0.48	1.02	0.99
100-299	0.68	0.74	0.86	1.01	0.69	0.69	1.24	1.37
300 or More	0.58	0.60	0.65	0.67	0.61	0.66	1.08	1.08
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.99	1.00	1.45	1.64	0.90	0.92	1.84	1.80
3-5	0.86	0.84	1.27	1.26	0.72	0.84	1.54	1.52
6-19	0.89	0.95	1.23	1.41	0.84	0.84	1.57	1.74
20 or More	1.01	1.05	1.38	1.38	1.06	1.07	1.86	1.89

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.1P Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.6973		0.7446		0.4766		0.4955	
12-49	0.8187		0.2715		0.2715		0.8993	
50-99	0.4966		0.9706		0.0804		0.8835	
100-299	0.8501		0.0749		0.0561		0.6023	
300 or More	0.4893		0.1282		0.1487		0.7462	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.1418		0.1380		0.8360		0.0870	
3-5	0.8380		0.8873		0.4073		0.9939	
6-19	0.6931		0.2901		0.3296		0.5773	
20 or More	0.3679		0.0108		0.7348		0.2439	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.2C Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	129	127	22	22	60	59	108	108
12-49	102	89	11	13	41	33	92	81
50-99	80	78	7	7	19	24	77	73
100-299	75	75	11	7	20	25	69	71
300 or More	36	47	2	4	6	8	35	45
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	68	82	12	12	31	38	61	71
3-5	58	69	5	7	20	23	54	64
6-19	58	79	6	8	18	17	55	76
20 or More	49	45	*	4	11	7	47	45

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.2D Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	1.68	1.78	3.28	3.20	1.67	1.60	2.65	3.04
12-49	1.50	1.43	2.44	2.80	1.50	1.27	2.49	2.53
50-99	1.29	1.26	1.72	1.54	0.86	1.01	2.25	2.27
100-299	1.23	1.24	2.40	1.68	0.89	1.05	2.05	2.23
300 or More	0.62	0.83	0.51	0.94	0.27	0.37	1.09	1.54
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	2.84	2.83	5.97	5.86	2.92	2.74	4.22	4.27
3-5	2.50	2.44	4.04	4.39	2.47	2.41	3.94	3.85
6-19	2.43	2.79	4.28	4.96	2.30	1.94	3.83	4.44
20 or More	2.17	1.78	*	2.81	1.55	0.78	3.48	2.94

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.2P Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.3944		0.5006		0.1623		0.4515	
12-49	0.8907		0.3802		0.5257		0.9786	
50-99	0.7296		0.7137		0.0955		0.4922	
100-299	0.2591		0.0384		0.1913		0.2328	
300 or More	0.3212		0.5902		0.3010		0.3664	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.3601		0.6247		0.0445		0.7528	
3-5	0.8359		0.9350		0.6405		0.9723	
6-19	0.9704		0.3985		0.0599		0.6670	
20 or More	0.1293		*		0.0213		0.3126	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.3C Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	139	116	28	32	67	68	116	85
12-49	55	74	17	15	29	28	46	68
50-99	37	28	13	10	16	17	32	20
100-299	15	25	8	9	10	14	7	18
300 or More	5	5	0	1	4	5	2	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	49	76	16	15	29	31	*	*
3-5	26	22	7	6	12	15	*	*
6-19	14	20	7	9	11	10	*	*
20 or More	8	4	4	1	2	*	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.3D Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	1.63	1.70	2.29	2.62	1.58	1.53	4.24	4.99
12-49	1.30	1.67	1.96	2.09	1.35	1.26	3.47	5.08
50-99	0.93	0.74	1.58	1.56	0.80	0.80	2.68	1.85
100-299	0.39	0.66	1.07	1.27	0.50	0.68	0.58	1.64
300 or More	0.12	0.13	0.02	0.19	0.22	0.23	0.17	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	2.78	2.67	4.19	4.31	3.13	3.21	*	*
3-5	2.55	2.00	3.22	2.76	2.43	2.70	*	*
6-19	1.44	1.79	3.09	3.91	2.07	2.00	*	*
20 or More	0.87	0.41	1.73	0.73	0.39	*	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 7.3P Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.2794		0.9215		0.9137		0.1515	
12-49	0.2545		0.5414		0.6159		0.1332	
50-99	0.3060		0.3657		0.9668		0.4189	
100-299	0.0766		0.8134		0.1757		0.0884	
300 or More	0.9795		0.1171		0.9360		*	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.6800		0.6457		0.9878		*	
3-5	0.3375		0.4784		0.4495		*	
6-19	0.2090		0.1448		0.3134		*	
20 or More	0.1568		0.4241		*		*	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.4C Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	62	71	37	39	36	34	*	*
12-49	55	35	23	19	15	18	*	*
50-99	23	25	18	17	11	12	*	*
100-299	30	42	14	13	9	11	*	*
300 or More	10	3	4	3	5	0	*	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	35	40	19	20	16	*	*	*
3-5	24	17	12	9	*	*	*	*
6-19	23	20	9	7	6	*	*	*
20 or More	*	*	8	5	2	*	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.4D Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	2.17	2.06	2.07	1.98	2.63	2.92	*	*
12-49	2.03	1.51	1.78	1.53	1.97	2.39	*	*
50-99	1.00	1.07	1.44	1.41	1.55	1.70	*	*
100-299	1.24	1.76	1.19	1.09	1.25	1.60	*	*
300 or More	0.42	0.13	0.32	0.25	0.70	0.03	*	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	5.03	4.86	4.26	3.29	5.48	*	*	*
3-5	3.60	2.62	3.48	2.67	*	*	*	*
6-19	3.37	3.10	2.52	2.18	4.00	*	*	*
20 or More	*	*	2.26	1.43	1.64	*	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.4P Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.3158		0.9203		0.7515		*	
12-49	0.0872		0.8835		0.3555		*	
50-99	0.4478		0.6989		0.7476		*	
100-299	0.6490		0.7305		0.4738		*	
300 or More	0.0820		0.6816		0.1924		*	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.1004		0.0214		*		*	
3-5	0.1668		0.0482		*		*	
6-19	0.5548		0.9299		*		*	
20 or More	*		0.1997		*		*	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.5C Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	226	203	38	40	69	68	214	187
3-5	194	204	30	32	52	57	184	191
6-19	241	255	33	30	75	75	228	238
20-29	265	252	28	25	65	67	250	241
30	693	664	43	34	146	135	649	632
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	214	237	25	20	67	59	202	229
6-15 (1/2 Pack)	381	369	27	22	81	82	361	352
16-25 (1 Pack)	387	405	15	13	67	72	375	396
26 or More (More Than 1 Pack)	308	255	8	8	30	26	306	254
Not Reported	17	35	1	1	2	3	16	35

\*Low precision; no estimate reported.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.5D Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.37	0.32	1.14	1.26	0.49	0.50	0.47	0.40
3-5	0.31	0.32	0.88	1.01	0.38	0.41	0.40	0.41
6-19	0.38	0.39	0.97	0.98	0.50	0.50	0.49	0.49
20-29	0.41	0.38	0.86	0.85	0.46	0.46	0.54	0.50
30	0.63	0.62	1.13	1.12	0.72	0.73	0.80	0.79
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	0.54	0.58	2.29	2.30	0.83	0.80	0.64	0.69
6-15 (1/2 Pack)	0.81	0.79	2.34	2.33	0.88	0.95	0.98	0.94
16-25 (1 Pack)	0.82	0.81	1.63	1.64	0.82	0.89	1.00	0.98
26 or More (More Than 1 Pack)	0.73	0.61	0.91	1.07	0.43	0.40	0.89	0.75
Not Reported	0.04	0.09	0.12	0.12	0.03	0.05	0.05	0.11

\*Low precision; no estimate reported.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.5P Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.1995		0.9879		0.4370		0.1650	
3-5	0.4226		0.0803		0.7817		0.4177	
6-19	0.6570		0.9906		0.2501		0.4978	
20-29	0.8023		0.7073		0.6389		0.7756	
30	0.4657		0.2462		0.1411		0.3409	
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS <sup>1</sup>								
Fewer Than 6	0.6664		0.7524		0.0792		0.7723	
6-15 (1/2 Pack)	0.0122		0.9267		0.9952		0.0068	
16-25 (1 Pack)	0.3500		0.9078		0.0176		0.7044	
26 or More (More Than 1 Pack)	0.0001		0.4547		0.1240		0.0001	
Not Reported	0.1595		0.7073		0.4714		0.1759	

\*Low precision; no estimate reported.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.6C Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	714	726	94	96	124	124	679	692
12-49	689	756	65	68	146	139	656	740
50-99	566	532	44	43	111	121	545	515
100-299	876	830	46	46	181	199	836	783
300 or More	430	425	14	12	41	39	428	423
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	717	723	68	65	118	126	689	700
3-5	653	631	46	45	129	128	636	622
6-19	712	679	41	42	163	180	678	633
20 or More	561	604	17	20	77	75	557	598

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 7.6D Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.37	0.38	0.71	0.77	0.43	0.43	0.46	0.46
12-49	0.37	0.38	0.63	0.65	0.45	0.44	0.46	0.47
50-99	0.31	0.30	0.48	0.47	0.38	0.39	0.39	0.37
100-299	0.43	0.40	0.50	0.51	0.49	0.54	0.53	0.48
300 or More	0.27	0.25	0.16	0.14	0.16	0.15	0.33	0.31
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.47	0.48	1.06	1.10	0.52	0.52	0.56	0.57
3-5	0.43	0.41	0.87	0.92	0.48	0.51	0.53	0.50
6-19	0.46	0.44	0.83	0.87	0.58	0.59	0.57	0.52
20 or More	0.41	0.41	0.38	0.46	0.34	0.33	0.50	0.49

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.6P Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.6159		0.1908		0.1262		0.7797	
12-49	0.2104		0.2762		0.3792		0.1719	
50-99	0.7016		0.0545		0.3379		0.4460	
100-299	0.2800		0.2185		0.0047		0.0946	
300 or More	0.8478		0.4258		0.7549		0.8717	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.4928		0.7929		0.2455		0.3229	
3-5	1.0000		0.9785		0.7858		0.9855	
6-19	0.5587		0.9591		0.4646		0.4530	
20 or More	0.8804		0.4730		0.8984		0.7720	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.7D Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption, by Detailed Age Category: Standard Errors, 2005**

Age Category	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	0.40	0.09	0.03	0.46	70,050
12	0.34	0.40	0.31	3.16	341
13	0.47	0.62	0.38	2.43	661
14	0.64	0.36	0.22	3.39	1,693
15	0.80	0.22	0.16	1.56	1,524
16	0.96	0.24	0.17	2.98	3,780
17	1.01	0.22	0.20	2.55	3,882
18	1.19	0.22	0.23	2.67	6,597
19	1.39	0.22	0.15	2.82	7,875
20	1.24	0.21	0.13	1.86	5,687
21	1.25	0.21	0.16	3.13	10,165
22	1.20	0.21	0.12	1.90	6,216
23	1.14	0.20	0.11	1.78	5,756
24	1.29	0.23	0.13	2.12	6,056
25	1.21	0.21	0.12	1.43	4,497
26-29	1.20	0.22	0.10	1.51	17,889
30-34	1.12	0.20	0.08	1.36	18,536
35-39	1.13	0.21	0.08	1.59	21,980
40-44	1.06	0.22	0.09	1.27	20,338
45-49	1.10	0.24	0.08	2.08	30,364
50-54	1.66	0.39	0.10	1.79	23,283
55-59	1.77	0.42	0.05	1.50	16,041
60-64	1.97	0.59	0.12	2.56	18,396
65 or Older	1.39	0.47	0.05	1.26	23,239

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2005.

**Table 7.8D Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption, by Demographic Characteristics: Standard Errors, 2005**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	0.40	0.09	0.03	0.46	70,050
<b>AGE</b>					
12-17	0.32	0.12	0.10	1.28	5,828
18-25	0.51	0.08	0.05	0.86	22,989
26 or Older	0.51	0.11	0.03	0.53	64,169
<b>GENDER</b>					
Male	0.53	0.12	0.04	0.75	60,716
Female	0.51	0.12	0.03	0.45	29,721
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.43	0.10	0.03	0.51	68,805
White	0.46	0.11	0.03	0.52	61,716
Black or African American	1.13	0.24	0.10	2.32	28,825
American Indian or Alaska Native	4.06	1.28	0.68	20.06	13,229
Native Hawaiian or Other Pacific Islander	5.61	1.13	0.43	6.35	1,884
Asian	2.09	0.43	0.09	1.19	5,527
Two or More Races	2.95	0.82	0.23	3.11	4,603
Hispanic or Latino	1.05	0.21	0.12	1.04	17,588

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2005.

**Table 7.9D Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors, 2005**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	0.41	0.09	0.07	1.02	14,131
<b>GENDER</b>					
Male	0.53	0.14	0.11	1.64	11,921
Female	0.54	0.11	0.07	1.02	6,246
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.44	0.10	0.07	1.06	12,488
White	0.52	0.11	0.08	1.13	11,617
Black or African American	0.83	0.27	0.19	4.55	5,056
American Indian or Alaska Native	2.85	1.01	0.61	9.87	579
Native Hawaiian or Other Pacific Islander	3.54	0.81	1.08	9.15	142
Asian	1.59	0.44	0.27	2.37	686
Two or More Races	2.24	0.71	0.50	8.42	1,351
Hispanic or Latino	0.97	0.27	0.25	2.85	5,836
<b>GENDER/RACE/HISPANIC ORIGIN</b>					
Male, White, Not Hispanic	0.69	0.16	0.12	1.77	9,485
Female, White, Not Hispanic	0.68	0.13	0.09	1.20	5,373
Male, Black, Not Hispanic	1.21	0.43	0.33	8.05	4,856
Female, Black, Not Hispanic	1.03	0.28	0.16	3.09	1,565
Male, Hispanic	1.37	0.39	0.41	4.64	5,343
Female, Hispanic	1.33	0.33	0.18	2.46	2,179

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2005.

**Table 7.10D Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors, 2005**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	0.47	0.10	0.03	0.48	67,152
<b>GENDER</b>					
Male	0.62	0.13	0.04	0.79	58,400
Female	0.59	0.13	0.03	0.48	28,931
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.50	0.11	0.03	0.53	66,176
White	0.53	0.12	0.03	0.55	58,953
Black or African American	1.41	0.26	0.11	2.51	28,308
American Indian or Alaska Native	5.15	1.40	0.75	22.01	13,187
Native Hawaiian or Other Pacific Islander	*	1.19	0.44	6.67	*
Asian	2.45	0.46	0.10	1.26	5,466
Two or More Races	3.70	0.92	0.23	3.29	4,372
Hispanic or Latino	1.28	0.24	0.13	1.10	16,543
<b>GENDER/RACE/HISPANIC ORIGIN</b>					
Male, White, Not Hispanic	0.67	0.16	0.05	0.90	51,148
Female, White, Not Hispanic	0.70	0.15	0.03	0.50	24,639
Male, Black, Not Hispanic	2.26	0.36	0.17	4.24	25,688
Female, Black, Not Hispanic	1.56	0.40	0.11	1.86	9,978
Male, Hispanic	1.78	0.33	0.20	1.64	15,440
Female, Hispanic	1.55	0.30	0.11	1.00	5,005

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2005.

**Table 7.11D Cigarette Use in the Past Month and Measures of Past Month Cigarette Consumption, by Detailed Age Category: Standard Errors, 2005**

Age Category	Percentage Using Cigarettes in Past Month	MEASURES OF PAST MONTH CIGARETTE CONSUMPTION AMONG PAST MONTH CIGARETTE USERS			
		Average Number of Days Smoked Cigarettes in Past Month	Average Number of Cigarettes Smoked Per Day of Use in Past Month <sup>1</sup>	Average Number of Cigarettes Smoked Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Cigarettes Smoked in Past Month <sup>3</sup>
<b>TOTAL</b>	0.32	0.14	0.15	4.54	419,582
12	0.22	1.33	0.39	11.32	598
13	0.37	1.17	0.35	10.72	1,724
14	0.49	0.84	0.39	11.28	3,200
15	0.67	0.62	0.29	8.22	4,849
16	0.82	0.60	0.35	10.03	8,272
17	0.92	0.53	0.28	8.79	10,639
18	1.11	0.50	0.28	8.50	15,661
19	1.15	0.50	0.31	9.73	18,525
20	1.28	0.46	0.31	9.20	20,742
21	1.26	0.46	0.32	8.98	19,271
22	1.15	0.45	0.30	9.30	21,310
23	1.16	0.48	0.33	10.27	21,857
24	1.27	0.43	0.35	10.79	23,929
25	1.26	0.46	0.30	9.58	20,465
26-29	1.17	0.42	0.40	11.44	88,630
30-34	1.03	0.47	0.41	12.39	100,360
35-39	1.00	0.43	0.46	13.65	114,803
40-44	1.03	0.39	0.45	13.52	140,913
45-49	0.97	0.38	0.45	13.93	136,338
50-54	1.43	0.57	0.72	22.03	172,611
55-59	1.31	0.56	0.74	22.03	140,202
60-64	1.45	0.71	0.99	31.02	133,036
65 or Older	0.80	0.85	1.02	28.21	157,725

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of cigarettes smoked per user in the past month is defined as the product of the number of days that a respondent smoked cigarettes in the past month and the average number of cigarettes smoked per day on the days that cigarettes were smoked in the past month.

<sup>3</sup> The total number of cigarettes smoked in the past month is defined as the product of the total number of persons who smoked cigarettes in the past month and the average number of cigarettes smoked per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2005.

**Table 7.12D Cigarette Use in the Past Month and Measures of Past Month Cigarette Consumption, by Demographic Characteristics: Standard Errors, 2005**

Demographic Characteristic	Percentage Using Cigarettes in Past Month	MEASURES OF PAST MONTH CIGARETTE CONSUMPTION AMONG PAST MONTH CIGARETTE USERS			
		Average Number of Days Smoked Cigarettes in Past Month	Average Number of Cigarettes Smoked Per Day of Use in Past Month <sup>1</sup>	Average Number of Cigarettes Smoked Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Cigarettes Smoked in Past Month <sup>3</sup>
<b>TOTAL</b>	0.32	0.14	0.15	4.54	419,582
<b>AGE</b>					
12-17	0.28	0.33	0.16	5.05	15,513
18-25	0.47	0.17	0.12	3.61	64,088
26 or Older	0.39	0.17	0.20	5.86	405,676
<b>GENDER</b>					
Male	0.44	0.19	0.22	6.72	322,962
Female	0.43	0.19	0.21	6.04	254,781
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.35	0.14	0.16	4.88	413,520
White	0.39	0.15	0.18	5.52	394,751
Black or African American	0.94	0.48	0.37	10.20	107,143
American Indian or Alaska Native	3.72	1.39	1.13	39.27	29,837
Native Hawaiian or Other Pacific Islander	4.32	1.68	1.05	33.45	9,236
Asian	1.23	1.03	0.54	16.19	33,783
Two or More Races	2.65	0.88	0.99	30.62	43,296
Hispanic or Latino	0.81	0.48	0.32	9.23	82,331

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of cigarettes smoked per user in the past month is defined as the product of the number of days that a respondent smoked cigarettes in the past month and the average number of cigarettes smoked per day on the days that cigarettes were smoked in the past month.

<sup>3</sup> The total number of cigarettes smoked in the past month is defined as the product of the total number of persons who smoked cigarettes in the past month and the average number of cigarettes smoked per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2005.