

Table 7.76C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS³	137	132	94	94	91	91
Marijuana and Hashish	121	121	85	84	80	85
Cocaine	35	38	21	23	27	29
Crack	11	15	4	3	10	15
Heroin	8	8	4	4	6	7
Hallucinogens	29	33	18	19	22	27
LSD	13	11	6	6	12	10
PCP	5	5	3	2	5	5
Ecstasy	18	23	10	13	15	19
Inhalants	16	20	11	12	12	16
Nonmedical Use of Psychotherapeutics ⁴	64	64	39	42	51	46
Pain Relievers	54	51	29	32	45	39
OxyContin [®]	18	16	12	9	12	13
Tranquilizers	32	35	18	22	25	27
Stimulants	29	31	20	22	22	21
Methamphetamine	18	23	4	14	17	17
Sedatives	9	13	5	6	7	11
ILLCIT DRUGS OTHER THAN MARIJUANA³	76	79	46	51	59	57

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.76D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2004 and 2005

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS³	0.53	0.48	0.88	0.81	0.63	0.60
Marijuana and Hashish	0.48	0.46	0.82	0.76	0.56	0.57
Cocaine	0.17	0.18	0.24	0.27	0.22	0.22
Crack	0.05	0.07	0.05	0.04	0.08	0.11
Heroin	0.04	0.04	0.05	0.05	0.05	0.06
Hallucinogens	0.14	0.15	0.21	0.23	0.17	0.21
LSD	0.06	0.05	0.07	0.07	0.09	0.08
PCP	0.03	0.02	0.03	0.02	0.04	0.04
Ecstasy	0.09	0.11	0.13	0.16	0.12	0.15
Inhalants	0.08	0.09	0.13	0.15	0.09	0.12
Nonmedical Use of Psychotherapeutics ⁴	0.29	0.28	0.44	0.46	0.38	0.34
Pain Relievers	0.25	0.23	0.34	0.37	0.34	0.30
OxyContin [®]	0.09	0.08	0.15	0.11	0.10	0.10
Tranquilizers	0.15	0.16	0.22	0.26	0.20	0.20
Stimulants	0.14	0.14	0.24	0.25	0.18	0.16
Methamphetamine	0.09	0.11	0.05	0.17	0.14	0.13
Sedatives	0.04	0.06	0.07	0.07	0.05	0.09
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.34	0.33	0.50	0.53	0.43	0.41

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.76P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2004	2005	2004	2005
ILLCIT DRUGS³	0.9154		0.3828	0.5363
Marijuana and Hashish	0.8661		0.4312	0.6455
Cocaine	0.3448		0.3368	0.6221
Crack	0.2200		0.8120	0.1859
Heroin	0.4773		0.8053	0.3422
Hallucinogens	0.4353		0.2378	0.9212
LSD	0.3850		0.7860	0.3993
PCP	0.4107		0.5989	0.5066
Ecstasy	0.1908		0.0917	0.6841
Inhalants	0.8225		0.8090	0.6178
Nonmedical Use of Psychotherapeutics ⁴	0.4749		0.5123	0.1466
Pain Relievers	0.3135		0.8547	0.1657
OxyContin [®]	0.6293		0.4751	0.9477
Tranquilizers	0.6723		0.2327	0.6992
Stimulants	0.1990		0.9587	0.0927
Methamphetamine	0.9926		0.0401	0.2230
Sedatives	0.6744		0.9251	0.5835
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.7478		0.1500	0.4736

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.77C Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS³	98	101	67	68	68	76
Marijuana and Hashish	90	93	62	62	61	71
Cocaine	27	28	16	15	22	23
Crack	9	10	3	1	9	10
Heroin	6	6	3	3	5	5
Hallucinogens	25	28	15	16	19	23
LSD	12	9	5	6	11	7
PCP	5	5	3	2	5	5
Ecstasy	15	18	9	11	12	15
Inhalants	14	16	10	10	10	12
Nonmedical Use of Psychotherapeutics ⁴	46	51	27	30	38	38
Pain Relievers	39	41	18	22	35	33
OxyContin [®]	12	14	8	6	9	12
Tranquilizers	21	27	11	16	18	21
Stimulants	22	22	16	15	16	15
Methamphetamine	13	17	3	11	13	12
Sedatives	7	11	4	3	5	10
ILLCIT DRUGS OTHER THAN MARIJUANA³	56	62	33	36	45	47

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.77D Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2004 and 2005

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS³	0.78	0.71	1.43	1.20	0.89	0.92
Marijuana and Hashish	0.72	0.68	1.33	1.15	0.82	0.89
Cocaine	0.26	0.26	0.44	0.38	0.32	0.33
Crack	0.09	0.09	0.08	0.03	0.13	0.15
Heroin	0.06	0.06	0.09	0.09	0.08	0.07
Hallucinogens	0.23	0.26	0.39	0.42	0.28	0.32
LSD	0.11	0.08	0.13	0.15	0.16	0.10
PCP	0.05	0.05	0.07	0.05	0.07	0.07
Ecstasy	0.14	0.17	0.23	0.29	0.17	0.22
Inhalants	0.14	0.15	0.26	0.26	0.15	0.18
Nonmedical Use of Psychotherapeutics ⁴	0.42	0.44	0.67	0.72	0.55	0.52
Pain Relievers	0.35	0.36	0.46	0.56	0.50	0.46
OxyContin [®]	0.11	0.13	0.21	0.16	0.13	0.17
Tranquilizers	0.20	0.25	0.29	0.41	0.26	0.30
Stimulants	0.21	0.21	0.41	0.38	0.23	0.22
Methamphetamine	0.13	0.16	0.08	0.29	0.19	0.18
Sedatives	0.06	0.10	0.12	0.07	0.07	0.15
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.49	0.52	0.80	0.80	0.63	0.63

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.77P Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Male Undergraduates	Other Males Aged 18-22 ²
	2004	2005	2004	2005
ILLCIT DRUGS³	0.3805		0.1516	0.9879
Marijuana and Hashish	0.4079		0.2785	0.8371
Cocaine	0.7694		0.8996	0.7814
Crack	0.8677		0.3638	0.6924
Heroin	0.7729		0.9516	0.7586
Hallucinogens	0.7905		0.3897	0.7657
LSD	0.1066		0.9635	0.0597
PCP	0.5547		0.7964	0.5959
Ecstasy	0.4922		0.1216	0.7764
Inhalants	0.8776		0.3704	0.5718
Nonmedical Use of Psychotherapeutics ⁴	0.6106		0.4157	0.9524
Pain Relievers	0.6622		0.5720	0.8578
OxyContin [®]	0.7022		0.7105	0.4626
Tranquilizers	0.4632		0.3095	0.8396
Stimulants	0.4260		0.5552	0.5849
Methamphetamine	0.6827		0.0757	0.5181
Sedatives	0.7191		0.6549	0.5479
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.4722		0.2028	0.9891

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.78C Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
ILLICIT DRUGS³	72	68	51	47	50	48
Marijuana and Hashish	62	62	45	43	44	42
Cocaine	21	23	12	15	17	18
Crack	6	11	2	3	6	10
Heroin	4	6	2	2	4	5
Hallucinogens	14	17	8	10	11	14
LSD	4	6	3	2	3	6
PCP	2	1	1	*	1	1
Ecstasy	10	14	5	8	9	12
Inhalants	7	11	4	6	5	9
Nonmedical Use of Psychotherapeutics ⁴	42	37	25	26	32	28
Pain Relievers	37	31	21	22	29	23
OxyContin [®]	12	9	7	7	8	6
Tranquilizers	22	21	12	12	17	17
Stimulants	20	20	12	14	16	15
Methamphetamine	12	13	3	6	12	12
Sedatives	6	7	3	4	5	5
ILLICIT DRUGS OTHER THAN MARIJUANA³	46	44	27	29	35	34

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.78D Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2004 and 2005

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS³	0.62	0.59	0.97	0.93	0.76	0.74
Marijuana and Hashish	0.54	0.55	0.88	0.87	0.68	0.66
Cocaine	0.21	0.22	0.28	0.34	0.29	0.30
Crack	0.06	0.10	0.05	0.07	0.10	0.17
Heroin	0.04	0.05	0.05	0.04	0.07	0.09
Hallucinogens	0.13	0.16	0.18	0.22	0.19	0.22
LSD	0.04	0.06	0.07	0.04	0.06	0.10
PCP	0.02	0.01	0.02	*	0.02	0.01
Ecstasy	0.10	0.14	0.12	0.17	0.15	0.20
Inhalants	0.07	0.11	0.10	0.15	0.09	0.16
Nonmedical Use of Psychotherapeutics ⁴	0.40	0.35	0.53	0.55	0.53	0.45
Pain Relievers	0.36	0.30	0.46	0.48	0.48	0.38
OxyContin [®]	0.12	0.08	0.16	0.15	0.14	0.10
Tranquilizers	0.21	0.20	0.26	0.28	0.29	0.29
Stimulants	0.19	0.19	0.26	0.30	0.27	0.24
Methamphetamine	0.12	0.13	0.08	0.14	0.20	0.20
Sedatives	0.06	0.06	0.07	0.10	0.08	0.08
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.43	0.41	0.56	0.62	0.57	0.55

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.78P Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Female Undergraduates	Other Females Aged 18-22 ²
	2004	2005	2004	2005
ILLCIT DRUGS³	0.3642		0.7546	0.3223
Marijuana and Hashish	0.4356		0.9642	0.2947
Cocaine	0.2368		0.1801	0.6491
Crack	0.0942		0.6125	0.1150
Heroin	0.1431		0.6800	0.0850
Hallucinogens	0.2607		0.3693	0.4660
LSD	0.2142		0.4370	0.0755
PCP	0.2952		*	0.5394
Ecstasy	0.2054		0.4843	0.3021
Inhalants	0.5013		0.2715	0.9448
Nonmedical Use of Psychotherapeutics ⁴	0.0865		0.9146	0.0188
Pain Relievers	0.0465		0.7821	0.0149
OxyContin [®]	0.2049		0.4576	0.2399
Tranquilizers	0.8592		0.4141	0.4164
Stimulants	0.2955		0.5266	0.0653
Methamphetamine	0.6144		0.1993	0.2629
Sedatives	0.8148		0.7713	0.9518
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.7125		0.4089	0.2487

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.79C Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	137	132	94	94	91	91
AGE						
18	50	53	29	29	41	42
19	51	54	36	39	35	39
20	49	54	33	36	35	40
21	55	47	35	32	41	34
22	51	45	28	26	39	35
GENDER						
Male	98	101	67	68	68	76
Female	72	68	51	47	50	48
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	121	118	87	87	80	78
White	108	105	77	79	70	69
Black or African American	35	41	18	20	30	36
American Indian or Alaska Native	*	6	*	*	*	6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	16	17	15	15	8	8
Two or More Races	13	11	4	*	12	8
Hispanic or Latino	47	49	26	25	38	41

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.79D Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.53	0.48	0.88	0.81	0.63	0.60
AGE						
18	0.92	0.99	1.43	1.62	1.21	1.18
19	1.07	1.06	1.48	1.55	1.47	1.45
20	1.05	1.13	1.49	1.57	1.44	1.57
21	1.15	0.98	1.76	1.49	1.45	1.24
22	1.10	0.98	2.12	2.05	1.22	1.10
GENDER						
Male	0.78	0.71	1.43	1.20	0.89	0.92
Female	0.62	0.59	0.97	0.93	0.76	0.74
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.56	0.52	0.91	0.84	0.68	0.65
White	0.66	0.62	1.02	0.97	0.80	0.78
Black or African American	1.10	1.18	1.75	1.90	1.43	1.50
American Indian or Alaska Native	*	4.70	*	*	*	5.52
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.67	1.70	2.14	2.42	3.12	2.10
Two or More Races	4.32	3.96	5.27	*	5.53	4.54
Hispanic or Latino	1.21	1.20	2.77	2.59	1.34	1.33

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.79P Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2004	2005	2004	2005
TOTAL	0.9154		0.3828	0.5363
AGE				
18	0.5839		0.7111	0.3475
19	0.8973		0.8931	0.6876
20	0.0708		0.3194	0.1037
21	0.5117		0.6545	0.2237
22	0.7311		0.7931	0.5431
GENDER				
Male	0.3805		0.1516	0.9879
Female	0.3642		0.7546	0.3223
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.9955		0.4639	0.4654
White	0.7204		0.4138	0.7915
Black or African American	0.9922		0.8472	0.9760
American Indian or Alaska Native	*		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.5347		0.9900	0.2759
Two or More Races	0.6730		*	0.4368
Hispanic or Latino	0.7741		0.5571	0.9761

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.80C Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	121	121	85	84	80	85
AGE						
18	44	48	26	26	36	39
19	46	49	35	35	30	33
20	46	50	31	32	32	38
21	51	42	32	28	37	30
22	46	42	25	25	36	32
GENDER						
Male	90	93	62	62	61	71
Female	62	62	45	43	44	42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	112	108	80	78	73	74
White	99	96	71	70	64	64
Black or African American	33	38	17	19	28	34
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	14	15	13	13	7	7
Two or More Races	13	11	4	*	12	7
Hispanic or Latino	36	45	21	23	29	36

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.80D Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.48	0.46	0.82	0.76	0.56	0.57
AGE						
18	0.84	0.94	1.31	1.54	1.08	1.13
19	1.02	1.00	1.50	1.46	1.39	1.32
20	1.00	1.08	1.49	1.45	1.33	1.52
21	1.08	0.91	1.68	1.35	1.32	1.16
22	1.01	0.91	1.86	1.98	1.13	1.00
GENDER						
Male	0.72	0.68	1.33	1.15	0.82	0.89
Female	0.54	0.55	0.88	0.87	0.68	0.66
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.53	0.50	0.88	0.79	0.63	0.64
White	0.62	0.59	0.97	0.91	0.74	0.75
Black or African American	1.07	1.13	1.73	1.83	1.38	1.45
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.44	1.52	1.90	2.16	2.74	1.99
Two or More Races	4.24	3.82	4.68	*	5.48	4.31
Hispanic or Latino	0.96	1.13	2.22	2.44	1.07	1.22

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.80P Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2004	2005	2004	2005
TOTAL	0.8661		0.4312	0.6455
AGE				
18	0.8458		0.5290	0.8409
19	0.8666		0.9463	0.8255
20	0.1449		0.5550	0.1300
21	0.2678		0.6950	0.0712
22	0.9000		0.6001	0.6048
GENDER				
Male	0.4079		0.2785	0.8371
Female	0.4356		0.9642	0.2947
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.7433		0.5814	0.3152
White	0.8986		0.6314	0.5253
Black or African American	0.8140		0.9415	0.8031
American Indian or Alaska Native	*		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.9101		0.6713	0.4081
Two or More Races	0.4743		*	0.2101
Hispanic or Latino	0.2251		0.3826	0.3356

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.81C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOBACCO PRODUCTS³	192	190	127	132	141	135
Cigarettes	173	169	112	110	130	127
Smokeless Tobacco	50	54	35	37	37	40
Cigars	95	91	58	63	73	67
Pipe Tobacco	27	34	16	19	22	28
ALCOHOL	243	258	183	210	154	143
Binge Alcohol Use ⁴	205	218	157	173	124	126
Heavy Alcohol Use ⁴	122	120	100	93	63	70

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.81D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2004 and 2005

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOBACCO PRODUCTS³	0.60	0.58	1.01	0.94	0.74	0.71
Cigarettes	0.59	0.57	0.98	0.89	0.72	0.70
Smokeless Tobacco	0.23	0.25	0.39	0.41	0.28	0.31
Cigars	0.38	0.37	0.57	0.62	0.51	0.48
Pipe Tobacco	0.13	0.16	0.19	0.23	0.17	0.21
ALCOHOL	0.62	0.65	1.05	1.07	0.73	0.72
Binge Alcohol Use ⁴	0.65	0.66	1.15	1.17	0.73	0.73
Heavy Alcohol Use ⁴	0.49	0.46	0.99	0.81	0.46	0.50

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.81P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Substance	Total ¹	COLLEGE ENROLLMENT STATUS	
		Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2004 2005	2004 2005	2004 2005
TOBACCO PRODUCTS³	0.4784	0.3885	0.0830
Cigarettes	0.1666	0.9642	0.0503
Smokeless Tobacco	0.3616	0.5009	0.0735
Cigars	0.1615	0.2712	0.0099
Pipe Tobacco	0.1215	0.1598	0.3658
ALCOHOL	0.3702	0.1782	0.0149
Binge Alcohol Use ⁴	0.8335	0.4066	0.2691
Heavy Alcohol Use ⁴	0.9465	0.5227	0.4221

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.82C Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOBACCO PRODUCTS³	139	143	88	96	107	105
Cigarettes	123	121	73	74	98	96
Smokeless Tobacco	49	52	34	35	36	40
Cigars	80	82	49	55	62	61
Pipe Tobacco	26	30	16	16	21	26
ALCOHOL	161	175	114	132	111	110
Binge Alcohol Use ⁴	142	159	102	116	98	102
Heavy Alcohol Use ⁴	89	94	71	72	54	59

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.82D Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2004 and 2005

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOBACCO PRODUCTS³	0.80	0.81	1.44	1.34	1.06	1.04
Cigarettes	0.79	0.79	1.36	1.27	1.04	1.01
Smokeless Tobacco	0.43	0.45	0.81	0.78	0.51	0.55
Cigars	0.65	0.63	1.06	1.06	0.81	0.80
Pipe Tobacco	0.24	0.27	0.40	0.42	0.30	0.36
ALCOHOL	0.83	0.82	1.42	1.41	0.98	0.97
Binge Alcohol Use ⁴	0.86	0.89	1.52	1.59	1.02	1.03
Heavy Alcohol Use ⁴	0.70	0.70	1.46	1.23	0.72	0.77

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.82P Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Substance	Total ¹	COLLEGE ENROLLMENT STATUS	
		Full-Time Male Undergraduates	Other Males Aged 18-22 ²
	2004 2005	2004 2005	2004 2005
TOBACCO PRODUCTS³	0.7159	0.2049	0.1781
Cigarettes	0.2057	0.7870	0.0898
Smokeless Tobacco	0.4782	0.2826	0.0693
Cigars	0.2250	0.3307	0.0294
Pipe Tobacco	0.6161	0.7377	0.4043
ALCOHOL	0.7756	0.2250	0.1983
Binge Alcohol Use ⁴	0.9021	0.5453	0.7498
Heavy Alcohol Use ⁴	0.8100	0.6506	0.4392

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.83C Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOBACCO PRODUCTS³	99	103	69	70	73	76
Cigarettes	96	101	66	67	72	75
Smokeless Tobacco	8	11	4	8	7	8
Cigars	38	36	24	25	31	26
Pipe Tobacco	8	15	1	10	8	11
ALCOHOL	134	140	108	114	88	82
Binge Alcohol Use ⁴	103	107	86	86	62	63
Heavy Alcohol Use ⁴	58	53	49	42	30	32

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.83D Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2004 and 2005

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOBACCO PRODUCTS³	0.77	0.81	1.20	1.23	0.96	1.02
Cigarettes	0.77	0.81	1.21	1.22	0.96	1.02
Smokeless Tobacco	0.08	0.11	0.10	0.17	0.12	0.14
Cigars	0.34	0.33	0.50	0.53	0.50	0.42
Pipe Tobacco	0.08	0.15	0.03	0.24	0.14	0.19
ALCOHOL	0.83	0.87	1.36	1.35	1.01	1.04
Binge Alcohol Use ⁴	0.78	0.80	1.36	1.35	0.89	0.91
Heavy Alcohol Use ⁴	0.52	0.46	0.97	0.85	0.50	0.51

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.83P Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOBACCO PRODUCTS ³	0.5115		0.9878		0.3210	
Cigarettes	0.4605		0.8369		0.3437	
Smokeless Tobacco	0.1596		0.1468		0.5254	
Cigars	0.4639		0.5962		0.1700	
Pipe Tobacco	0.0066		0.0001		0.6715	
ALCOHOL	0.2905		0.3909		0.0263	
Binge Alcohol Use ⁴	0.6487		0.4958		0.1753	
Heavy Alcohol Use ⁴	0.7890		0.5874		0.8612	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.84C Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	173	169	112	110	130	127
AGE						
18	64	64	38	36	53	52
19	62	66	37	40	48	50
20	67	70	47	43	48	54
21	70	71	44	46	53	51
22	67	65	30	30	57	56
GENDER						
Male	123	121	73	74	98	96
Female	96	101	66	67	72	75
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	155	154	102	102	114	114
White	141	142	94	94	100	104
Black or African American	47	45	18	17	44	43
American Indian or Alaska Native	12	10	*	*	12	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	24	27	19	19	15	19
Two or More Races	14	13	3	*	13	10
Hispanic or Latino	68	65	31	34	60	55

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.84D Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.59	0.57	0.98	0.89	0.72	0.70
AGE						
18	1.12	1.11	1.89	1.86	1.31	1.35
19	1.18	1.15	1.46	1.49	1.65	1.61
20	1.22	1.28	1.89	1.70	1.64	1.75
21	1.24	1.26	1.96	1.90	1.60	1.59
22	1.22	1.15	2.00	2.16	1.48	1.38
GENDER						
Male	0.79	0.79	1.36	1.27	1.04	1.01
Female	0.77	0.81	1.21	1.22	0.96	1.02
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.64	0.62	1.02	0.89	0.77	0.79
White	0.74	0.72	1.10	1.04	0.90	0.86
Black or African American	1.48	1.32	1.85	1.69	1.95	1.72
American Indian or Alaska Native	5.64	5.81	*	*	5.23	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.46	2.49	2.50	2.74	5.11	4.66
Two or More Races	4.17	4.14	4.82	*	5.57	5.15
Hispanic or Latino	1.58	1.38	3.13	3.31	1.82	1.45

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.84P Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2004	2005	2004	2005
TOTAL	0.1666		0.9642	0.0503
AGE				
18	0.0829		0.7942	0.0100
19	0.3820		0.2885	0.4867
20	0.7609		0.5917	0.7756
21	0.7973		0.1646	0.4848
22	0.5240		0.9761	0.4341
GENDER				
Male	0.2057		0.7870	0.0898
Female	0.4605		0.8369	0.3437
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1985		0.7454	0.1066
White	0.2785		0.6606	0.2630
Black or African American	0.4939		0.6541	0.4185
American Indian or Alaska Native	0.6131		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.7886		0.8785	0.9683
Two or More Races	0.6671		*	0.4833
Hispanic or Latino	0.6352		0.3391	0.2773

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.85C Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	243	258	183	210	154	143
AGE						
18	85	75	63	51	58	55
19	81	96	64	82	47	53
20	85	88	64	70	54	53
21	99	102	69	76	69	63
22	90	86	49	47	70	69
GENDER						
Male	161	175	114	132	111	110
Female	134	140	108	114	88	82
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	219	237	170	197	135	122
White	199	211	154	176	121	111
Black or African American	61	62	37	36	47	47
American Indian or Alaska Native	*	11	*	*	11	10
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	37	40	31	34	18	23
Two or More Races	19	15	*	*	17	10
Hispanic or Latino	84	87	41	42	70	74

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.85D Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.62	0.65	1.05	1.07	0.73	0.72
AGE						
18	1.24	1.19	2.16	2.20	1.43	1.36
19	1.30	1.39	1.94	2.01	1.61	1.73
20	1.22	1.24	1.86	1.86	1.62	1.60
21	1.11	1.25	1.80	1.80	1.46	1.60
22	1.20	1.20	2.02	2.14	1.46	1.40
GENDER						
Male	0.83	0.82	1.42	1.41	0.98	0.97
Female	0.83	0.87	1.36	1.35	1.01	1.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.68	0.69	1.12	1.10	0.82	0.79
White	0.74	0.72	1.17	1.17	0.93	0.83
Black or African American	1.58	1.54	2.62	2.55	1.84	1.83
American Indian or Alaska Native	*	5.36	*	*	5.25	5.96
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.11	3.03	3.60	3.74	5.46	5.19
Two or More Races	4.21	4.50	*	*	5.07	5.07
Hispanic or Latino	1.53	1.63	3.64	3.36	1.71	1.79

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.85P Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2004	2005	2004	2005
TOTAL	0.3702		0.1782	0.0149
AGE				
18	0.2477		0.8210	0.2491
19	0.7602		0.1221	0.2851
20	0.4453		0.3907	0.8584
21	0.8295		0.4155	0.3266
22	0.0914		0.8179	0.0411
GENDER				
Male	0.7756		0.2250	0.1983
Female	0.2905		0.3909	0.0263
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.3049		0.3015	0.0122
White	0.6954		0.3528	0.1222
Black or African American	0.1339		0.5981	0.1452
American Indian or Alaska Native	*		*	0.8056
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.3958		0.1951	0.8086
Two or More Races	0.1917		*	0.1001
Hispanic or Latino	0.9411		0.2813	0.6407

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.86C Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	205	218	157	173	124	126
AGE						
18	72	66	51	43	49	48
19	69	80	53	67	43	46
20	74	72	56	56	46	44
21	79	87	56	64	54	54
22	72	71	39	38	56	58
GENDER						
Male	142	159	102	116	98	102
Female	103	107	86	86	62	63
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	185	197	144	162	107	106
White	170	180	133	148	99	97
Black or African American	40	43	22	21	32	37
American Indian or Alaska Native	10	10	*	*	10	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	27	29	20	26	*	15
Two or More Races	15	13	*	*	14	9
Hispanic or Latino	72	73	32	34	62	64

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.86D Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.65	0.66	1.15	1.17	0.73	0.73
AGE						
18	1.17	1.17	2.05	2.16	1.35	1.32
19	1.28	1.33	1.94	2.06	1.65	1.61
20	1.30	1.23	2.05	1.89	1.63	1.54
21	1.27	1.37	2.11	2.11	1.61	1.68
22	1.26	1.23	2.32	2.43	1.42	1.44
GENDER						
Male	0.86	0.89	1.52	1.59	1.02	1.03
Female	0.78	0.80	1.36	1.35	0.89	0.91
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.72	0.72	1.21	1.22	0.80	0.80
White	0.81	0.78	1.30	1.33	0.95	0.89
Black or African American	1.18	1.30	2.09	2.03	1.39	1.60
American Indian or Alaska Native	5.45	5.76	*	*	5.30	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.88	2.54	3.10	3.52	*	3.63
Two or More Races	4.33	4.32	*	*	5.58	5.15
Hispanic or Latino	1.48	1.54	2.95	3.22	1.73	1.72

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.86P Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2004	2005	2004	2005
TOTAL	0.8335		0.4066	0.2691
AGE				
18	0.1667		0.6370	0.1790
19	0.6962		0.4110	0.7876
20	0.8120		0.6295	0.9146
21	0.3429		0.1203	0.9198
22	0.9129		0.4439	0.5359
GENDER				
Male	0.9021		0.5453	0.7498
Female	0.6487		0.4958	0.1753
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.8120		0.4164	0.2087
White	0.9534		0.6044	0.6046
Black or African American	0.3990		0.6084	0.4503
American Indian or Alaska Native	0.9317		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.2827		0.0599	*
Two or More Races	0.6219		*	0.6892
Hispanic or Latino	0.9744		0.8320	0.9821

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.87C Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	122	120	100	93	63	70
AGE						
18	37	35	28	22	26	25
19	42	44	35	37	22	23
20	46	42	36	33	26	25
21	47	51	35	39	30	31
22	44	46	27	26	33	37
GENDER						
Male	89	94	71	72	54	59
Female	58	53	49	42	30	32
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	115	111	95	88	58	61
White	107	104	89	83	55	58
Black or African American	19	17	12	10	15	14
American Indian or Alaska Native	4	*	*	*	4	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	13	19	11	18	6	7
Two or More Races	12	8	*	*	*	6
Hispanic or Latino	34	35	17	19	29	29

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 7.87D Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2004	2005	2004	2005	2004	2005
TOTAL	0.49	0.46	0.99	0.81	0.46	0.50
AGE						
18	0.73	0.71	1.50	1.29	0.82	0.77
19	0.94	0.88	1.57	1.42	1.05	0.94
20	0.97	0.91	1.58	1.47	1.09	1.06
21	1.01	1.04	1.80	1.80	1.17	1.19
22	0.97	1.02	1.99	1.96	1.07	1.14
GENDER						
Male	0.70	0.70	1.46	1.23	0.72	0.77
Female	0.52	0.46	0.97	0.85	0.50	0.51
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.56	0.51	1.06	0.86	0.53	0.55
White	0.66	0.61	1.18	0.98	0.67	0.69
Black or African American	0.68	0.58	1.23	1.13	0.81	0.67
American Indian or Alaska Native	3.09	*	*	*	3.70	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.46	1.89	1.84	2.79	2.36	1.81
Two or More Races	4.09	3.06	*	*	*	3.80
Hispanic or Latino	0.87	0.94	1.85	2.14	0.99	1.01

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.87P Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2004	2005	2004	2005
TOTAL	0.9465		0.5227	0.4221
AGE				
18	0.6901		0.3253	0.2075
19	0.9374		0.3056	0.2740
20	0.1999		0.0873	0.8856
21	0.6748		0.2935	0.6001
22	0.3293		0.6724	0.3429
GENDER				
Male	0.8100		0.6506	0.4392
Female	0.7890		0.5874	0.8612
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.7717		0.6620	0.3016
White	0.9310		0.8242	0.6496
Black or African American	0.5299		0.7934	0.5599
American Indian or Alaska Native	*		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.5482		0.3642	0.6564
Two or More Races	0.4263		*	*
Hispanic or Latino	0.5231		0.3632	0.8033

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.