

Table 7.92C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS²	404	430	90	93	403	433
Marijuana and Hashish	349	357	78	78	340	354
Cocaine	119	141	46	45	108	130
Crack	66	87	29	31	53	79
Heroin	36	18	23	6	21	20
Hallucinogens	55	82	23	41	50	71
LSD	22	14	6	5	22	12
PCP	16	11	3	9	16	6
Ecstasy	45	43	21	18	40	39
Inhalants	58	52	11	8	58	51
Nonmedical Use of Psychotherapeutics ³	203	229	54	39	194	232
Pain Relievers	164	191	46	34	160	193
OxyContin [®]	35	38	13	11	32	35
Tranquilizers	102	116	29	20	96	115
Stimulants	90	74	28	23	84	70
Methamphetamine	67	53	27	22	60	48
Sedatives	48	46	10	5	47	46
ILLCIT DRUGS OTHER THAN MARIJUANA²	247	278	68	65	240	277

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.92D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Percentages, 2004 and 2005

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS²	0.19	0.20	1.75	1.78	0.19	0.20
Marijuana and Hashish	0.16	0.16	1.52	1.58	0.16	0.16
Cocaine	0.06	0.06	0.95	0.94	0.05	0.06
Crack	0.03	0.04	0.60	0.66	0.03	0.04
Heroin	0.02	0.01	0.48	0.13	0.01	0.01
Hallucinogens	0.03	0.04	0.49	0.85	0.02	0.03
LSD	0.01	0.01	0.12	0.10	0.01	0.01
PCP	0.01	0.01	0.06	0.19	0.01	0.00
Ecstasy	0.02	0.02	0.44	0.38	0.02	0.02
Inhalants	0.03	0.02	0.24	0.17	0.03	0.02
Nonmedical Use of Psychotherapeutics ³	0.09	0.11	1.12	0.82	0.09	0.11
Pain Relievers	0.08	0.09	0.95	0.73	0.07	0.09
OxyContin [®]	0.02	0.02	0.27	0.24	0.02	0.02
Tranquilizers	0.05	0.05	0.60	0.42	0.05	0.05
Stimulants	0.04	0.03	0.58	0.48	0.04	0.03
Methamphetamine	0.03	0.02	0.57	0.46	0.03	0.02
Sedatives	0.02	0.02	0.22	0.11	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA²	0.11	0.13	1.37	1.28	0.11	0.13

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.92P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS²	0.2989		0.2347		0.4372	
Marijuana and Hashish	0.8762		0.3880		0.9448	
Cocaine	0.0687		0.5814		0.0803	
Crack	0.0672		0.9619		0.0351	
Heroin	0.4354		0.0398		0.5131	
Hallucinogens	0.1160		0.1717		0.3136	
LSD	0.2341		0.6407		0.1947	
PCP	0.7136		0.4009		0.2601	
Ecstasy	0.4226		0.2982		0.6921	
Inhalants	0.6912		0.5210		0.7914	
Nonmedical Use of Psychotherapeutics ³	0.1807		0.6109		0.1349	
Pain Relievers	0.2787		0.9432		0.2484	
OxyContin [®]	0.4745		0.8871		0.4900	
Tranquilizers	0.2354		0.8969		0.2299	
Stimulants	0.2760		0.7729		0.2965	
Methamphetamine	0.3156		0.9085		0.2828	
Sedatives	0.9612		0.3999		0.8218	
ILLCIT DRUGS OTHER THAN MARIJUANA²	0.0586		0.8705		0.0410	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.93C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS²	340	341	83	79	358	360
Marijuana and Hashish	305	288	71	70	309	299
Cocaine	108	118	46	45	98	109
Crack	59	66	29	31	45	59
Heroin	36	18	23	6	21	20
Hallucinogens	55	59	23	20	50	55
LSD	22	14	6	5	22	12
PCP	16	11	3	9	16	6
Ecstasy	45	43	21	17	40	39
Inhalants	42	41	11	8	42	40
Nonmedical Use of Psychotherapeutics ³	175	183	51	38	173	184
Pain Relievers	145	148	42	34	143	148
OxyContin [®]	34	38	13	11	32	35
Tranquilizers	95	96	29	20	90	95
Stimulants	81	72	28	22	75	69
Methamphetamine	63	53	27	21	56	48
Sedatives	36	42	10	5	34	42
ILLCIT DRUGS OTHER THAN MARIJUANA²	212	228	66	54	212	229

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.93D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Percentages, 2004 and 2005

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS²	0.26	0.26	1.71	1.71	0.26	0.26
Marijuana and Hashish	0.23	0.22	1.54	1.58	0.23	0.22
Cocaine	0.08	0.09	1.05	1.03	0.08	0.08
Crack	0.04	0.05	0.66	0.74	0.04	0.05
Heroin	0.03	0.01	0.53	0.14	0.02	0.02
Hallucinogens	0.04	0.04	0.54	0.47	0.04	0.04
LSD	0.02	0.01	0.14	0.11	0.02	0.01
PCP	0.01	0.01	0.07	0.21	0.01	0.00
Ecstasy	0.03	0.03	0.49	0.40	0.03	0.03
Inhalants	0.03	0.03	0.27	0.19	0.03	0.03
Nonmedical Use of Psychotherapeutics ³	0.13	0.14	1.15	0.88	0.13	0.14
Pain Relievers	0.11	0.11	0.96	0.79	0.11	0.11
OxyContin [®]	0.03	0.03	0.30	0.26	0.02	0.03
Tranquilizers	0.07	0.07	0.66	0.47	0.07	0.07
Stimulants	0.06	0.05	0.65	0.51	0.06	0.05
Methamphetamine	0.05	0.04	0.64	0.49	0.04	0.04
Sedatives	0.03	0.03	0.24	0.12	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA²	0.16	0.17	1.41	1.19	0.15	0.17

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.93P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS²	0.5896		0.4143		0.7083	
Marijuana and Hashish	0.8058		0.5749		0.7107	
Cocaine	0.1086		0.5722		0.1394	
Crack	0.0832		0.9776		0.0374	
Heroin	0.4838		0.0398		0.4485	
Hallucinogens	0.5200		0.4564		0.7459	
LSD	0.2459		0.6475		0.2034	
PCP	0.7258		0.3986		0.2642	
Ecstasy	0.4402		0.3889		0.6521	
Inhalants	0.5948		0.5273		0.7144	
Nonmedical Use of Psychotherapeutics ³	0.4865		0.6527		0.4079	
Pain Relievers	0.6353		0.8867		0.6358	
OxyContin [®]	0.4610		0.9518		0.4604	
Tranquilizers	0.8305		0.9137		0.8534	
Stimulants	0.5157		0.6490		0.5994	
Methamphetamine	0.5162		0.7738		0.5431	
Sedatives	0.4912		0.4028		0.3600	
ILLCIT DRUGS OTHER THAN MARIJUANA²	0.2020		0.5747		0.1309	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.94C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	404	430	90	93	403	433
AGE						
18-49	340	341	83	79	358	360
18-25	130	130	41	46	150	150
26-34	182	197	49	33	195	212
35-49	234	212	52	53	235	210
GENDER/AGE						
Male 18 or Older	298	320	80	79	295	326
Male 18-49	254	260	72	62	262	277
Female 18 or Older	227	232	40	46	227	228
Female 18-49	198	179	40	46	204	179

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.94D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	0.19	0.20	1.75	1.78	0.19	0.20
AGE						
18-49	0.26	0.26	1.71	1.71	0.26	0.26
18-25	0.40	0.40	1.90	1.98	0.41	0.40
26-34	0.52	0.56	3.80	3.23	0.53	0.58
35-49	0.36	0.33	3.49	3.62	0.36	0.32
GENDER/AGE						
Male 18 or Older	0.29	0.30	2.12	2.11	0.29	0.31
Male 18-49	0.39	0.40	2.09	1.95	0.39	0.41
Female 18 or Older	0.20	0.21	2.98	3.11	0.20	0.20
Female 18-49	0.30	0.27	3.18	3.19	0.29	0.27

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.94P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	0.2989		0.2347		0.4372	
AGE						
18-49	0.5896		0.4143		0.7083	
18-25	0.1803		0.0698		0.4030	
26-34	0.9948		0.2195		0.8527	
35-49	0.9873		0.5235		0.9287	
GENDER/AGE						
Male 18 or Older	0.2533		0.5478		0.3567	
Male 18-49	0.6092		0.6908		0.6763	
Female 18 or Older	0.7394		0.1616		0.8782	
Female 18-49	0.7963		0.3480		0.9549	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.95C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	205	199	77	70	200	192
AGE						
18-49	182	169	77	68	172	165
18-25	82	83	33	35	84	83
26-34	107	101	44	34	102	96
35-49	122	114	52	45	109	108
GENDER/AGE						
Male 18 or Older	161	158	64	52	153	153
Male 18-49	150	140	63	50	141	136
Female 18 or Older	120	121	43	45	114	111
Female 18-49	106	102	43	45	97	91

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.95D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	0.10	0.09	1.55	1.42	0.09	0.09
AGE						
18-49	0.14	0.13	1.68	1.51	0.13	0.13
18-25	0.26	0.26	1.64	1.70	0.25	0.25
26-34	0.31	0.29	3.56	3.05	0.29	0.28
35-49	0.19	0.17	3.50	3.17	0.17	0.17
GENDER/AGE						
Male 18 or Older	0.16	0.15	1.80	1.48	0.15	0.15
Male 18-49	0.23	0.21	1.96	1.59	0.22	0.21
Female 18 or Older	0.11	0.11	3.05	3.09	0.10	0.10
Female 18-49	0.16	0.15	3.29	3.18	0.15	0.14

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.95P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	0.1926		0.4459		0.3046	
AGE						
18-49	0.1479		0.3903		0.2523	
18-25	0.8677		0.8246		0.9742	
26-34	0.0811		0.3677		0.1164	
35-49	0.4276		0.3874		0.7064	
GENDER/AGE						
Male 18 or Older	0.0676		0.1545		0.1689	
Male 18-49	0.0586		0.1774		0.1612	
Female 18 or Older	0.8270		0.4753		0.9570	
Female 18-49	0.8524		0.7346		0.9924	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.96C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	432	421	110	104	439	430
AGE						
18-49	335	332	106	99	333	354
18-25	129	132	47	47	148	157
26-34	179	186	62	50	185	192
35-49	243	241	77	69	233	240
GENDER/AGE						
Male 18 or Older	328	333	99	88	348	344
Male 18-49	268	267	95	81	271	283
Female 18 or Older	227	233	49	57	220	232
Female 18-49	181	192	49	56	180	190

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.96D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	0.20	0.19	2.06	1.93	0.20	0.19
AGE						
18-49	0.25	0.25	2.06	1.92	0.25	0.25
18-25	0.40	0.41	1.97	1.90	0.40	0.40
26-34	0.51	0.53	4.28	4.27	0.51	0.52
35-49	0.37	0.37	4.51	4.27	0.36	0.36
GENDER/AGE						
Male 18 or Older	0.32	0.32	2.45	2.30	0.32	0.32
Male 18-49	0.41	0.41	2.47	2.24	0.40	0.41
Female 18 or Older	0.20	0.21	3.47	3.85	0.20	0.20
Female 18-49	0.27	0.29	3.60	3.94	0.26	0.28

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 7.96P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2004	2005	2004	2005	2004	2005
TOTAL 18 OR OLDER	0.5766		0.6266		0.6697	
AGE						
18-49	0.4789		0.3981		0.6195	
18-25	0.3682		0.3305		0.5147	
26-34	0.3102		0.1978		0.4644	
35-49	0.4510		0.3694		0.6191	
GENDER/AGE						
Male 18 or Older	0.1679		0.1412		0.2902	
Male 18-49	0.0721		0.1250		0.1548	
Female 18 or Older	0.3574		0.1180		0.4891	
Female 18-49	0.1988		0.3585		0.2819	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.