

Table 8.1A Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	108,255 ^b	110,205	110,057	112,085
Marijuana and Hashish	94,946 ^a	96,611	96,772	97,545
Cocaine	33,910	34,891	34,153	33,673
Crack	8,402	7,949	7,840	7,928
Heroin	3,668	3,744	3,145	3,534
Hallucinogens	34,314	34,363	34,333	33,728
LSD	24,516 ^b	24,424 ^b	23,398	22,433
PCP	7,418 ^a	7,107	6,762	6,603
Ecstasy	10,150 ^b	10,904	11,130	11,495
Inhalants	22,870	22,995	22,798	22,745
Nonmedical Use of Psychotherapeutics ²	46,558 ^a	47,882	48,013	48,709
Pain Relievers	29,611 ^b	31,207	31,768	32,692
OxyContin [®]	1,924 ^b	2,832 ^b	3,072 ^a	3,481
Tranquilizers	19,267 ^a	20,220	19,852	21,041
Stimulants	21,072 ^b	20,798 ^b	19,982	19,080
Methamphetamine	12,383 ^b	12,303 ^b	11,726 ^b	10,357
Sedatives	9,960	9,510	9,891	8,982
ILLICIT DRUGS OTHER THAN MARIJUANA¹	70,300	71,128	70,657	71,822

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.1B Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	46.0	46.4	45.8	46.1
Marijuana and Hashish	40.4	40.6	40.2	40.1
Cocaine	14.4	14.7 ^a	14.2	13.8
Crack	3.6	3.3	3.3	3.3
Heroin	1.6	1.6	1.3	1.5
Hallucinogens	14.6 ^a	14.5	14.3	13.9
LSD	10.4 ^b	10.3 ^b	9.7	9.2
PCP	3.2 ^b	3.0	2.8	2.7
Ecstasy	4.3 ^a	4.6	4.6	4.7
Inhalants	9.7	9.7	9.5	9.4
Nonmedical Use of Psychotherapeutics ²	19.8	20.1	20.0	20.0
Pain Relievers	12.6 ^a	13.1	13.2	13.4
OxyContin [®]	0.8 ^b	1.2 ^b	1.3	1.4
Tranquilizers	8.2	8.5	8.3	8.7
Stimulants	9.0 ^b	8.8 ^b	8.3	7.8
Methamphetamine	5.3 ^b	5.2 ^b	4.9 ^b	4.3
Sedatives	4.2 ^a	4.0	4.1	3.7
ILLICIT DRUGS OTHER THAN MARIJUANA¹	29.9	29.9	29.4	29.5

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.2A Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	35,132	34,993	34,807	35,041
Marijuana and Hashish	25,755	25,231	25,451	25,375
Cocaine	5,902	5,908	5,658	5,523
Crack	1,554	1,406	1,304	1,381
Heroin	404	314	398	379
Hallucinogens	4,749 ^b	3,936	3,878	3,809
LSD	999 ^b	558	592	563
PCP	235 ^a	219	210	164
Ecstasy	3,167 ^b	2,119	1,915	1,960
Inhalants	2,084	2,075	2,255	2,187
Nonmedical Use of Psychotherapeutics ²	14,680	14,986	14,643	15,172
Pain Relievers	10,992	11,671	11,256	11,815
OxyContin [®]	--	--	1,213	1,226
Tranquilizers	4,849	5,051	5,068	5,249
Stimulants	3,181 ^a	2,751	2,918	2,771
Methamphetamine	1,541	1,315	1,440	1,297
Sedatives	981	831	737	750
ILLCIT DRUGS OTHER THAN MARIJUANA¹	20,423	20,305	19,658	20,109

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.2B Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	14.9	14.7	14.5	14.4
Marijuana and Hashish	11.0	10.6	10.6	10.4
Cocaine	2.5	2.5	2.4	2.3
Crack	0.7	0.6	0.5	0.6
Heroin	0.2	0.1	0.2	0.2
Hallucinogens	2.0 ^b	1.7	1.6	1.6
LSD	0.4 ^b	0.2	0.2	0.2
PCP	0.1 ^a	0.1	0.1	0.1
Ecstasy	1.3 ^b	0.9	0.8	0.8
Inhalants	0.9	0.9	0.9	0.9
Nonmedical Use of Psychotherapeutics ²	6.2	6.3	6.1	6.2
Pain Relievers	4.7	4.9	4.7	4.9
OxyContin [®]	--	--	0.5	0.5
Tranquilizers	2.1	2.1	2.1	2.2
Stimulants	1.4 ^b	1.2	1.2	1.1
Methamphetamine	0.7 ^a	0.6	0.6	0.5
Sedatives	0.4	0.3	0.3	0.3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	8.7	8.5	8.2	8.3

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.3A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	19,522	19,470	19,071	19,720
Marijuana and Hashish	14,584	14,638	14,576	14,626
Cocaine	2,020 ^a	2,281	2,021 ^a	2,397
Crack	567	604	467 ^a	682
Heroin	166	119	166	136
Hallucinogens	1,196	1,042	929	1,088
LSD	112	133	141	104
PCP	58	56	49	48
Ecstasy	676 ^a	470	450	502
Inhalants	635	570	638	611
Nonmedical Use of Psychotherapeutics ²	6,210	6,336	6,007	6,405
Pain Relievers	4,377	4,693	4,404	4,658
OxyContin [®]	--	--	325	334
Tranquilizers	1,804	1,830	1,616	1,817
Stimulants	1,218	1,191	1,189	1,067
Methamphetamine	597	607	583	512
Sedatives	436 ^a	294	265	272
ILLICIT DRUGS OTHER THAN MARIJUANA¹	8,777	8,849	8,247	8,963

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.3B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	8.3	8.2	7.9	8.1
Marijuana and Hashish	6.2	6.2	6.1	6.0
Cocaine	0.9	1.0	0.8	1.0
Crack	0.2	0.3	0.2	0.3
Heroin	0.1	0.1	0.1	0.1
Hallucinogens	0.5	0.4	0.4	0.4
LSD	0.0	0.1	0.1	0.0
PCP	0.0	0.0	0.0	0.0
Ecstasy	0.3 ^a	0.2	0.2	0.2
Inhalants	0.3	0.2	0.3	0.3
Nonmedical Use of Psychotherapeutics ²	2.6	2.7	2.5	2.6
Pain Relievers	1.9	2.0	1.8	1.9
OxyContin [®]	--	--	0.1	0.1
Tranquilizers	0.8	0.8	0.7	0.7
Stimulants	0.5	0.5	0.5	0.4
Methamphetamine	0.3	0.3	0.2	0.2
Sedatives	0.2 ^a	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	3.7	3.7	3.4	3.7

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.4A Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	7,642 ^b	7,631 ^b	7,566 ^b	7,022
Marijuana and Hashish	5,104 ^b	4,888 ^b	4,788 ^b	4,402
Cocaine	670	648	611	582
Crack	163 ^a	157 ^a	125	108
Heroin	94 ^a	80	78	60
Hallucinogens	1,419 ^b	1,250 ^b	1,160 ^b	998
LSD	670 ^b	397 ^b	313	288
PCP	233	204	175	182
Ecstasy	820 ^b	603 ^b	523 ^b	399
Inhalants	2,605	2,670	2,762	2,658
Nonmedical Use of Psychotherapeutics ²	3,389 ^b	3,351 ^b	3,394 ^b	3,014
Pain Relievers	2,775 ^b	2,798 ^b	2,879 ^b	2,517
OxyContin [®]	224	254	305	276
Tranquilizers	834	874 ^a	816	766
Stimulants	1,074 ^b	1,007 ^b	867	856
Methamphetamine	366	328	299	296
Sedatives	238	249	251	232
ILLCIT DRUGS OTHER THAN MARIJUANA¹	5,286 ^b	5,319 ^b	5,355 ^b	4,944

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.4B Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	30.9 ^b	30.5 ^b	30.0 ^b	27.7
Marijuana and Hashish	20.6 ^b	19.6 ^b	19.0 ^b	17.4
Cocaine	2.7 ^a	2.6	2.4	2.3
Crack	0.7 ^b	0.6 ^a	0.5	0.4
Heroin	0.4 ^a	0.3	0.3	0.2
Hallucinogens	5.7 ^b	5.0 ^b	4.6 ^b	3.9
LSD	2.7 ^b	1.6 ^b	1.2	1.1
PCP	0.9 ^a	0.8	0.7	0.7
Ecstasy	3.3 ^b	2.4 ^b	2.1 ^b	1.6
Inhalants	10.5	10.7	11.0	10.5
Nonmedical Use of Psychotherapeutics ²	13.7 ^b	13.4 ^b	13.5 ^b	11.9
Pain Relievers	11.2 ^b	11.2 ^b	11.4 ^b	9.9
OxyContin [®]	0.9	1.0	1.2	1.1
Tranquilizers	3.4	3.5 ^a	3.2	3.0
Stimulants	4.3 ^b	4.0 ^b	3.4	3.4
Methamphetamine	1.5 ^a	1.3	1.2	1.2
Sedatives	1.0	1.0	1.0	0.9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	21.4 ^b	21.3 ^b	21.2 ^b	19.5

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.5A Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	5,494 ^b	5,455 ^b	5,300 ^a	5,041
Marijuana and Hashish	3,905 ^b	3,745 ^b	3,656 ^a	3,383
Cocaine	508 ^a	438	411	423
Crack	100 ^b	95 ^b	63	54
Heroin	51	36	48	37
Hallucinogens	945 ^b	778 ^a	753	665
LSD	314 ^b	149	157	150
PCP	110	89	72	85
Ecstasy	547 ^b	329 ^a	310	256
Inhalants	1,078	1,119	1,168	1,144
Nonmedical Use of Psychotherapeutics ²	2,283 ^a	2,289 ^a	2,225	2,105
Pain Relievers	1,870	1,917 ^a	1,865	1,741
OxyContin [®]	--	--	194	187
Tranquilizers	568	586 ^a	532	497
Stimulants	650 ^b	568	496	503
Methamphetamine	226	174	163	170
Sedatives	138	131	133	118
ILLICIT DRUGS OTHER THAN MARIJUANA¹	3,338 ^a	3,351 ^a	3,269	3,129

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.5B Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	22.2 ^b	21.8 ^b	21.0 ^a	19.9
Marijuana and Hashish	15.8 ^b	15.0 ^b	14.5 ^b	13.3
Cocaine	2.1 ^a	1.8	1.6	1.7
Crack	0.4 ^b	0.4 ^b	0.3	0.2
Heroin	0.2	0.1	0.2	0.1
Hallucinogens	3.8 ^b	3.1 ^a	3.0	2.6
LSD	1.3 ^b	0.6	0.6	0.6
PCP	0.4	0.4	0.3	0.3
Ecstasy	2.2 ^b	1.3 ^a	1.2	1.0
Inhalants	4.4	4.5	4.6	4.5
Nonmedical Use of Psychotherapeutics ²	9.2 ^b	9.2 ^a	8.8	8.3
Pain Relievers	7.6 ^a	7.7 ^a	7.4	6.9
OxyContin [®]	--	--	0.8	0.7
Tranquilizers	2.3	2.3 ^a	2.1	2.0
Stimulants	2.6 ^b	2.3	2.0	2.0
Methamphetamine	0.9 ^a	0.7	0.6	0.7
Sedatives	0.6	0.5	0.5	0.5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	13.5 ^b	13.4 ^a	13.0	12.3

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.6A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	2,878 ^b	2,811 ^b	2,674	2,511
Marijuana and Hashish	2,023 ^b	1,971 ^b	1,909 ^a	1,730
Cocaine	146	153	126	142
Crack	26	32	16	25
Heroin	11	18	15	15
Hallucinogens	255	260 ^a	211	205
LSD	61	51	38	32
PCP	23	20	11	17
Ecstasy	124 ^b	91	77	74
Inhalants	301	320	312	313
Nonmedical Use of Psychotherapeutics ²	979 ^a	997 ^b	914	839
Pain Relievers	794 ^a	801 ^a	751	686
OxyContin [®]	--	--	66 ^a	34
Tranquilizers	188	226 ^a	161	161
Stimulants	200	221	178	171
Methamphetamine	63	69	57	66
Sedatives	47	47	26	27
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,421 ^a	1,417 ^a	1,328	1,253

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.6B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	11.6 ^b	11.2 ^b	10.6	9.9
Marijuana and Hashish	8.2 ^b	7.9 ^b	7.6 ^a	6.8
Cocaine	0.6	0.6	0.5	0.6
Crack	0.1	0.1	0.1	0.1
Heroin	0.0	0.1	0.1	0.1
Hallucinogens	1.0 ^a	1.0 ^a	0.8	0.8
LSD	0.2 ^a	0.2	0.2	0.1
PCP	0.1	0.1	0.0	0.1
Ecstasy	0.5 ^b	0.4	0.3	0.3
Inhalants	1.2	1.3	1.2	1.2
Nonmedical Use of Psychotherapeutics ²	4.0 ^b	4.0 ^b	3.6	3.3
Pain Relievers	3.2 ^a	3.2 ^a	3.0	2.7
OxyContin [®]	--	--	0.3 ^a	0.1
Tranquilizers	0.8	0.9 ^a	0.6	0.6
Stimulants	0.8	0.9 ^a	0.7	0.7
Methamphetamine	0.3	0.3	0.2	0.3
Sedatives	0.2 ^a	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	5.7 ^b	5.7 ^b	5.3	4.9

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.7A Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	18,562 ^b	19,195	19,043	19,222
Marijuana and Hashish	16,680	17,103	16,983	17,032
Cocaine	4,786	4,755	4,893	4,905
Crack	1,182	1,193	1,135	1,145
Heroin	487	516	529	496
Hallucinogens	7,517 ^b	7,377 ^b	6,855	6,820
LSD	4,928 ^b	4,450 ^b	3,900 ^b	3,417
PCP	834	948 ^b	737	716
Ecstasy	4,674	4,683	4,439	4,464
Inhalants	4,867 ^b	4,729 ^b	4,516	4,333
Nonmedical Use of Psychotherapeutics ²	8,587 ^b	9,211 ^b	9,392 ^a	9,858
Pain Relievers	6,854 ^b	7,513 ^b	7,813 ^a	8,279
OxyContin [®]	820 ^b	1,145 ^b	1,376 ^b	1,616
Tranquilizers	3,473 ^b	3,898 ^b	3,919 ^b	4,356
Stimulants	3,340 ^a	3,420	3,426	3,597
Methamphetamine	1,756	1,650	1,688	1,682
Sedatives	648	565	627	650
ILLCIT DRUGS OTHER THAN MARIJUANA¹	12,436	12,770	12,630	12,800

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.7B Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	59.8	60.5	59.2	59.2
Marijuana and Hashish	53.8	53.9 ^a	52.8	52.4
Cocaine	15.4	15.0	15.2	15.1
Crack	3.8	3.8	3.5	3.5
Heroin	1.6	1.6	1.6	1.5
Hallucinogens	24.2 ^b	23.3 ^b	21.3	21.0
LSD	15.9 ^b	14.0 ^b	12.1 ^b	10.5
PCP	2.7 ^a	3.0 ^b	2.3	2.2
Ecstasy	15.1 ^b	14.8 ^a	13.8	13.7
Inhalants	15.7 ^b	14.9 ^b	14.0	13.3
Nonmedical Use of Psychotherapeutics ²	27.7 ^b	29.0 ^a	29.2	30.3
Pain Relievers	22.1 ^b	23.7 ^b	24.3 ^a	25.5
OxyContin [®]	2.6 ^b	3.6 ^b	4.3 ^b	5.0
Tranquilizers	11.2 ^b	12.3 ^a	12.2 ^b	13.4
Stimulants	10.8	10.8	10.6	11.1
Methamphetamine	5.7	5.2	5.2	5.2
Sedatives	2.1	1.8	1.9	2.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	40.1	40.2	39.2	39.4

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.8A Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	11,000	10,976	10,913	11,117
Marijuana and Hashish	9,238	9,044	8,963	9,111
Cocaine	2,087	2,098	2,134	2,247
Crack	266	275	263	328
Heroin	122	96 ^a	118	159
Hallucinogens	2,610 ^b	2,112	1,944	2,051
LSD	553 ^b	336	317	322
PCP	95 ^a	117 ^b	100 ^a	57
Ecstasy	1,784 ^b	1,164 ^a	999	998
Inhalants	685	662	674	685
Nonmedical Use of Psychotherapeutics ²	4,411 ^b	4,598	4,751	4,887
Pain Relievers	3,540 ^b	3,803	3,834	4,030
OxyContin [®]	--	--	562	559
Tranquilizers	1,509 ^b	1,682	1,658	1,796
Stimulants	1,144	1,114	1,181	1,158
Methamphetamine	525	506	516	482
Sedatives	162	156	163	191
ILLICIT DRUGS OTHER THAN MARIJUANA¹	6,277	6,266	6,201	6,467

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.8B Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	35.5	34.6	33.9	34.2
Marijuana and Hashish	29.8 ^b	28.5	27.8	28.0
Cocaine	6.7	6.6	6.6	6.9
Crack	0.9	0.9	0.8	1.0
Heroin	0.4	0.3 ^a	0.4	0.5
Hallucinogens	8.4 ^b	6.7	6.0	6.3
LSD	1.8 ^b	1.1	1.0	1.0
PCP	0.3 ^a	0.4 ^b	0.3 ^a	0.2
Ecstasy	5.8 ^b	3.7 ^b	3.1	3.1
Inhalants	2.2	2.1	2.1	2.1
Nonmedical Use of Psychotherapeutics ²	14.2	14.5	14.8	15.0
Pain Relievers	11.4 ^a	12.0	11.9	12.4
OxyContin [®]	--	--	1.7	1.7
Tranquilizers	4.9 ^a	5.3	5.2	5.5
Stimulants	3.7	3.5	3.7	3.6
Methamphetamine	1.7	1.6	1.6	1.5
Sedatives	0.5	0.5	0.5	0.6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	20.2	19.7	19.3	19.9

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	6,264	6,435	6,239	6,543
Marijuana and Hashish	5,376	5,400	5,196	5,388
Cocaine	631 ^b	696 ^a	692 ^a	832
Crack	52 ^b	55 ^a	80	104
Heroin	39	25 ^b	43	59
Hallucinogens	589	545	477	503
LSD	36	67	83	60
PCP	15	30	17	11
Ecstasy	355 ^a	230	231	267
Inhalants	150	134	144	146
Nonmedical Use of Psychotherapeutics ²	1,683 ^b	1,913	1,959	2,034
Pain Relievers	1,262 ^b	1,486	1,504	1,535
OxyContin [®]	--	--	142	146
Tranquilizers	487 ^a	525	566	606
Stimulants	386	400	446	435
Methamphetamine	160	185	186	194
Sedatives	49	58	49	74
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,459 ^b	2,665	2,619	2,850

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	20.2	20.3	19.4	20.1
Marijuana and Hashish	17.3	17.0	16.1	16.6
Cocaine	2.0 ^b	2.2	2.1 ^a	2.6
Crack	0.2 ^b	0.2 ^a	0.3	0.3
Heroin	0.1	0.1 ^b	0.1	0.2
Hallucinogens	1.9 ^a	1.7	1.5	1.5
LSD	0.1	0.2	0.3	0.2
PCP	0.0	0.1	0.1	0.0
Ecstasy	1.1 ^a	0.7	0.7	0.8
Inhalants	0.5	0.4	0.4	0.5
Nonmedical Use of Psychotherapeutics ²	5.4 ^b	6.0	6.1	6.3
Pain Relievers	4.1 ^b	4.7	4.7	4.7
OxyContin [®]	--	--	0.4	0.4
Tranquilizers	1.6	1.7	1.8	1.9
Stimulants	1.2	1.3	1.4	1.3
Methamphetamine	0.5	0.6	0.6	0.6
Sedatives	0.2	0.2	0.2	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	7.9 ^a	8.4	8.1	8.8

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.10A Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	82,051 ^b	83,380	83,448	85,841
Marijuana and Hashish	73,162 ^a	74,620	75,001	76,111
Cocaine	28,453	29,488	28,649	28,185
Crack	7,057	6,599	6,580	6,675
Heroin	3,087	3,148	2,538	2,979
Hallucinogens	25,378	25,736	26,318	25,910
LSD	18,917	19,577	19,185	18,728
PCP	6,352	5,955	5,851	5,705
Ecstasy	4,656 ^b	5,619 ^b	6,168	6,632
Inhalants	15,398	15,596	15,521	15,754
Nonmedical Use of Psychotherapeutics ²	34,582	35,320	35,227	35,838
Pain Relievers	19,983 ^a	20,896	21,076	21,896
OxyContin [®]	881 ^b	1,433	1,392	1,589
Tranquilizers	14,959	15,447	15,117	15,919
Stimulants	16,658 ^b	16,371 ^b	15,689	14,628
Methamphetamine	10,261 ^b	10,325 ^b	9,739 ^b	8,379
Sedatives	9,075	8,696	9,012	8,101
ILLICIT DRUGS OTHER THAN MARIJUANA¹	52,578	53,040	52,672	54,078

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.10B Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	45.7	46.1	45.6	46.3
Marijuana and Hashish	40.8	41.2	41.0	41.1
Cocaine	15.9	16.3 ^a	15.6	15.2
Crack	3.9	3.6	3.6	3.6
Heroin	1.7	1.7	1.4	1.6
Hallucinogens	14.1	14.2	14.4	14.0
LSD	10.5	10.8	10.5	10.1
PCP	3.5 ^a	3.3	3.2	3.1
Ecstasy	2.6 ^b	3.1 ^a	3.4	3.6
Inhalants	8.6	8.6	8.5	8.5
Nonmedical Use of Psychotherapeutics ²	19.3	19.5	19.2	19.3
Pain Relievers	11.1	11.5	11.5	11.8
OxyContin [®]	0.5 ^b	0.8	0.8	0.9
Tranquilizers	8.3	8.5	8.3	8.6
Stimulants	9.3 ^b	9.0 ^b	8.6	7.9
Methamphetamine	5.7 ^b	5.7 ^b	5.3 ^b	4.5
Sedatives	5.1 ^a	4.8	4.9	4.4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	29.3	29.3	28.8	29.2

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.11A Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	18,639	18,562	18,594	18,883
Marijuana and Hashish	12,612	12,441	12,833	12,880
Cocaine	3,307	3,372	3,114	2,852
Crack	1,188	1,036	978	1,000
Heroin	231	182	232	184
Hallucinogens	1,194	1,046	1,182	1,093
LSD	131	73	117	91
PCP	31	13	38	22
Ecstasy	836	626	606	705
Inhalants	320	295	413	358
Nonmedical Use of Psychotherapeutics ²	7,986	8,099	7,667	8,180
Pain Relievers	5,582	5,950	5,556	6,044
OxyContin [®]	--	--	457	480
Tranquilizers	2,772	2,783	2,878	2,956
Stimulants	1,387	1,068	1,241	1,111
Methamphetamine	790	636	761	645
Sedatives	681	544	441	441
ILLCIT DRUGS OTHER THAN MARIJUANA¹	10,808	10,689	10,189	10,513

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.11B Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	10.4	10.3	10.2	10.2
Marijuana and Hashish	7.0	6.9	7.0	6.9
Cocaine	1.8 ^a	1.9 ^a	1.7	1.5
Crack	0.7	0.6	0.5	0.5
Heroin	0.1	0.1	0.1	0.1
Hallucinogens	0.7	0.6	0.6	0.6
LSD	0.1	0.0	0.1	0.0
PCP	0.0	0.0	0.0	0.0
Ecstasy	0.5	0.3	0.3	0.4
Inhalants	0.2	0.2	0.2	0.2
Nonmedical Use of Psychotherapeutics ²	4.5	4.5	4.2	4.4
Pain Relievers	3.1	3.3	3.0	3.3
OxyContin [®]	--	--	0.2	0.3
Tranquilizers	1.5	1.5	1.6	1.6
Stimulants	0.8 ^a	0.6	0.7	0.6
Methamphetamine	0.4	0.4	0.4	0.3
Sedatives	0.4	0.3	0.2	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	6.0	5.9	5.6	5.7

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.12A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	10,380	10,224	10,159	10,666
Marijuana and Hashish	7,185	7,267	7,471	7,508
Cocaine	1,243	1,431	1,204	1,423
Crack	488	517	370	553
Heroin	116	76	108	62
Hallucinogens	352	238	241	380
LSD	15	15	20	12
PCP	20	*	21	20
Ecstasy	197	149	142	161
Inhalants	183	117	181	152
Nonmedical Use of Psychotherapeutics ²	3,549	3,426	3,134	3,532
Pain Relievers	2,321	2,406	2,149	2,437
OxyContin [®]	--	--	118	153
Tranquilizers	1,129	1,078	889	1,050
Stimulants	631	570	565	461
Methamphetamine	375	353	340	252
Sedatives	340 ^a	189	190	171
ILLCIT DRUGS OTHER THAN MARIJUANA¹	4,897	4,767	4,301	4,860

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.12B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	5.8	5.6	5.5	5.8
Marijuana and Hashish	4.0	4.0	4.1	4.1
Cocaine	0.7	0.8	0.7	0.8
Crack	0.3	0.3	0.2	0.3
Heroin	0.1	0.0	0.1	0.0
Hallucinogens	0.2	0.1	0.1	0.2
LSD	0.0	0.0	0.0	0.0
PCP	0.0	*	0.0	0.0
Ecstasy	0.1	0.1	0.1	0.1
Inhalants	0.1	0.1	0.1	0.1
Nonmedical Use of Psychotherapeutics ²	2.0	1.9	1.7	1.9
Pain Relievers	1.3	1.3	1.2	1.3
OxyContin [®]	--	--	0.1	0.1
Tranquilizers	0.6	0.6	0.5	0.6
Stimulants	0.4	0.3	0.3	0.2
Methamphetamine	0.2	0.2	0.2	0.1
Sedatives	0.2 ^a	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2.7	2.6	2.3	2.6

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.13A Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	100,612 ^b	102,574	102,491	105,063
Marijuana and Hashish	89,842 ^a	91,723	91,984	93,143
Cocaine	33,239	34,243	33,542	33,090
Crack	8,239	7,792	7,715	7,820
Heroin	3,574	3,664	3,067	3,475
Hallucinogens	32,895	33,113	33,173	32,730
LSD	23,845 ^a	24,027 ^b	23,085	22,145
PCP	7,185	6,903	6,587	6,421
Ecstasy	9,330 ^b	10,301	10,607	11,096
Inhalants	20,265	20,325	20,036	20,087
Nonmedical Use of Psychotherapeutics ²	43,169 ^a	44,530	44,619	45,695
Pain Relievers	26,836 ^b	28,409 ^a	28,890	30,175
OxyContin [®]	1,700 ^b	2,579 ^b	2,767 ^a	3,205
Tranquilizers	18,433 ^b	19,346	19,036	20,275
Stimulants	19,998 ^b	19,791 ^a	19,115	18,224
Methamphetamine	12,017 ^b	11,976 ^b	11,427 ^b	10,061
Sedatives	9,723	9,261	9,640	8,751
ILLICIT DRUGS OTHER THAN MARIJUANA¹	65,014	65,809	65,302	66,879

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.13B Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	47.8	48.2	47.6	48.2
Marijuana and Hashish	42.7	43.1	42.7	42.8
Cocaine	15.8	16.1 ^a	15.6	15.2
Crack	3.9	3.7	3.6	3.6
Heroin	1.7	1.7	1.4	1.6
Hallucinogens	15.6	15.6	15.4	15.0
LSD	11.3 ^b	11.3 ^b	10.7	10.2
PCP	3.4 ^a	3.2	3.1	2.9
Ecstasy	4.4 ^b	4.8	4.9	5.1
Inhalants	9.6	9.6	9.3	9.2
Nonmedical Use of Psychotherapeutics ²	20.5	20.9	20.7	21.0
Pain Relievers	12.8 ^b	13.4	13.4	13.9
OxyContin [®]	0.8 ^b	1.2 ^b	1.3 ^a	1.5
Tranquilizers	8.8	9.1	8.8	9.3
Stimulants	9.5 ^b	9.3 ^b	8.9	8.4
Methamphetamine	5.7 ^b	5.6 ^b	5.3 ^b	4.6
Sedatives	4.6 ^a	4.4	4.5	4.0
ILLICIT DRUGS OTHER THAN MARIJUANA¹	30.9	30.9	30.3	30.7

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.14A Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	29,638	29,538	29,506	29,999
Marijuana and Hashish	21,850	21,486	21,796	21,991
Cocaine	5,394	5,470	5,247	5,099
Crack	1,454	1,310	1,241	1,327
Heroin	353	278	350	343
Hallucinogens	3,804 ^b	3,158	3,125	3,144
LSD	684 ^b	409	434	413
PCP	126	130 ^a	138 ^a	79
Ecstasy	2,621 ^b	1,790	1,605	1,703
Inhalants	1,005	956	1,087	1,043
Nonmedical Use of Psychotherapeutics ²	12,397	12,697	12,418	13,068
Pain Relievers	9,122 ^a	9,753	9,391	10,074
OxyContin [®]	--	--	1,019	1,039
Tranquilizers	4,281	4,465	4,536	4,752
Stimulants	2,531	2,183	2,423	2,268
Methamphetamine	1,315	1,141	1,277	1,127
Sedatives	843	700	604	632
ILLCIT DRUGS OTHER THAN MARIJUANA¹	17,086	16,954	16,389	16,980

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.14B Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	14.1	13.9	13.7	13.8
Marijuana and Hashish	10.4	10.1	10.1	10.1
Cocaine	2.6	2.6	2.4	2.3
Crack	0.7	0.6	0.6	0.6
Heroin	0.2	0.1	0.2	0.2
Hallucinogens	1.8 ^b	1.5	1.5	1.4
LSD	0.3 ^b	0.2	0.2	0.2
PCP	0.1	0.1 ^a	0.1 ^a	0.0
Ecstasy	1.2 ^b	0.8	0.7	0.8
Inhalants	0.5	0.4	0.5	0.5
Nonmedical Use of Psychotherapeutics ²	5.9	6.0	5.8	6.0
Pain Relievers	4.3	4.6	4.4	4.6
OxyContin [®]	--	--	0.5	0.5
Tranquilizers	2.0	2.1	2.1	2.2
Stimulants	1.2	1.0	1.1	1.0
Methamphetamine	0.6	0.5	0.6	0.5
Sedatives	0.4	0.3	0.3	0.3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	8.1	8.0	7.6	7.8

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.15A Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	16,644	16,659	16,397	17,209
Marijuana and Hashish	12,561	12,667	12,667	12,896
Cocaine	1,874 ^a	2,128	1,895	2,255
Crack	541	572	451	657
Heroin	155	101	151	121
Hallucinogens	941	783	719	883
LSD	51	82	103	72
PCP	35	35	37	31
Ecstasy	553	379	373	428
Inhalants	334	250	325	298
Nonmedical Use of Psychotherapeutics ²	5,231	5,339	5,093	5,567
Pain Relievers	3,583	3,892	3,653	3,972
OxyContin [®]	--	--	260	299
Tranquilizers	1,617	1,604	1,455	1,657
Stimulants	1,017	970	1,011	896
Methamphetamine	535	538	526	446
Sedatives	389	247	239	245
ILLCIT DRUGS OTHER THAN MARIJUANA¹	7,356	7,432	6,920 ^a	7,710

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.15B Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	7.9	7.8	7.6	7.9
Marijuana and Hashish	6.0	6.0	5.9	5.9
Cocaine	0.9	1.0	0.9	1.0
Crack	0.3	0.3	0.2	0.3
Heroin	0.1	0.0	0.1	0.1
Hallucinogens	0.4	0.4	0.3	0.4
LSD	0.0	0.0	0.0	0.0
PCP	0.0	0.0	0.0	0.0
Ecstasy	0.3	0.2	0.2	0.2
Inhalants	0.2	0.1	0.2	0.1
Nonmedical Use of Psychotherapeutics ²	2.5	2.5	2.4	2.6
Pain Relievers	1.7	1.8	1.7	1.8
OxyContin [®]	--	--	0.1	0.1
Tranquilizers	0.8	0.8	0.7	0.8
Stimulants	0.5	0.5	0.5	0.4
Methamphetamine	0.3	0.3	0.2	0.2
Sedatives	0.2	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	3.5	3.5	3.2	3.5

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.16A Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	4,035 ^b	3,968 ^b	3,956 ^b	3,679
Marijuana and Hashish	2,714 ^b	2,569 ^a	2,552 ^a	2,348
Cocaine	337	319	339	283
Crack	61	89 ^a	60	48
Heroin	34	34	43	32
Hallucinogens	740 ^b	618 ^a	616 ^a	518
LSD	364 ^b	206	174	177
PCP	106	100	97	97
Ecstasy	376 ^b	257 ^b	243 ^a	181
Inhalants	1,426	1,390	1,429	1,360
Nonmedical Use of Psychotherapeutics ²	1,641 ^b	1,631 ^b	1,614 ^a	1,444
Pain Relievers	1,362 ^a	1,391 ^b	1,378 ^a	1,211
OxyContin [®]	112	146	162	136
Tranquilizers	385	398	353	342
Stimulants	463 ^a	463 ^b	376	364
Methamphetamine	137	149	125	131
Sedatives	84	126	128	110
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,726 ^b	2,711 ^a	2,721 ^b	2,488

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.16B Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	31.9 ^b	31.1 ^b	30.7 ^b	28.4
Marijuana and Hashish	21.5 ^b	20.1 ^b	19.8 ^a	18.1
Cocaine	2.7	2.5	2.6	2.2
Crack	0.5	0.7 ^b	0.5	0.4
Heroin	0.3	0.3	0.3	0.2
Hallucinogens	5.8 ^b	4.8 ^a	4.8 ^a	4.0
LSD	2.9 ^b	1.6	1.4	1.4
PCP	0.8	0.8	0.8	0.7
Ecstasy	3.0 ^b	2.0 ^b	1.9 ^a	1.4
Inhalants	11.3	10.9	11.1	10.5
Nonmedical Use of Psychotherapeutics ²	13.0 ^b	12.8 ^b	12.5 ^a	11.1
Pain Relievers	10.8 ^b	10.9 ^b	10.7 ^b	9.4
OxyContin [®]	0.9	1.1	1.3	1.0
Tranquilizers	3.0	3.1	2.7	2.6
Stimulants	3.7 ^b	3.6 ^b	2.9	2.8
Methamphetamine	1.1	1.2	1.0	1.0
Sedatives	0.7	1.0	1.0	0.8
ILLCIT DRUGS OTHER THAN MARIJUANA¹	21.6 ^b	21.2 ^b	21.1 ^b	19.2

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.17A Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	3,607 ^b	3,663 ^b	3,610 ^b	3,342
Marijuana and Hashish	2,391 ^b	2,318 ^b	2,236 ^a	2,055
Cocaine	333	330	272	300
Crack	102 ^a	68	66	60
Heroin	60 ^a	45	35	28
Hallucinogens	680 ^b	632 ^b	543	480
LSD	306 ^b	191 ^b	139	111
PCP	127 ^a	104	77	85
Ecstasy	444 ^b	346 ^b	280 ^a	218
Inhalants	1,179	1,281	1,333	1,298
Nonmedical Use of Psychotherapeutics ²	1,748 ^a	1,721 ^a	1,780 ^b	1,570
Pain Relievers	1,412	1,407	1,500 ^b	1,305
OxyContin [®]	112	108	143	140
Tranquilizers	450	476	464	424
Stimulants	611 ^b	544	492	492
Methamphetamine	229 ^a	179	174	165
Sedatives	154	123	123	122
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,559	2,607	2,634 ^a	2,456

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.17B Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	29.8 ^b	30.0 ^b	29.3 ^b	26.9
Marijuana and Hashish	19.7 ^b	19.0 ^b	18.1 ^a	16.6
Cocaine	2.8	2.7	2.2	2.4
Crack	0.8 ^b	0.6	0.5	0.5
Heroin	0.5 ^a	0.4	0.3	0.2
Hallucinogens	5.6 ^b	5.2 ^b	4.4	3.9
LSD	2.5 ^b	1.6 ^b	1.1	0.9
PCP	1.0 ^a	0.8	0.6	0.7
Ecstasy	3.7 ^b	2.8 ^b	2.3 ^a	1.8
Inhalants	9.7	10.5	10.8	10.5
Nonmedical Use of Psychotherapeutics ²	14.4 ^b	14.1 ^a	14.4 ^b	12.7
Pain Relievers	11.7 ^a	11.5	12.2 ^b	10.5
OxyContin [®]	0.9	0.9	1.2	1.1
Tranquilizers	3.7	3.9	3.8	3.4
Stimulants	5.0 ^b	4.4	4.0	4.0
Methamphetamine	1.9 ^a	1.5	1.4	1.3
Sedatives	1.3	1.0	1.0	1.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	21.1	21.3 ^a	21.4 ^a	19.8

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.18A Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	2,842 ^b	2,776 ^a	2,653	2,557
Marijuana and Hashish	2,064 ^b	1,955 ^a	1,918	1,796
Cocaine	263	222	223	208
Crack	36	47 ^a	31	23
Heroin	20	17	32	17
Hallucinogens	501 ^b	386	389	352
LSD	183 ^b	73	94	92
PCP	46	44	39	44
Ecstasy	262 ^b	142	141	125
Inhalants	586	554	587	538
Nonmedical Use of Psychotherapeutics ²	1,091 ^a	1,088 ^a	974	965
Pain Relievers	913	930 ^a	837	818
OxyContin [®]	--	--	99	101
Tranquilizers	249	258	226	229
Stimulants	292 ^b	250 ^a	204	194
Methamphetamine	91	78	63	75
Sedatives	45	67	59	51
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,683 ^b	1,637 ^a	1,537	1,479

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.18B Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	22.5 ^b	21.7 ^b	20.6	19.7
Marijuana and Hashish	16.3 ^b	15.3 ^a	14.9	13.9
Cocaine	2.1 ^a	1.7	1.7	1.6
Crack	0.3	0.4 ^a	0.2	0.2
Heroin	0.2	0.1	0.2	0.1
Hallucinogens	4.0 ^b	3.0	3.0	2.7
LSD	1.5 ^b	0.6	0.7	0.7
PCP	0.4	0.3	0.3	0.3
Ecstasy	2.1 ^b	1.1	1.1	1.0
Inhalants	4.6	4.3	4.6	4.2
Nonmedical Use of Psychotherapeutics ²	8.6 ^a	8.5 ^a	7.6	7.5
Pain Relievers	7.2 ^a	7.3 ^a	6.5	6.3
OxyContin [®]	--	--	0.8	0.8
Tranquilizers	2.0	2.0	1.8	1.8
Stimulants	2.3 ^b	2.0 ^a	1.6	1.5
Methamphetamine	0.7	0.6	0.5	0.6
Sedatives	0.4	0.5	0.5	0.4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	13.3 ^b	12.8 ^a	11.9	11.4

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.19A Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	2,652	2,679 ^a	2,648	2,484
Marijuana and Hashish	1,841 ^b	1,790 ^b	1,738 ^a	1,587
Cocaine	245	216	188	215
Crack	64 ^a	48	32	31
Heroin	31	19	16	20
Hallucinogens	444 ^b	392 ^a	364	313
LSD	131 ^b	76	63	59
PCP	64	44	33	41
Ecstasy	285 ^b	188 ^a	169	131
Inhalants	492 ^a	565	581	606
Nonmedical Use of Psychotherapeutics ²	1,192	1,201	1,251	1,140
Pain Relievers	957	987	1,028	922
OxyContin [®]	--	--	95	87
Tranquilizers	319	328	307	268
Stimulants	358	318	291	309
Methamphetamine	134	95	99	95
Sedatives	93	64	75	67
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,655	1,714	1,732	1,650

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.19B Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	21.9 ^b	21.9 ^b	21.5 ^a	20.0
Marijuana and Hashish	15.2 ^b	14.6 ^b	14.1 ^a	12.8
Cocaine	2.0	1.8	1.5	1.7
Crack	0.5 ^a	0.4	0.3	0.3
Heroin	0.3	0.2	0.1	0.2
Hallucinogens	3.7 ^b	3.2 ^a	3.0	2.5
LSD	1.1 ^b	0.6	0.5	0.5
PCP	0.5	0.4	0.3	0.3
Ecstasy	2.4 ^b	1.5 ^a	1.4	1.1
Inhalants	4.1 ^a	4.6	4.7	4.9
Nonmedical Use of Psychotherapeutics ²	9.8	9.8	10.1	9.2
Pain Relievers	7.9	8.1	8.3	7.4
OxyContin [®]	--	--	0.8	0.7
Tranquilizers	2.6	2.7 ^a	2.5	2.2
Stimulants	3.0	2.6	2.4	2.5
Methamphetamine	1.1 ^a	0.8	0.8	0.8
Sedatives	0.8	0.5	0.6	0.5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	13.7	14.0	14.0	13.3

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.20A Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	1,560 ^b	1,457 ^a	1,360	1,313
Marijuana and Hashish	1,152 ^b	1,093 ^a	1,037	967
Cocaine	77	70	75	79
Crack	10	22	9	14
Heroin	6	8	11	11
Hallucinogens	130	138 ^a	120	98
LSD	37	27	23	24
PCP	11	14	7	8
Ecstasy	58 ^a	37	45	32
Inhalants	159	139	141	160
Nonmedical Use of Psychotherapeutics ²	456	478 ^a	413	398
Pain Relievers	376	385	337	325
OxyContin [®]	--	--	29	17
Tranquilizers	70	111	76	84
Stimulants	103	107	87	75
Methamphetamine	36	32	23	35
Sedatives	6	27 ^a	4	9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	705	682	626	616

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.20B Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	12.3 ^b	11.4 ^a	10.6	10.1
Marijuana and Hashish	9.1 ^b	8.6 ^a	8.1	7.5
Cocaine	0.6	0.5	0.6	0.6
Crack	0.1	0.2	0.1	0.1
Heroin	0.0	0.1	0.1	0.1
Hallucinogens	1.0	1.1 ^a	0.9	0.8
LSD	0.3	0.2	0.2	0.2
PCP	0.1	0.1	0.1	0.1
Ecstasy	0.5 ^a	0.3	0.4	0.3
Inhalants	1.3	1.1	1.1	1.2
Nonmedical Use of Psychotherapeutics ²	3.6	3.7 ^a	3.2	3.1
Pain Relievers	3.0	3.0	2.6	2.5
OxyContin [®]	--	--	0.2	0.1
Tranquilizers	0.6	0.9	0.6	0.7
Stimulants	0.8	0.8	0.7	0.6
Methamphetamine	0.3	0.3	0.2	0.3
Sedatives	0.0	0.2 ^a	0.0	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	5.6 ^a	5.3	4.9	4.8

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.21A Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	1,318	1,355 ^a	1,314	1,198
Marijuana and Hashish	871 ^a	878 ^a	872 ^a	763
Cocaine	68	83	51	63
Crack	16	10	6	12
Heroin	5	10	4	4
Hallucinogens	126	122	91	107
LSD	23	23 ^a	15	8
PCP	11	6	4	9
Ecstasy	66	54	32	41
Inhalants	143	181	171	153
Nonmedical Use of Psychotherapeutics ²	523 ^a	518	501	441
Pain Relievers	418	416	414	361
OxyContin [®]	--	--	37 ^a	17
Tranquilizers	117 ^a	115 ^a	86	76
Stimulants	98	114	91	96
Methamphetamine	26	37	34	31
Sedatives	41 ^a	20	22	18
ILLCIT DRUGS OTHER THAN MARIJUANA¹	715	735 ^a	702	637

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.21B Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	10.9 ^a	11.1 ^b	10.6	9.7
Marijuana and Hashish	7.2 ^a	7.2 ^a	7.1 ^a	6.2
Cocaine	0.6	0.7	0.4	0.5
Crack	0.1	0.1	0.1	0.1
Heroin	0.0	0.1	0.0	0.0
Hallucinogens	1.0	1.0	0.7	0.9
LSD	0.2	0.2 ^a	0.1	0.1
PCP	0.1	0.1	0.0	0.1
Ecstasy	0.5	0.4	0.3	0.3
Inhalants	1.2	1.5	1.4	1.2
Nonmedical Use of Psychotherapeutics ²	4.3 ^a	4.2 ^a	4.1	3.6
Pain Relievers	3.5	3.4	3.4	2.9
OxyContin [®]	--	--	0.3 ^a	0.1
Tranquilizers	1.0 ^a	0.9 ^a	0.7	0.6
Stimulants	0.8	0.9	0.7	0.8
Methamphetamine	0.2	0.3	0.3	0.3
Sedatives	0.3 ^b	0.2	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	5.9 ^a	6.0 ^a	5.7	5.1

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.