

**Table 8.32A Received Substance Use Treatment at Any Treatment Location or at a Specialty Facility in the Past Year among Persons Aged 12 or Older:  
Numbers in Thousands, 2002-2005**

Location/Substance for Which Treatment Was Received in Past Year	2002	2003	2004	2005
<b>ANY TREATMENT LOCATION</b>				
Illicit Drugs <sup>1</sup>	2,013	1,802 <sup>a</sup>	2,192	2,172
Alcohol	2,405	2,359 <sup>a</sup>	2,658	2,843
Both Illicit Drugs and Alcohol <sup>1</sup>	1,319	1,255	1,467	1,522
Illicit Drugs or Alcohol <sup>1,2</sup>	3,483	3,327 <sup>a</sup>	3,791	3,930
<b>SPECIALTY FACILITY</b>				
Illicit Drugs <sup>1</sup>	1,412	1,103	1,427	1,280
Alcohol	1,549	1,298	1,535	1,626
Both Illicit Drugs and Alcohol <sup>1</sup>	709	595	718	748
Illicit Drugs or Alcohol <sup>1,2</sup>	2,346	1,874 <sup>a</sup>	2,327	2,308

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. Treatment at Any Treatment Location includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

**Table 8.32B Received Substance Use Treatment at Any Treatment Location or at a Specialty Facility in the Past Year among Persons Aged 12 or Older: Percentages, 2002-2005**

Location/Substance for Which Treatment Was Received in Past Year	2002	2003	2004	2005
<b>ANY TREATMENT LOCATION</b>				
Illicit Drugs <sup>1</sup>	0.9	0.8	0.9	0.9
Alcohol	1.0	1.0	1.1	1.2
Both Illicit Drugs and Alcohol <sup>1</sup>	0.6	0.5	0.6	0.6
Illicit Drugs or Alcohol <sup>1,2</sup>	1.5	1.4 <sup>a</sup>	1.6	1.6
<b>SPECIALTY FACILITY</b>				
Illicit Drugs <sup>1</sup>	0.6	0.5	0.6	0.5
Alcohol	0.7	0.5	0.6	0.7
Both Illicit Drugs and Alcohol <sup>1</sup>	0.3	0.3	0.3	0.3
Illicit Drugs or Alcohol <sup>1,2</sup>	1.0	0.8 <sup>a</sup>	1.0	0.9

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. Treatment at Any Treatment Location includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.