

Table 8.1C Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	963	909	969	940
Marijuana and Hashish	912	868	912	925
Cocaine	583	565	636	595
Crack	306	264	280	292
Heroin	223	205	193	226
Hallucinogens	602	589	618	608
LSD	514	494	506	521
PCP	284	271	298	289
Ecstasy	297	285	329	335
Inhalants	474	441	480	460
Nonmedical Use of Psychotherapeutics ²	737	641	729	712
Pain Relievers	569	517	564	562
OxyContin [®]	116	140	134	142
Tranquilizers	497	435	490	480
Stimulants	495	459	466	471
Methamphetamine	369	369	352	345
Sedatives	370	325	403	347
ILLCIT DRUGS OTHER THAN MARIJUANA¹	815	756	827	835

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.1D Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.41	0.38	0.40	0.39
Marijuana and Hashish	0.39	0.37	0.38	0.38
Cocaine	0.25	0.24	0.26	0.24
Crack	0.13	0.11	0.12	0.12
Heroin	0.10	0.09	0.08	0.09
Hallucinogens	0.26	0.25	0.26	0.25
LSD	0.22	0.21	0.21	0.21
PCP	0.12	0.11	0.12	0.12
Ecstasy	0.13	0.12	0.14	0.14
Inhalants	0.20	0.19	0.20	0.19
Nonmedical Use of Psychotherapeutics ²	0.31	0.27	0.30	0.29
Pain Relievers	0.24	0.22	0.23	0.23
OxyContin [®]	0.05	0.06	0.06	0.06
Tranquilizers	0.21	0.18	0.20	0.20
Stimulants	0.21	0.19	0.19	0.19
Methamphetamine	0.16	0.16	0.15	0.14
Sedatives	0.16	0.14	0.17	0.14
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.32	0.34	0.34

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.1P Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.9348	0.6030	0.5606	
Marijuana and Hashish	0.6161	0.3047	0.8089	
Cocaine	0.0986	0.0146	0.3244	
Crack	0.0768	0.6048	1.0000	
Heroin	0.4223	0.3353	0.2364	
Hallucinogens	0.0429	0.0940	0.2560	
LSD	0.0001	0.0004	0.0928	
PCP	0.0094	0.0949	0.5731	
Ecstasy	0.0288	0.4487	0.6124	
Inhalants	0.1758	0.2228	0.6435	
Nonmedical Use of Psychotherapeutics ²	0.5967	0.7662	0.8785	
Pain Relievers	0.0114	0.3265	0.4798	
OxyContin [®]	0.0000	0.0039	0.0564	
Tranquilizers	0.1141	0.5935	0.1620	
Stimulants	0.0001	0.0010	0.0911	
Methamphetamine	0.0000	0.0000	0.0025	
Sedatives	0.0108	0.1190	0.0571	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.4524	0.3978	0.7537	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.2C Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	588	558	535	550
Marijuana and Hashish	471	455	451	473
Cocaine	222	229	205	205
Crack	124	124	117	114
Heroin	55	48	56	43
Hallucinogens	151	147	153	146
LSD	63	44	47	48
PCP	25	24	28	21
Ecstasy	126	105	112	114
Inhalants	95	83	90	95
Nonmedical Use of Psychotherapeutics ²	377	354	353	342
Pain Relievers	300	299	300	304
OxyContin [®]	--	--	74	81
Tranquilizers	225	195	208	207
Stimulants	149	128	147	119
Methamphetamine	109	94	112	86
Sedatives	116	85	72	74
ILLCIT DRUGS OTHER THAN MARIJUANA¹	432	420	410	398

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.2D Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.25	0.23	0.22	0.23
Marijuana and Hashish	0.20	0.19	0.19	0.19
Cocaine	0.09	0.10	0.09	0.08
Crack	0.05	0.05	0.05	0.05
Heroin	0.02	0.02	0.02	0.02
Hallucinogens	0.06	0.06	0.06	0.06
LSD	0.03	0.02	0.02	0.02
PCP	0.01	0.01	0.01	0.01
Ecstasy	0.05	0.04	0.05	0.05
Inhalants	0.04	0.03	0.04	0.04
Nonmedical Use of Psychotherapeutics ²	0.16	0.15	0.15	0.14
Pain Relievers	0.13	0.13	0.12	0.12
OxyContin [®]	--	--	0.03	0.03
Tranquilizers	0.10	0.08	0.09	0.08
Stimulants	0.06	0.05	0.06	0.05
Methamphetamine	0.05	0.04	0.05	0.04
Sedatives	0.05	0.04	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.18	0.18	0.17	0.16

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.2P Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.1135	0.3330	0.8381	
Marijuana and Hashish	0.0627	0.5037	0.5807	
Cocaine	0.0587	0.0932	0.4945	
Crack	0.1883	0.7372	0.7040	
Heroin	0.5901	0.3749	0.7400	
Hallucinogens	0.0000	0.2983	0.5978	
LSD	0.0000	0.9040	0.6012	
PCP	0.0161	0.0610	0.1656	
Ecstasy	0.0000	0.1827	0.8842	
Inhalants	0.8147	0.6188	0.4770	
Nonmedical Use of Psychotherapeutics ²	0.9817	0.7444	0.4599	
Pain Relievers	0.3050	0.7678	0.3133	
OxyContin [®]	--	--	0.9973	
Tranquilizers	0.4532	0.7808	0.6751	
Stimulants	0.0077	0.8031	0.3447	
Methamphetamine	0.0373	0.7097	0.2666	
Sedatives	0.0617	0.3786	0.9644	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0898	0.2538	0.6892	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.3C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	388	404	415	432
Marijuana and Hashish	320	327	360	360
Cocaine	128	147	119	142
Crack	68	91	66	87
Heroin	42	28	37	19
Hallucinogens	80	72	58	83
LSD	18	18	26	16
PCP	15	13	17	13
Ecstasy	64	55	47	44
Inhalants	64	45	64	57
Nonmedical Use of Psychotherapeutics ²	229	250	210	229
Pain Relievers	186	207	170	194
OxyContin [®]	--	--	36	38
Tranquilizers	136	118	103	118
Stimulants	90	93	94	76
Methamphetamine	73	75	69	55
Sedatives	64	55	48	47
ILLCIT DRUGS OTHER THAN MARIJUANA¹	276	289	255	279

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.3D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.17	0.17	0.17	0.18
Marijuana and Hashish	0.14	0.14	0.15	0.15
Cocaine	0.05	0.06	0.05	0.06
Crack	0.03	0.04	0.03	0.04
Heroin	0.02	0.01	0.02	0.01
Hallucinogens	0.03	0.03	0.02	0.03
LSD	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01
Ecstasy	0.03	0.02	0.02	0.02
Inhalants	0.03	0.02	0.03	0.02
Nonmedical Use of Psychotherapeutics ²	0.10	0.11	0.09	0.09
Pain Relievers	0.08	0.09	0.07	0.08
OxyContin [®]	--	--	0.02	0.02
Tranquilizers	0.06	0.05	0.04	0.05
Stimulants	0.04	0.04	0.04	0.03
Methamphetamine	0.03	0.03	0.03	0.02
Sedatives	0.03	0.02	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.12	0.12	0.11	0.11

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.3P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.4232	0.7335	0.4711	
Marijuana and Hashish	0.3489	0.4735	0.8247	
Cocaine	0.1147	0.7613	0.0585	
Crack	0.3932	0.6178	0.0560	
Heroin	0.4424	0.6829	0.4418	
Hallucinogens	0.2032	0.8490	0.1483	
LSD	0.6514	0.2032	0.2180	
PCP	0.5524	0.6016	0.9412	
Ecstasy	0.0136	0.7688	0.4751	
Inhalants	0.6023	0.7056	0.6944	
Nonmedical Use of Psychotherapeutics ²	0.9552	0.8198	0.2904	
Pain Relievers	0.6347	0.6153	0.4302	
OxyContin [®]	--	--	0.9241	
Tranquilizers	0.7910	0.7461	0.2451	
Stimulants	0.1080	0.2104	0.2638	
Methamphetamine	0.2541	0.2442	0.3822	
Sedatives	0.0268	0.6844	0.9589	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7722	0.8208	0.1014	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.4C Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	104	107	96	100
Marijuana and Hashish	88	91	87	85
Cocaine	36	36	33	34
Crack	17	17	14	14
Heroin	14	11	12	10
Hallucinogens	49	48	45	44
LSD	34	26	24	23
PCP	20	20	18	19
Ecstasy	40	32	31	26
Inhalants	67	68	67	67
Nonmedical Use of Psychotherapeutics ²	75	76	70	72
Pain Relievers	69	70	67	65
OxyContin [®]	21	20	24	21
Tranquilizers	38	40	36	38
Stimulants	46	40	38	41
Methamphetamine	27	22	24	26
Sedatives	22	22	23	22
ILLCIT DRUGS OTHER THAN MARIJUANA¹	89	97	84	87

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.4D Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.42	0.43	0.38	0.39
Marijuana and Hashish	0.36	0.37	0.34	0.33
Cocaine	0.15	0.15	0.13	0.14
Crack	0.07	0.07	0.06	0.05
Heroin	0.05	0.04	0.05	0.04
Hallucinogens	0.20	0.19	0.18	0.17
LSD	0.14	0.10	0.09	0.09
PCP	0.08	0.08	0.07	0.08
Ecstasy	0.16	0.13	0.12	0.10
Inhalants	0.27	0.27	0.27	0.26
Nonmedical Use of Psychotherapeutics ²	0.30	0.30	0.28	0.28
Pain Relievers	0.28	0.28	0.27	0.26
OxyContin [®]	0.09	0.08	0.09	0.08
Tranquilizers	0.16	0.16	0.14	0.15
Stimulants	0.18	0.16	0.15	0.16
Methamphetamine	0.11	0.09	0.09	0.10
Sedatives	0.09	0.09	0.09	0.09
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.36	0.39	0.33	0.34

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.4P Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	
Marijuana and Hashish	0.0000	0.0000	0.0007	
Cocaine	0.0389	0.1355	0.5009	
Crack	0.0080	0.0186	0.3538	
Heroin	0.0324	0.1533	0.2310	
Hallucinogens	0.0000	0.0000	0.0073	
LSD	0.0000	0.0011	0.4217	
PCP	0.0419	0.3673	0.8147	
Ecstasy	0.0000	0.0000	0.0020	
Inhalants	0.9143	0.6012	0.2099	
Nonmedical Use of Psychotherapeutics ²	0.0000	0.0003	0.0001	
Pain Relievers	0.0008	0.0009	0.0001	
OxyContin [®]	0.1259	0.5224	0.3443	
Tranquilizers	0.1047	0.0300	0.2958	
Stimulants	0.0001	0.0039	0.7686	
Methamphetamine	0.0366	0.2910	0.8985	
Sedatives	0.7091	0.5012	0.5078	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0002	0.0006	0.0003	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.5C Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	95	91	87	88
Marijuana and Hashish	79	79	77	75
Cocaine	32	28	27	28
Crack	14	13	10	10
Heroin	11	8	10	8
Hallucinogens	40	37	36	36
LSD	25	15	17	17
PCP	13	12	12	14
Ecstasy	32	23	23	21
Inhalants	44	48	45	47
Nonmedical Use of Psychotherapeutics ²	64	64	59	61
Pain Relievers	59	59	56	56
OxyContin [®]	--	--	18	18
Tranquilizers	34	33	29	29
Stimulants	35	30	28	31
Methamphetamine	21	17	17	19
Sedatives	16	16	15	16
ILLCIT DRUGS OTHER THAN MARIJUANA¹	76	79	71	71

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.5D Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.38	0.36	0.34	0.35
Marijuana and Hashish	0.32	0.31	0.31	0.30
Cocaine	0.13	0.11	0.11	0.11
Crack	0.06	0.05	0.04	0.04
Heroin	0.04	0.03	0.04	0.03
Hallucinogens	0.16	0.15	0.14	0.14
LSD	0.10	0.06	0.07	0.07
PCP	0.05	0.05	0.05	0.06
Ecstasy	0.13	0.09	0.09	0.08
Inhalants	0.18	0.19	0.18	0.19
Nonmedical Use of Psychotherapeutics ²	0.26	0.26	0.23	0.24
Pain Relievers	0.24	0.24	0.22	0.22
OxyContin [®]	--	--	0.07	0.07
Tranquilizers	0.14	0.13	0.12	0.11
Stimulants	0.14	0.12	0.11	0.12
Methamphetamine	0.09	0.07	0.07	0.07
Sedatives	0.07	0.06	0.06	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.31	0.32	0.28	0.28

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.5P Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0000	0.0001	0.0202	
Marijuana and Hashish	0.0000	0.0002	0.0068	
Cocaine	0.0245	0.5966	0.7965	
Crack	0.0047	0.0073	0.4883	
Heroin	0.2592	0.9737	0.3627	
Hallucinogens	0.0000	0.0178	0.0707	
LSD	0.0000	0.9626	0.7374	
PCP	0.1568	0.7712	0.5166	
Ecstasy	0.0000	0.0142	0.0800	
Inhalants	0.5438	0.8974	0.6354	
Nonmedical Use of Psychotherapeutics ²	0.0093	0.0153	0.1208	
Pain Relievers	0.0342	0.0131	0.0895	
OxyContin [®]	--	--	0.7539	
Tranquilizers	0.0607	0.0262	0.3483	
Stimulants	0.0006	0.0894	0.9143	
Methamphetamine	0.0340	0.8105	0.8029	
Sedatives	0.3227	0.5301	0.4779	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0063	0.0118	0.1172	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.6C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	71	67	67	64
Marijuana and Hashish	58	60	57	56
Cocaine	18	16	15	16
Crack	9	8	5	7
Heroin	5	6	5	5
Hallucinogens	20	20	19	19
LSD	12	10	8	8
PCP	6	6	5	6
Ecstasy	16	12	13	11
Inhalants	22	25	26	23
Nonmedical Use of Psychotherapeutics ²	42	42	40	37
Pain Relievers	39	39	36	33
OxyContin [®]	--	--	10	7
Tranquilizers	18	22	15	17
Stimulants	20	19	19	19
Methamphetamine	12	11	12	12
Sedatives	9	10	6	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	48	49	44

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.6D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.29	0.27	0.27	0.25
Marijuana and Hashish	0.24	0.24	0.23	0.22
Cocaine	0.07	0.06	0.06	0.06
Crack	0.03	0.03	0.02	0.03
Heroin	0.02	0.02	0.02	0.02
Hallucinogens	0.08	0.08	0.07	0.07
LSD	0.05	0.04	0.03	0.03
PCP	0.02	0.02	0.02	0.02
Ecstasy	0.06	0.05	0.05	0.04
Inhalants	0.09	0.10	0.10	0.09
Nonmedical Use of Psychotherapeutics ²	0.17	0.17	0.16	0.14
Pain Relievers	0.16	0.15	0.14	0.13
OxyContin [®]	--	--	0.04	0.03
Tranquilizers	0.07	0.09	0.06	0.07
Stimulants	0.08	0.08	0.08	0.07
Methamphetamine	0.05	0.04	0.05	0.05
Sedatives	0.03	0.04	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.19	0.20	0.17

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.6P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0000	0.0003	0.0563	
Marijuana and Hashish	0.0000	0.0012	0.0182	
Cocaine	0.7675	0.5545	0.4860	
Crack	0.8916	0.4819	0.2909	
Heroin	0.6349	0.6871	0.9703	
Hallucinogens	0.0431	0.0357	0.7951	
LSD	0.0454	0.1341	0.5932	
PCP	0.4276	0.6550	0.4465	
Ecstasy	0.0071	0.2681	0.8223	
Inhalants	0.8957	0.7397	0.9756	
Nonmedical Use of Psychotherapeutics ²	0.0037	0.0024	0.1403	
Pain Relievers	0.0147	0.0139	0.1652	
OxyContin [®]	--	--	0.0143	
Tranquilizers	0.2131	0.0141	0.9496	
Stimulants	0.2177	0.0482	0.7619	
Methamphetamine	0.9201	0.8130	0.5906	
Sedatives	0.0452	0.0729	0.9805	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0035	0.0052	0.2156	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.7C Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	156	155	165	161
Marijuana and Hashish	157	157	176	168
Cocaine	114	107	109	115
Crack	51	54	50	54
Heroin	35	37	36	36
Hallucinogens	140	134	130	132
LSD	115	108	98	96
PCP	45	49	42	41
Ecstasy	112	109	108	113
Inhalants	111	104	111	102
Nonmedical Use of Psychotherapeutics ²	135	135	141	142
Pain Relievers	119	130	129	131
OxyContin [®]	40	56	54	64
Tranquilizers	94	98	98	107
Stimulants	89	94	97	94
Methamphetamine	61	65	61	68
Sedatives	39	37	40	40
ILLCIT DRUGS OTHER THAN MARIJUANA¹	157	151	157	154

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.7D Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.50	0.49	0.51	0.49
Marijuana and Hashish	0.51	0.50	0.55	0.52
Cocaine	0.37	0.34	0.34	0.35
Crack	0.16	0.17	0.16	0.17
Heroin	0.11	0.12	0.11	0.11
Hallucinogens	0.45	0.42	0.40	0.41
LSD	0.37	0.34	0.31	0.30
PCP	0.15	0.16	0.13	0.13
Ecstasy	0.36	0.34	0.34	0.35
Inhalants	0.36	0.33	0.34	0.31
Nonmedical Use of Psychotherapeutics ²	0.43	0.43	0.44	0.44
Pain Relievers	0.39	0.41	0.40	0.40
OxyContin [®]	0.13	0.18	0.17	0.20
Tranquilizers	0.30	0.31	0.31	0.33
Stimulants	0.29	0.29	0.30	0.29
Methamphetamine	0.20	0.20	0.19	0.21
Sedatives	0.13	0.12	0.12	0.12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.51	0.47	0.49	0.48

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.7P Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.3508	0.0565	0.9765	
Marijuana and Hashish	0.0659	0.0400	0.6685	
Cocaine	0.5217	0.8173	0.8436	
Crack	0.2245	0.3213	1.0000	
Heroin	0.7722	0.5263	0.4483	
Hallucinogens	0.0000	0.0001	0.6030	
LSD	0.0000	0.0000	0.0002	
PCP	0.0127	0.0001	0.6436	
Ecstasy	0.0082	0.0372	0.9221	
Inhalants	0.0000	0.0006	0.1390	
Nonmedical Use of Psychotherapeutics ²	0.0000	0.0316	0.0585	
Pain Relievers	0.0000	0.0017	0.0332	
OxyContin [®]	0.0000	0.0000	0.0069	
Tranquilizers	0.0000	0.0133	0.0061	
Stimulants	0.4509	0.4805	0.3027	
Methamphetamine	0.0937	0.9339	0.8168	
Sedatives	0.6195	0.1926	0.7624	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.3258	0.2091	0.7995	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.8C Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	143	153	154	152
Marijuana and Hashish	135	146	152	145
Cocaine	74	72	80	74
Crack	23	23	24	29
Heroin	17	14	15	21
Hallucinogens	81	77	72	74
LSD	44	30	27	30
PCP	14	19	17	11
Ecstasy	67	50	48	52
Inhalants	41	39	41	42
Nonmedical Use of Psychotherapeutics ²	96	103	110	108
Pain Relievers	86	97	94	98
OxyContin [®]	--	--	35	37
Tranquilizers	57	66	66	68
Stimulants	56	54	62	56
Methamphetamine	38	36	38	38
Sedatives	18	18	18	22
ILLCIT DRUGS OTHER THAN MARIJUANA¹	116	127	126	121

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.8D Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.46	0.48	0.48	0.47
Marijuana and Hashish	0.43	0.46	0.47	0.45
Cocaine	0.24	0.23	0.25	0.23
Crack	0.08	0.07	0.07	0.09
Heroin	0.05	0.04	0.05	0.06
Hallucinogens	0.26	0.24	0.22	0.23
LSD	0.14	0.09	0.08	0.09
PCP	0.04	0.06	0.05	0.03
Ecstasy	0.22	0.16	0.15	0.16
Inhalants	0.13	0.12	0.13	0.13
Nonmedical Use of Psychotherapeutics ²	0.31	0.33	0.34	0.33
Pain Relievers	0.28	0.30	0.29	0.30
OxyContin [®]	--	--	0.11	0.11
Tranquilizers	0.18	0.21	0.20	0.21
Stimulants	0.18	0.17	0.19	0.17
Methamphetamine	0.12	0.11	0.12	0.12
Sedatives	0.06	0.06	0.06	0.07
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.37	0.40	0.39	0.37

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.8P Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0600	0.5777	0.6290	
Marijuana and Hashish	0.0056	0.4737	0.7494	
Cocaine	0.5610	0.3391	0.3888	
Crack	0.2021	0.2192	0.0979	
Heroin	0.2509	0.0158	0.1319	
Hallucinogens	0.0000	0.3067	0.3844	
LSD	0.0000	0.6072	0.9589	
PCP	0.0225	0.0057	0.0323	
Ecstasy	0.0000	0.0081	0.8908	
Inhalants	0.5850	0.8993	0.9354	
Nonmedical Use of Psychotherapeutics ²	0.0700	0.2366	0.5494	
Pain Relievers	0.0151	0.3275	0.2361	
OxyContin [®]	--	--	0.8649	
Tranquilizers	0.0173	0.4382	0.1950	
Stimulants	0.6220	0.8347	0.6830	
Methamphetamine	0.2204	0.4999	0.4698	
Sedatives	0.4610	0.2847	0.3398	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5350	0.7721	0.2337	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	116	128	130	130
Marijuana and Hashish	110	116	119	121
Cocaine	37	42	43	47
Crack	9	13	13	16
Heroin	10	7	9	10
Hallucinogens	38	37	33	36
LSD	8	13	14	12
PCP	6	10	5	5
Ecstasy	31	23	23	26
Inhalants	18	19	18	21
Nonmedical Use of Psychotherapeutics ²	60	70	68	72
Pain Relievers	51	61	60	61
OxyContin [®]	--	--	19	19
Tranquilizers	35	36	38	40
Stimulants	30	30	32	35
Methamphetamine	20	21	22	26
Sedatives	9	11	10	15
ILLCIT DRUGS OTHER THAN MARIJUANA¹	75	82	82	87

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.37	0.40	0.40	0.40
Marijuana and Hashish	0.36	0.37	0.37	0.37
Cocaine	0.12	0.13	0.13	0.15
Crack	0.03	0.04	0.04	0.05
Heroin	0.03	0.02	0.03	0.03
Hallucinogens	0.12	0.12	0.10	0.11
LSD	0.03	0.04	0.04	0.04
PCP	0.02	0.03	0.02	0.02
Ecstasy	0.10	0.07	0.07	0.08
Inhalants	0.06	0.06	0.06	0.06
Nonmedical Use of Psychotherapeutics ²	0.19	0.22	0.21	0.22
Pain Relievers	0.16	0.19	0.19	0.19
OxyContin [®]	--	--	0.06	0.06
Tranquilizers	0.11	0.11	0.12	0.12
Stimulants	0.10	0.09	0.10	0.11
Methamphetamine	0.06	0.07	0.07	0.08
Sedatives	0.03	0.04	0.03	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.24	0.26	0.26	0.27

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.9273	0.8068	0.1803	
Marijuana and Hashish	0.1500	0.4082	0.3959	
Cocaine	0.0054	0.0633	0.0380	
Crack	0.0092	0.0217	0.2735	
Heroin	0.2267	0.0082	0.2601	
Hallucinogens	0.0341	0.2955	0.6635	
LSD	0.1301	0.6341	0.2226	
PCP	0.5689	0.0934	0.4439	
Ecstasy	0.0114	0.3623	0.3400	
Inhalants	0.6950	0.7459	0.9718	
Nonmedical Use of Psychotherapeutics ²	0.0043	0.4545	0.5633	
Pain Relievers	0.0090	0.8766	0.8442	
OxyContin [®]	--	--	0.9107	
Tranquilizers	0.0793	0.2101	0.5216	
Stimulants	0.5243	0.5899	0.7448	
Methamphetamine	0.4308	0.8894	0.8685	
Sedatives	0.2091	0.4500	0.1717	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0191	0.3167	0.0852	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.10C Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	935	874	928	903
Marijuana and Hashish	888	831	875	887
Cocaine	574	552	621	580
Crack	303	257	274	283
Heroin	220	201	188	223
Hallucinogens	572	549	583	573
LSD	496	469	494	499
PCP	282	262	292	284
Ecstasy	247	255	286	294
Inhalants	457	407	448	436
Nonmedical Use of Psychotherapeutics ²	707	617	700	686
Pain Relievers	539	477	529	527
OxyContin [®]	103	125	120	120
Tranquilizers	481	414	471	460
Stimulants	475	447	450	454
Methamphetamine	356	365	349	334
Sedatives	366	316	396	344
ILLCIT DRUGS OTHER THAN MARIJUANA¹	789	728	788	797

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.10D Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.52	0.48	0.51	0.49
Marijuana and Hashish	0.50	0.46	0.48	0.48
Cocaine	0.32	0.30	0.34	0.31
Crack	0.17	0.14	0.15	0.15
Heroin	0.12	0.11	0.10	0.12
Hallucinogens	0.32	0.30	0.32	0.31
LSD	0.28	0.26	0.27	0.27
PCP	0.16	0.14	0.16	0.15
Ecstasy	0.14	0.14	0.16	0.16
Inhalants	0.25	0.22	0.24	0.24
Nonmedical Use of Psychotherapeutics ²	0.39	0.34	0.38	0.37
Pain Relievers	0.30	0.26	0.29	0.28
OxyContin [®]	0.06	0.07	0.07	0.06
Tranquilizers	0.27	0.23	0.26	0.25
Stimulants	0.26	0.25	0.25	0.24
Methamphetamine	0.20	0.20	0.19	0.18
Sedatives	0.20	0.17	0.22	0.19
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.44	0.40	0.43	0.43

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.10P Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.4323	0.7387	0.2981	
Marijuana and Hashish	0.6979	0.7869	0.8870	
Cocaine	0.1409	0.0127	0.3378	
Crack	0.1428	0.8268	0.9727	
Heroin	0.5061	0.4166	0.1623	
Hallucinogens	0.6987	0.5716	0.3720	
LSD	0.2501	0.0555	0.3252	
PCP	0.0348	0.3117	0.5941	
Ecstasy	0.0000	0.0262	0.3478	
Inhalants	0.8037	0.7115	0.9481	
Nonmedical Use of Psychotherapeutics ²	0.9240	0.7112	0.8604	
Pain Relievers	0.1053	0.4953	0.4574	
OxyContin [®]	0.0000	0.4911	0.2927	
Tranquilizers	0.4988	0.8801	0.3542	
Stimulants	0.0001	0.0009	0.0513	
Methamphetamine	0.0000	0.0000	0.0024	
Sedatives	0.0126	0.0874	0.0527	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8178	0.8138	0.5050	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.11C Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	514	489	473	493
Marijuana and Hashish	407	387	395	418
Cocaine	200	207	180	180
Crack	121	120	112	109
Heroin	52	45	52	36
Hallucinogens	109	109	132	112
LSD	35	28	29	31
PCP	16	6	18	10
Ecstasy	93	86	97	98
Inhalants	66	54	69	65
Nonmedical Use of Psychotherapeutics ²	345	331	313	310
Pain Relievers	275	275	265	274
OxyContin [®]	--	--	61	69
Tranquilizers	210	175	189	189
Stimulants	126	107	125	97
Methamphetamine	95	85	101	75
Sedatives	113	81	69	69
ILLCIT DRUGS OTHER THAN MARIJUANA¹	384	375	364	354

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.11D Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.29	0.27	0.26	0.27
Marijuana and Hashish	0.23	0.21	0.22	0.23
Cocaine	0.11	0.11	0.10	0.10
Crack	0.07	0.07	0.06	0.06
Heroin	0.03	0.02	0.03	0.02
Hallucinogens	0.06	0.06	0.07	0.06
LSD	0.02	0.02	0.02	0.02
PCP	0.01	0.00	0.01	0.01
Ecstasy	0.05	0.05	0.05	0.05
Inhalants	0.04	0.03	0.04	0.03
Nonmedical Use of Psychotherapeutics ²	0.19	0.18	0.17	0.17
Pain Relievers	0.15	0.15	0.14	0.15
OxyContin [®]	--	--	0.03	0.04
Tranquilizers	0.12	0.10	0.10	0.10
Stimulants	0.07	0.06	0.07	0.05
Methamphetamine	0.05	0.05	0.06	0.04
Sedatives	0.06	0.04	0.04	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.21	0.20	0.19

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.11P Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.5994	0.8504	0.9328	
Marijuana and Hashish	0.7936	0.8156	0.8460	
Cocaine	0.0391	0.0307	0.2420	
Crack	0.1710	0.7106	0.9520	
Heroin	0.3971	0.9732	0.4297	
Hallucinogens	0.3769	0.8936	0.5533	
LSD	0.3458	0.6980	0.5165	
PCP	0.5801	0.4886	0.4188	
Ecstasy	0.2459	0.6257	0.5078	
Inhalants	0.7714	0.5078	0.5329	
Nonmedical Use of Psychotherapeutics ²	0.8762	0.8005	0.3455	
Pain Relievers	0.4864	0.8958	0.2749	
OxyContin [®]	--	--	0.8457	
Tranquilizers	0.7518	0.6881	0.8742	
Stimulants	0.0475	0.9103	0.3608	
Methamphetamine	0.1660	0.9611	0.3256	
Sedatives	0.0541	0.2832	0.9519	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2170	0.4033	0.6983	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.12C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	353	363	366	395
Marijuana and Hashish	279	284	312	323
Cocaine	119	137	110	129
Crack	66	90	64	85
Heroin	40	26	35	15
Hallucinogens	67	54	44	73
LSD	11	8	13	7
PCP	13	*	15	10
Ecstasy	53	46	37	34
Inhalants	56	32	55	48
Nonmedical Use of Psychotherapeutics ²	215	237	187	215
Pain Relievers	172	193	152	179
OxyContin [®]	--	--	28	31
Tranquilizers	127	112	91	109
Stimulants	82	83	82	63
Methamphetamine	67	70	60	46
Sedatives	63	53	47	44
ILLCIT DRUGS OTHER THAN MARIJUANA¹	259	274	226	257

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.12D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.20	0.20	0.20	0.21
Marijuana and Hashish	0.16	0.16	0.17	0.17
Cocaine	0.07	0.08	0.06	0.07
Crack	0.04	0.05	0.03	0.05
Heroin	0.02	0.01	0.02	0.01
Hallucinogens	0.04	0.03	0.02	0.04
LSD	0.01	0.00	0.01	0.00
PCP	0.01	*	0.01	0.01
Ecstasy	0.03	0.03	0.02	0.02
Inhalants	0.03	0.02	0.03	0.03
Nonmedical Use of Psychotherapeutics ²	0.12	0.13	0.10	0.12
Pain Relievers	0.10	0.11	0.08	0.10
OxyContin [®]	--	--	0.02	0.02
Tranquilizers	0.07	0.06	0.05	0.06
Stimulants	0.05	0.05	0.04	0.03
Methamphetamine	0.04	0.04	0.03	0.02
Sedatives	0.04	0.03	0.03	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.14	0.15	0.12	0.14

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.12P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.9084	0.7230	0.4816	
Marijuana and Hashish	0.8489	0.8841	0.9019	
Cocaine	0.4383	0.8215	0.2298	
Crack	0.6604	0.8574	0.0968	
Heroin	0.1928	0.6050	0.2185	
Hallucinogens	0.8751	0.1368	0.1129	
LSD	0.7863	0.7367	0.5711	
PCP	0.9588	*	0.9367	
Ecstasy	0.5047	0.8866	0.7330	
Inhalants	0.6190	0.5795	0.6666	
Nonmedical Use of Psychotherapeutics ²	0.6616	0.9463	0.2107	
Pain Relievers	0.8797	0.9169	0.2684	
OxyContin [®]	--	--	0.4155	
Tranquilizers	0.4944	0.7318	0.2948	
Stimulants	0.0687	0.2428	0.2844	
Methamphetamine	0.1030	0.1974	0.2282	
Sedatives	0.0215	0.7406	0.7367	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5883	0.9514	0.1418	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.13C Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	963	902	965	937
Marijuana and Hashish	915	865	918	924
Cocaine	584	564	635	597
Crack	307	263	280	293
Heroin	222	204	193	227
Hallucinogens	599	584	613	608
LSD	513	494	504	521
PCP	281	270	297	288
Ecstasy	296	281	326	334
Inhalants	472	435	471	456
Nonmedical Use of Psychotherapeutics ²	730	635	724	714
Pain Relievers	565	510	559	560
OxyContin [®]	114	140	133	139
Tranquilizers	493	433	484	478
Stimulants	488	457	465	472
Methamphetamine	368	369	352	345
Sedatives	370	322	399	346
ILLCIT DRUGS OTHER THAN MARIJUANA¹	813	748	820	831

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.13D Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.46	0.42	0.45	0.43
Marijuana and Hashish	0.44	0.41	0.43	0.42
Cocaine	0.28	0.27	0.30	0.27
Crack	0.15	0.12	0.13	0.13
Heroin	0.11	0.10	0.09	0.10
Hallucinogens	0.28	0.27	0.28	0.28
LSD	0.24	0.23	0.23	0.24
PCP	0.13	0.13	0.14	0.13
Ecstasy	0.14	0.13	0.15	0.15
Inhalants	0.22	0.20	0.22	0.21
Nonmedical Use of Psychotherapeutics ²	0.35	0.30	0.34	0.33
Pain Relievers	0.27	0.24	0.26	0.26
OxyContin [®]	0.05	0.07	0.06	0.06
Tranquilizers	0.23	0.20	0.22	0.22
Stimulants	0.23	0.21	0.22	0.22
Methamphetamine	0.17	0.17	0.16	0.16
Sedatives	0.18	0.15	0.19	0.16
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.39	0.35	0.38	0.38

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.13P Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.5222	0.9949	0.3182	
Marijuana and Hashish	0.9347	0.5251	0.9619	
Cocaine	0.1176	0.0170	0.3321	
Crack	0.0998	0.6848	0.9731	
Heroin	0.4824	0.3654	0.2147	
Hallucinogens	0.1252	0.1636	0.3350	
LSD	0.0006	0.0007	0.0960	
PCP	0.0129	0.1040	0.5565	
Ecstasy	0.0016	0.2186	0.4406	
Inhalants	0.1795	0.2506	0.7755	
Nonmedical Use of Psychotherapeutics ²	0.3401	0.9334	0.5944	
Pain Relievers	0.0033	0.1609	0.2370	
OxyContin [®]	0.0000	0.0049	0.0370	
Tranquilizers	0.0899	0.4823	0.1395	
Stimulants	0.0003	0.0021	0.0937	
Methamphetamine	0.0000	0.0000	0.0025	
Sedatives	0.0108	0.1237	0.0594	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7066	0.6375	0.4967	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.14C Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	565	540	519	541
Marijuana and Hashish	459	437	437	463
Cocaine	217	225	202	202
Crack	124	122	115	114
Heroin	54	47	55	42
Hallucinogens	144	140	147	140
LSD	58	41	41	45
PCP	21	20	25	15
Ecstasy	122	101	108	111
Inhalants	80	66	78	79
Nonmedical Use of Psychotherapeutics ²	367	351	341	341
Pain Relievers	293	298	289	300
OxyContin [®]	--	--	72	80
Tranquilizers	219	192	203	206
Stimulants	142	124	142	115
Methamphetamine	103	93	109	84
Sedatives	115	83	70	73
ILLCIT DRUGS OTHER THAN MARIJUANA¹	415	408	399	393

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.14D Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.27	0.25	0.24	0.25
Marijuana and Hashish	0.22	0.21	0.20	0.21
Cocaine	0.10	0.11	0.09	0.09
Crack	0.06	0.06	0.05	0.05
Heroin	0.03	0.02	0.03	0.02
Hallucinogens	0.07	0.07	0.07	0.06
LSD	0.03	0.02	0.02	0.02
PCP	0.01	0.01	0.01	0.01
Ecstasy	0.06	0.05	0.05	0.05
Inhalants	0.04	0.03	0.04	0.04
Nonmedical Use of Psychotherapeutics ²	0.17	0.17	0.16	0.16
Pain Relievers	0.14	0.14	0.13	0.14
OxyContin [®]	--	--	0.03	0.04
Tranquilizers	0.10	0.09	0.09	0.09
Stimulants	0.07	0.06	0.07	0.05
Methamphetamine	0.05	0.04	0.05	0.04
Sedatives	0.05	0.04	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.20	0.19	0.19	0.18

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.14P Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.3853	0.7394	0.8516	
Marijuana and Hashish	0.3389	0.9778	0.9204	
Cocaine	0.1086	0.1009	0.4643	
Crack	0.2974	0.9300	0.6597	
Heroin	0.7460	0.3650	0.8639	
Hallucinogens	0.0001	0.6518	0.9300	
LSD	0.0001	0.9230	0.6668	
PCP	0.0543	0.0363	0.0387	
Ecstasy	0.0000	0.3915	0.6108	
Inhalants	0.9865	0.5431	0.6126	
Nonmedical Use of Psychotherapeutics ²	0.6522	0.9007	0.3012	
Pain Relievers	0.1412	0.8454	0.1727	
OxyContin [®]	--	--	0.9411	
Tranquilizers	0.2998	0.5318	0.5775	
Stimulants	0.0596	0.8496	0.3201	
Methamphetamine	0.0861	0.7430	0.2339	
Sedatives	0.0848	0.4425	0.8390	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2213	0.5001	0.4834	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.15C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	379	396	404	430
Marijuana and Hashish	313	317	349	357
Cocaine	126	146	119	141
Crack	67	91	66	87
Heroin	41	27	36	18
Hallucinogens	78	68	55	82
LSD	13	15	22	14
PCP	14	11	16	11
Ecstasy	62	53	45	43
Inhalants	59	37	58	52
Nonmedical Use of Psychotherapeutics ²	226	249	203	229
Pain Relievers	182	205	164	191
OxyContin [®]	--	--	35	38
Tranquilizers	133	116	102	116
Stimulants	88	90	90	74
Methamphetamine	70	73	67	53
Sedatives	64	54	48	46
ILLCIT DRUGS OTHER THAN MARIJUANA¹	270	286	247	278

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.15D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.18	0.19	0.19	0.20
Marijuana and Hashish	0.15	0.15	0.16	0.16
Cocaine	0.06	0.07	0.06	0.06
Crack	0.03	0.04	0.03	0.04
Heroin	0.02	0.01	0.02	0.01
Hallucinogens	0.04	0.03	0.03	0.04
LSD	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01
Ecstasy	0.03	0.03	0.02	0.02
Inhalants	0.03	0.02	0.03	0.02
Nonmedical Use of Psychotherapeutics ²	0.11	0.12	0.09	0.11
Pain Relievers	0.09	0.10	0.08	0.09
OxyContin [®]	--	--	0.02	0.02
Tranquilizers	0.06	0.05	0.05	0.05
Stimulants	0.04	0.04	0.04	0.03
Methamphetamine	0.03	0.03	0.03	0.02
Sedatives	0.03	0.03	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.13	0.13	0.11	0.13

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.15P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.9639	0.8063	0.2989	
Marijuana and Hashish	0.8181	0.8696	0.8762	
Cocaine	0.1017	0.7127	0.0687	
Crack	0.3848	0.5777	0.0672	
Heroin	0.3937	0.6015	0.4354	
Hallucinogens	0.4234	0.4519	0.1160	
LSD	0.3357	0.5629	0.2341	
PCP	0.7737	0.7264	0.7136	
Ecstasy	0.0620	0.5650	0.4226	
Inhalants	0.5557	0.5179	0.6912	
Nonmedical Use of Psychotherapeutics ²	0.6485	0.7766	0.1807	
Pain Relievers	0.3314	0.9587	0.2787	
OxyContin [®]	--	--	0.4745	
Tranquilizers	0.9230	0.9325	0.2354	
Stimulants	0.1778	0.4052	0.2760	
Methamphetamine	0.2309	0.2529	0.3156	
Sedatives	0.0506	0.9061	0.9612	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8154	0.8104	0.0586	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.16C Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	75	71	67	75
Marijuana and Hashish	64	63	61	64
Cocaine	26	24	24	24
Crack	11	13	10	9
Heroin	7	8	9	7
Hallucinogens	35	33	32	31
LSD	25	19	17	18
PCP	13	13	13	14
Ecstasy	27	21	20	17
Inhalants	46	49	47	48
Nonmedical Use of Psychotherapeutics ²	51	49	48	51
Pain Relievers	47	47	46	47
OxyContin [®]	14	16	17	14
Tranquilizers	27	26	22	25
Stimulants	30	27	24	27
Methamphetamine	16	16	15	18
Sedatives	13	16	15	16
ILLCIT DRUGS OTHER THAN MARIJUANA¹	63	63	61	63

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.16D Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.59	0.56	0.52	0.58
Marijuana and Hashish	0.50	0.49	0.47	0.49
Cocaine	0.21	0.18	0.18	0.18
Crack	0.09	0.10	0.08	0.07
Heroin	0.05	0.06	0.07	0.06
Hallucinogens	0.27	0.26	0.25	0.24
LSD	0.20	0.15	0.13	0.14
PCP	0.10	0.10	0.10	0.11
Ecstasy	0.21	0.16	0.16	0.13
Inhalants	0.37	0.39	0.37	0.37
Nonmedical Use of Psychotherapeutics ²	0.41	0.38	0.37	0.39
Pain Relievers	0.37	0.37	0.36	0.36
OxyContin [®]	0.11	0.12	0.13	0.11
Tranquilizers	0.21	0.20	0.17	0.19
Stimulants	0.24	0.21	0.19	0.21
Methamphetamine	0.13	0.12	0.12	0.14
Sedatives	0.10	0.13	0.12	0.12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.50	0.50	0.47	0.49

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.16P Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0000	0.0010	0.0030	
Marijuana and Hashish	0.0000	0.0045	0.0134	
Cocaine	0.0833	0.2312	0.0861	
Crack	0.3075	0.0099	0.3602	
Heroin	0.7705	0.7761	0.3236	
Hallucinogens	0.0000	0.0176	0.0221	
LSD	0.0000	0.2351	0.9318	
PCP	0.5499	0.8156	0.9713	
Ecstasy	0.0000	0.0041	0.0179	
Inhalants	0.1388	0.4802	0.2559	
Nonmedical Use of Psychotherapeutics ²	0.0012	0.0032	0.0107	
Pain Relievers	0.0061	0.0027	0.0080	
OxyContin [®]	0.2929	0.5674	0.2175	
Tranquilizers	0.1594	0.0868	0.7062	
Stimulants	0.0068	0.0054	0.6966	
Methamphetamine	0.7017	0.4074	0.8112	
Sedatives	0.2555	0.4384	0.3879	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0008	0.0038	0.0048	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.17C Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	66	73	66	67
Marijuana and Hashish	59	62	59	55
Cocaine	24	26	24	23
Crack	13	10	12	10
Heroin	12	8	8	6
Hallucinogens	34	35	31	29
LSD	22	18	16	14
PCP	14	14	12	12
Ecstasy	28	24	22	20
Inhalants	45	45	50	49
Nonmedical Use of Psychotherapeutics ²	52	53	49	50
Pain Relievers	48	50	47	46
OxyContin [®]	16	13	16	16
Tranquilizers	27	28	29	27
Stimulants	34	30	29	31
Methamphetamine	21	17	19	17
Sedatives	17	15	15	15
ILLCIT DRUGS OTHER THAN MARIJUANA¹	59	66	58	61

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.17D Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	0.54	0.60	0.54	0.54
Marijuana and Hashish	0.49	0.51	0.48	0.45
Cocaine	0.20	0.21	0.19	0.18
Crack	0.11	0.08	0.09	0.08
Heroin	0.10	0.07	0.06	0.05
Hallucinogens	0.28	0.28	0.25	0.23
LSD	0.18	0.15	0.13	0.11
PCP	0.12	0.12	0.10	0.10
Ecstasy	0.23	0.20	0.18	0.16
Inhalants	0.37	0.36	0.41	0.39
Nonmedical Use of Psychotherapeutics ²	0.43	0.44	0.40	0.40
Pain Relievers	0.40	0.41	0.38	0.37
OxyContin [®]	0.13	0.10	0.13	0.13
Tranquilizers	0.23	0.23	0.23	0.22
Stimulants	0.28	0.24	0.23	0.25
Methamphetamine	0.17	0.14	0.15	0.14
Sedatives	0.14	0.12	0.12	0.12
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.54	0.47	0.49

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.17P Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0002	0.0002	0.0024	
Marijuana and Hashish	0.0000	0.0004	0.0177	
Cocaine	0.2109	0.3143	0.4351	
Crack	0.0073	0.5082	0.6831	
Heroin	0.0174	0.0783	0.4896	
Hallucinogens	0.0000	0.0004	0.1199	
LSD	0.0000	0.0003	0.1666	
PCP	0.0185	0.2817	0.6841	
Ecstasy	0.0000	0.0000	0.0313	
Inhalants	0.1815	0.9852	0.5462	
Nonmedical Use of Psychotherapeutics ²	0.0027	0.0174	0.0018	
Pain Relievers	0.0352	0.0734	0.0021	
OxyContin [®]	0.2577	0.1242	0.8938	
Tranquilizers	0.3427	0.1348	0.2862	
Stimulants	0.0039	0.1639	0.9561	
Methamphetamine	0.0110	0.5077	0.6947	
Sedatives	0.1203	0.8777	0.9310	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0527	0.0361	0.0219	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.18C Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	65	64	62	66
Marijuana and Hashish	55	53	53	56
Cocaine	23	19	20	19
Crack	8	9	7	7
Heroin	5	6	8	6
Hallucinogens	29	25	26	25
LSD	18	11	13	14
PCP	8	9	9	11
Ecstasy	22	15	16	14
Inhalants	31	33	34	33
Nonmedical Use of Psychotherapeutics ²	42	43	39	42
Pain Relievers	38	40	37	38
OxyContin [®]	--	--	13	13
Tranquilizers	22	22	19	21
Stimulants	24	20	18	18
Methamphetamine	14	11	12	13
Sedatives	10	13	10	11
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	53	49	52

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.18D Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	0.52	0.50	0.48	0.51
Marijuana and Hashish	0.43	0.42	0.41	0.43
Cocaine	0.18	0.15	0.15	0.15
Crack	0.06	0.07	0.05	0.05
Heroin	0.04	0.05	0.06	0.04
Hallucinogens	0.23	0.20	0.20	0.19
LSD	0.15	0.09	0.10	0.10
PCP	0.06	0.07	0.07	0.09
Ecstasy	0.18	0.12	0.12	0.11
Inhalants	0.25	0.26	0.26	0.26
Nonmedical Use of Psychotherapeutics ²	0.33	0.33	0.30	0.32
Pain Relievers	0.30	0.31	0.29	0.30
OxyContin [®]	--	--	0.10	0.10
Tranquilizers	0.17	0.17	0.14	0.16
Stimulants	0.19	0.15	0.14	0.14
Methamphetamine	0.11	0.09	0.09	0.10
Sedatives	0.08	0.10	0.08	0.08
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.41	0.41	0.38	0.40

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.18P Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0002	0.0052	0.2204	
Marijuana and Hashish	0.0001	0.0173	0.0868	
Cocaine	0.0417	0.5290	0.5565	
Crack	0.1633	0.0256	0.3590	
Heroin	0.6388	0.9116	0.1207	
Hallucinogens	0.0000	0.2736	0.2842	
LSD	0.0000	0.3064	0.8657	
PCP	0.8262	0.9521	0.7570	
Ecstasy	0.0000	0.3631	0.4312	
Inhalants	0.1776	0.6124	0.2692	
Nonmedical Use of Psychotherapeutics ²	0.0111	0.0212	0.8084	
Pain Relievers	0.0344	0.0255	0.6628	
OxyContin [®]	--	--	0.9452	
Tranquilizers	0.3959	0.2773	0.9487	
Stimulants	0.0007	0.0269	0.6453	
Methamphetamine	0.3418	0.8033	0.5107	
Sedatives	0.7181	0.3315	0.5970	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0011	0.0153	0.3541	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.19C Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	63	64	63	60
Marijuana and Hashish	53	55	54	50
Cocaine	23	19	19	19
Crack	11	9	8	7
Heroin	10	5	6	5
Hallucinogens	27	26	26	24
LSD	16	11	10	10
PCP	10	8	7	9
Ecstasy	22	17	17	15
Inhalants	30	31	34	33
Nonmedical Use of Psychotherapeutics ²	43	46	45	44
Pain Relievers	40	42	43	39
OxyContin [®]	--	--	13	12
Tranquilizers	24	24	24	21
Stimulants	24	23	21	24
Methamphetamine	16	12	14	13
Sedatives	13	11	11	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	51	56	52	50

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.19D Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLICIT DRUGS¹	0.52	0.52	0.51	0.48
Marijuana and Hashish	0.44	0.45	0.44	0.40
Cocaine	0.19	0.16	0.15	0.15
Crack	0.09	0.07	0.06	0.06
Heroin	0.08	0.04	0.05	0.04
Hallucinogens	0.23	0.22	0.21	0.19
LSD	0.13	0.09	0.08	0.08
PCP	0.08	0.06	0.06	0.07
Ecstasy	0.18	0.14	0.14	0.12
Inhalants	0.25	0.25	0.27	0.27
Nonmedical Use of Psychotherapeutics ²	0.36	0.38	0.36	0.35
Pain Relievers	0.33	0.34	0.35	0.32
OxyContin [®]	--	--	0.10	0.09
Tranquilizers	0.20	0.19	0.19	0.17
Stimulants	0.20	0.19	0.17	0.20
Methamphetamine	0.13	0.10	0.11	0.11
Sedatives	0.10	0.09	0.09	0.10
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.42	0.46	0.43	0.40

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.19P Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0084	0.0082	0.0407	
Marijuana and Hashish	0.0001	0.0024	0.0296	
Cocaine	0.2344	0.8901	0.3301	
Crack	0.0123	0.1152	0.9049	
Heroin	0.2969	0.9407	0.6223	
Hallucinogens	0.0001	0.0186	0.1355	
LSD	0.0001	0.2154	0.7328	
PCP	0.0632	0.7045	0.5027	
Ecstasy	0.0000	0.0104	0.0917	
Inhalants	0.0254	0.4751	0.6534	
Nonmedical Use of Psychotherapeutics ²	0.1914	0.2199	0.0603	
Pain Relievers	0.3052	0.1718	0.0565	
OxyContin [®]	--	--	0.5981	
Tranquilizers	0.0721	0.0443	0.2028	
Stimulants	0.1001	0.6826	0.6134	
Methamphetamine	0.0440	0.9198	0.7920	
Sedatives	0.1101	0.8983	0.6331	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5274	0.2367	0.2059	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.20C Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	52	47	44	49
Marijuana and Hashish	44	43	39	43
Cocaine	12	10	12	13
Crack	4	7	4	6
Heroin	3	5	4	4
Hallucinogens	14	15	15	13
LSD	8	7	7	7
PCP	4	5	4	4
Ecstasy	10	8	10	7
Inhalants	16	16	16	18
Nonmedical Use of Psychotherapeutics ²	29	28	26	26
Pain Relievers	26	26	24	24
OxyContin [®]	--	--	7	6
Tranquilizers	11	14	12	13
Stimulants	15	13	12	13
Methamphetamine	11	8	8	10
Sedatives	3	8	2	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	36	32	32	33

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.20D Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.41	0.37	0.34	0.38
Marijuana and Hashish	0.35	0.34	0.30	0.33
Cocaine	0.10	0.08	0.09	0.10
Crack	0.03	0.05	0.03	0.04
Heroin	0.02	0.04	0.03	0.03
Hallucinogens	0.11	0.11	0.11	0.10
LSD	0.07	0.06	0.05	0.06
PCP	0.03	0.04	0.03	0.03
Ecstasy	0.08	0.06	0.08	0.05
Inhalants	0.13	0.13	0.12	0.14
Nonmedical Use of Psychotherapeutics ²	0.23	0.22	0.20	0.20
Pain Relievers	0.21	0.20	0.18	0.18
OxyContin [®]	--	--	0.05	0.04
Tranquilizers	0.08	0.11	0.09	0.10
Stimulants	0.12	0.11	0.10	0.10
Methamphetamine	0.08	0.06	0.06	0.07
Sedatives	0.02	0.06	0.01	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.28	0.25	0.25	0.26

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.20P Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0001	0.0169	0.4026	
Marijuana and Hashish	0.0007	0.0213	0.1917	
Cocaine	0.9897	0.6272	0.8450	
Crack	0.6884	0.3299	0.5524	
Heroin	0.4153	0.6508	0.9256	
Hallucinogens	0.0731	0.0339	0.2517	
LSD	0.2071	0.7275	0.9452	
PCP	0.4578	0.2917	1.0000	
Ecstasy	0.0265	0.6000	0.2997	
Inhalants	0.9100	0.4417	0.4506	
Nonmedical Use of Psychotherapeutics ²	0.0795	0.0227	0.6391	
Pain Relievers	0.0949	0.0644	0.6922	
OxyContin [®]	--	--	0.1682	
Tranquilizers	0.4656	0.1496	0.6360	
Stimulants	0.1413	0.0749	0.4757	
Methamphetamine	0.8788	0.8363	0.3154	
Sedatives	0.5573	0.0465	0.3352	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0319	0.1055	0.7673	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.21C Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	44	45	50	43
Marijuana and Hashish	35	39	38	35
Cocaine	13	12	9	10
Crack	7	3	3	5
Heroin	5	4	2	2
Hallucinogens	15	13	12	14
LSD	9	7	4	3
PCP	4	3	3	4
Ecstasy	12	10	7	9
Inhalants	16	19	20	16
Nonmedical Use of Psychotherapeutics ²	30	31	31	27
Pain Relievers	28	28	28	24
OxyContin [®]	--	--	8	5
Tranquilizers	14	16	12	10
Stimulants	12	14	14	12
Methamphetamine	6	8	9	8
Sedatives	8	6	6	5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	35	37	38	31

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.21D Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2005

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.37	0.37	0.40	0.35
Marijuana and Hashish	0.29	0.32	0.31	0.29
Cocaine	0.11	0.10	0.07	0.08
Crack	0.06	0.03	0.03	0.04
Heroin	0.04	0.03	0.02	0.01
Hallucinogens	0.12	0.11	0.10	0.11
LSD	0.07	0.06	0.04	0.03
PCP	0.03	0.02	0.02	0.03
Ecstasy	0.10	0.08	0.06	0.07
Inhalants	0.13	0.15	0.16	0.13
Nonmedical Use of Psychotherapeutics ²	0.25	0.25	0.25	0.21
Pain Relievers	0.23	0.23	0.23	0.19
OxyContin [®]	--	--	0.07	0.04
Tranquilizers	0.11	0.13	0.09	0.08
Stimulants	0.10	0.11	0.11	0.10
Methamphetamine	0.05	0.06	0.07	0.06
Sedatives	0.07	0.05	0.04	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.29	0.30	0.31	0.25

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 8.21P Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004

Drug	2002	2003	2004	2005
ILLCIT DRUGS¹	0.0145	0.0052	0.0624	
Marijuana and Hashish	0.0107	0.0158	0.0293	
Cocaine	0.6753	0.1795	0.3762	
Crack	0.6212	0.8249	0.3499	
Heroin	0.8795	0.1825	0.9178	
Hallucinogens	0.2883	0.3980	0.3891	
LSD	0.1107	0.0392	0.2202	
PCP	0.6995	0.5207	0.2744	
Ecstasy	0.0935	0.3150	0.4197	
Inhalants	0.7562	0.2171	0.4520	
Nonmedical Use of Psychotherapeutics ²	0.0199	0.0384	0.1256	
Pain Relievers	0.0724	0.0982	0.1378	
OxyContin [®]	--	--	0.0394	
Tranquilizers	0.0124	0.0377	0.5236	
Stimulants	0.8343	0.3046	0.7946	
Methamphetamine	0.6906	0.5577	0.7842	
Sedatives	0.0089	0.6881	0.5343	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0454	0.0254	0.1638	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.