

**Table 8.30C Substance Dependence or Abuse for Specific Substances in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2005**

Past Year Dependence or Abuse	2002	2003	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	224	206	210	203
Marijuana and Hashish	158	140	158	143
Cocaine	119	115	114	108
Heroin	45	37	49	36
Hallucinogens	38	34	44	36
Inhalants	31	27	28	38
Nonmedical Use of Psychotherapeutics <sup>2</sup>	139	116	115	108
Pain Relievers	126	102	86	97
Tranquilizers	76	56	73	51
Stimulants	68	41	48	44
Sedatives	57	37	27	20
<b>ALCOHOL</b>	415	387	417	400
<b>ILLCIT DRUGS OR ALCOHOL<sup>1</sup></b>	439	410	435	426
<b>BOTH ILLCIT DRUGS AND ALCOHOL<sup>1</sup></b>	145	138	143	141

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

**Table 8.30D Substance Dependence or Abuse for Specific Substances in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2005**

Past Year Dependence or Abuse	2002	2003	2004	2005
<b>ILLICIT DRUGS<sup>1</sup></b>	0.10	0.09	0.09	0.08
Marijuana and Hashish	0.07	0.06	0.07	0.06
Cocaine	0.05	0.05	0.05	0.04
Heroin	0.02	0.02	0.02	0.01
Hallucinogens	0.02	0.01	0.02	0.01
Inhalants	0.01	0.01	0.01	0.02
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.06	0.05	0.05	0.04
Pain Relievers	0.05	0.04	0.04	0.04
Tranquilizers	0.03	0.02	0.03	0.02
Stimulants	0.03	0.02	0.02	0.02
Sedatives	0.02	0.02	0.01	0.01
<b>ALCOHOL</b>	0.18	0.16	0.17	0.16
<b>ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.19	0.17	0.18	0.18
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>1</sup></b>	0.06	0.06	0.06	0.06

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

**Table 8.30P Substance Dependence or Abuse for Specific Substances in the Past Year among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2002, 2003, and 2004**

Past Year Dependence or Abuse	2002	2003	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.0876	0.5821	0.0626	
Marijuana and Hashish	0.1055	0.3091	0.0453	
Cocaine	0.9519	0.9922	0.8023	
Heroin	0.9147	0.5165	0.4613	
Hallucinogens	0.1918	0.3960	0.1434	
Inhalants	0.4759	0.3127	0.7593	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.4784	0.9561	0.4812	
Pain Relievers	0.9287	0.5292	0.2739	
Tranquilizers	0.2496	0.7388	0.0729	
Stimulants	0.6092	0.7228	0.3138	
Sedatives	0.3141	0.1288	0.3388	
<b>ALCOHOL</b>	0.9143	0.4358	0.7243	
<b>ILLCIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.3832	0.8289	0.3772	
<b>BOTH ILLCIT DRUGS AND ALCOHOL<sup>1</sup></b>	0.8192	0.4569	0.2965	

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.