

**Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	111,774	114,275	35,775	35,692	20,357	19,857
Marijuana and Hashish	97,825 <sup>a</sup>	100,518	25,378	25,085	14,813	14,448
Cocaine	35,298	35,882	6,069	5,738	2,421	2,075
Crack	8,554	8,581	1,479	1,451	702	610
Heroin	3,785	3,780	560 <sup>a</sup>	366	338 <sup>a</sup>	153
Hallucinogens	35,281	34,215	3,956	3,762	1,006	996
LSD	23,346	22,656	666	620	130	145
PCP	6,618	6,140	187	137	30	41
Ecstasy	12,262	12,426	2,130	2,132	528	503
Inhalants	22,879	22,477	2,218	2,080	761	616
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	50,965	50,415	16,482	16,280	7,095	6,895
Pain Relievers	33,472	33,060	12,649	12,466	5,220	5,174
OxyContin <sup>®</sup>	4,098	4,354	1,323	1,422	276	369
Tranquilizers	21,303	20,208	5,058	5,282	1,766	1,835
Stimulants <sup>3</sup>	22,468	21,654	3,791 <sup>b</sup>	2,998	1,385 <sup>a</sup>	1,053
Methamphetamine <sup>3</sup>	14,206 <sup>a</sup>	13,065	1,889 <sup>b</sup>	1,343	731	529
Sedatives	8,822	8,396	926	864	385	346
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	72,906	73,494	21,254	21,144	9,615	9,270

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	45.4	46.1	14.5	14.4	8.3	8.0
Marijuana and Hashish	39.8	40.6	10.3	10.1	6.0	5.8
Cocaine	14.3	14.5	2.5	2.3	1.0	0.8
Crack	3.5	3.5	0.6	0.6	0.3	0.2
Heroin	1.5	1.5	0.2 <sup>a</sup>	0.1	0.1 <sup>a</sup>	0.1
Hallucinogens	14.3	13.8	1.6	1.5	0.4	0.4
LSD	9.5	9.1	0.3	0.3	0.1	0.1
PCP	2.7	2.5	0.1	0.1	0.0	0.0
Ecstasy	5.0	5.0	0.9	0.9	0.2	0.2
Inhalants	9.3	9.1	0.9	0.8	0.3	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	20.7	20.3	6.7	6.6	2.9	2.8
Pain Relievers	13.6	13.3	5.1	5.0	2.1	2.1
OxyContin <sup>®</sup>	1.7	1.8	0.5	0.6	0.1	0.1
Tranquilizers	8.7	8.2	2.1	2.1	0.7	0.7
Stimulants <sup>3</sup>	9.1	8.7	1.5 <sup>b</sup>	1.2	0.6 <sup>a</sup>	0.4
Methamphetamine <sup>3</sup>	5.8 <sup>a</sup>	5.3	0.8 <sup>b</sup>	0.5	0.3	0.2
Sedatives	3.6	3.4	0.4	0.3	0.2	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	29.6	29.7	8.6	8.5	3.9	3.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	1,146	1,072	681	635	315	270
Marijuana and Hashish	246	218	175	161	71	75
Cocaine	18	20	11	16	4	6
Crack	*	5	*	3	*	*
Heroin	2	2	1	2	1	*
Hallucinogens	62	65	37	45	16	19
LSD	16	14	9	8	5	1
PCP	11	8	7	3	4	*
Ecstasy	18	17	10	9	1	1
Inhalants	712	663	342	304	95	91
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	497	433	315	257	166 <sup>a</sup>	118
Pain Relievers	398	334	265	217	136	97
OxyContin <sup>®</sup>	16	14	7	11	2	*
Tranquilizers	57	51	30	30	12	16
Stimulants <sup>3</sup>	108	74	54	41	34 <sup>a</sup>	12
Methamphetamine <sup>3</sup>	30 <sup>a</sup>	12	20 <sup>a</sup>	6	10	2
Sedatives	46	39	26 <sup>a</sup>	8	16	4
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,036	960	595	533	259	214

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	14.2	13.2	8.5	7.8	3.9	3.3
Marijuana and Hashish	3.1	2.7	2.2	2.0	0.9	0.9
Cocaine	0.2	0.2	0.1	0.2	0.0	0.1
Crack	*	0.1	*	0.0	*	*
Heroin	0.0	0.0	0.0	0.0	0.0	*
Hallucinogens	0.8	0.8	0.5	0.6	0.2	0.2
LSD	0.2	0.2	0.1	0.1	0.1	0.0
PCP	0.1	0.1	0.1	0.0	0.0	*
Ecstasy	0.2	0.2	0.1	0.1	0.0	0.0
Inhalants	8.8	8.1	4.2	3.7	1.2	1.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6.2	5.3	3.9	3.2	2.1 <sup>a</sup>	1.4
Pain Relievers	4.9	4.1	3.3	2.7	1.7	1.2
OxyContin <sup>®</sup>	0.2	0.2	0.1	0.1	0.0	*
Tranquilizers	0.7	0.6	0.4	0.4	0.1	0.2
Stimulants <sup>3</sup>	1.3	0.9	0.7	0.5	0.4 <sup>a</sup>	0.1
Methamphetamine <sup>3</sup>	0.4 <sup>a</sup>	0.1	0.2 <sup>a</sup>	0.1	0.1	0.0
Sedatives	0.6	0.5	0.3 <sup>a</sup>	0.1	0.2	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	12.9	11.8	7.4	6.5	3.2	2.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	2,441 <sup>b</sup>	2,159	1,713 <sup>a</sup>	1,546	803	762
Marijuana and Hashish	1,397 <sup>b</sup>	1,197	1,086 <sup>a</sup>	951	507	488
Cocaine	126	103	102	86	36	18
Crack	34	27	23	24	4	5
Heroin	20	17	14	10	5	*
Hallucinogens	256	280	182	201	51	51
LSD	43	61	32	42	13	13
PCP	48	39	32	29	6	4
Ecstasy	114	140	80	103	18	16
Inhalants	1,035 <sup>a</sup>	917	448	389	152	115
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,050	966	723	707	276	291
Pain Relievers	885	809	614	569	228	218
OxyContin <sup>®</sup>	110	90	77	68	8	12
Tranquilizers	188	212	134	164	35 <sup>a</sup>	64
Stimulants <sup>3</sup>	288 <sup>a</sup>	229	183	139	50	50
Methamphetamine <sup>3</sup>	103	80	62	45	14	11
Sedatives	86	71	43	44	19	16
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,769 <sup>a</sup>	1,597	1,081	1,015	422	411

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	27.7 <sup>a</sup>	25.3	19.4	18.2	9.1	8.9
Marijuana and Hashish	15.8 <sup>a</sup>	14.1	12.3	11.2	5.8	5.7
Cocaine	1.4	1.2	1.2	1.0	0.4	0.2
Crack	0.4	0.3	0.3	0.3	0.0	0.1
Heroin	0.2	0.2	0.2	0.1	0.1	*
Hallucinogens	2.9	3.3	2.1	2.4	0.6	0.6
LSD	0.5	0.7	0.4	0.5	0.1	0.2
PCP	0.5	0.5	0.4	0.3	0.1	0.0
Ecstasy	1.3	1.6	0.9	1.2	0.2	0.2
Inhalants	11.7	10.8	5.1	4.6	1.7	1.4
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	11.9	11.3	8.2	8.3	3.1	3.4
Pain Relievers	10.0	9.5	7.0	6.7	2.6	2.6
OxyContin <sup>®</sup>	1.2	1.1	0.9	0.8	0.1	0.1
Tranquilizers	2.1	2.5	1.5	1.9	0.4 <sup>a</sup>	0.7
Stimulants <sup>3</sup>	3.3	2.7	2.1	1.6	0.6	0.6
Methamphetamine <sup>3</sup>	1.2	0.9	0.7	0.5	0.2	0.1
Sedatives	1.0	0.8	0.5	0.5	0.2	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	20.1	18.7	12.3	11.9	4.8	4.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	3,421	3,390	2,577	2,545	1,363	1,377
Marijuana and Hashish	2,751	2,668	2,086	2,035	1,110	1,122
Cocaine	426	418	298	281	70	79
Crack	94	74	50	38	8	10
Heroin	38	35	22	12	9	3
Hallucinogens	667 <sup>a</sup>	550	431	381	114	105
LSD	159	125	65	75	13	15
PCP	70	57	20	23	2	5
Ecstasy	342	290	216	216	63	48
Inhalants	815	842	321	301	94	89
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,623	1,549	1,142	1,069	402	420
Pain Relievers	1,364	1,309	938	894	326	354
OxyContin <sup>®</sup>	217	256	115	153	18	35
Tranquilizers	495	485	319	312	79	102
Stimulants <sup>3</sup>	534 <sup>a</sup>	430	310 <sup>a</sup>	235	87	66
Methamphetamine <sup>3</sup>	208 <sup>b</sup>	130	104	67	29	20
Sedatives	91	104	40	59	10	14
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,144	2,081	1,470	1,366	570	556

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	40.2	39.5	30.3	29.6	16.0	16.0
Marijuana and Hashish	32.3	31.1	24.5	23.7	13.0	13.1
Cocaine	5.0	4.9	3.5	3.3	0.8	0.9
Crack	1.1	0.9	0.6	0.4	0.1	0.1
Heroin	0.4	0.4	0.3	0.1	0.1	0.0
Hallucinogens	7.8 <sup>b</sup>	6.4	5.1	4.4	1.3	1.2
LSD	1.9	1.5	0.8	0.9	0.2	0.2
PCP	0.8	0.7	0.2	0.3	0.0	0.1
Ecstasy	4.0	3.4	2.5	2.5	0.7	0.6
Inhalants	9.6	9.8	3.8	3.5	1.1	1.0
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	19.1	18.0	13.4	12.5	4.7	4.9
Pain Relievers	16.0	15.2	11.0	10.4	3.8	4.1
OxyContin <sup>®</sup>	2.5	3.0	1.3	1.8	0.2	0.4
Tranquilizers	5.8	5.6	3.7	3.6	0.9	1.2
Stimulants <sup>3</sup>	6.3 <sup>b</sup>	5.0	3.6 <sup>a</sup>	2.7	1.0	0.8
Methamphetamine <sup>3</sup>	2.4 <sup>b</sup>	1.5	1.2 <sup>a</sup>	0.8	0.3	0.2
Sedatives	1.1	1.2	0.5	0.7	0.1	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	25.2	24.2	17.3	15.9	6.7	6.5

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	6,992	6,904	4,815	4,759	2,834	2,862
Marijuana and Hashish	6,093	6,008	4,037	4,011	2,375	2,429
Cocaine	1,571	1,442	979 <sup>a</sup>	822	336 <sup>b</sup>	230
Crack	362 <sup>b</sup>	243	138	92	25	23
Heroin	144	133	71	48	25	16
Hallucinogens	1,950	1,855	1,068	982	319	241
LSD	604	505	214	211	33	51
PCP	218 <sup>a</sup>	138	48	31	4	5
Ecstasy	1,204	1,145	619	583	176 <sup>a</sup>	112
Inhalants	1,387 <sup>a</sup>	1,191	374	306	89	67
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,593	3,544	2,174	2,128	916	850
Pain Relievers	3,080	2,962	1,781	1,719	700	679
OxyContin <sup>®</sup>	617	575	271	242	59	69
Tranquilizers	1,378	1,385	751	729	270	220
Stimulants <sup>3</sup>	1,213	1,138	594	505	215 <sup>a</sup>	135
Methamphetamine <sup>3</sup>	567	535	230	182	85 <sup>a</sup>	35
Sedatives	204	185	71	70	31	27
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	4,564	4,456	2,848	2,739	1,340 <sup>a</sup>	1,153

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	54.7 <sup>a</sup>	52.2	37.6	36.0	22.2	21.6
Marijuana and Hashish	47.6 <sup>a</sup>	45.4	31.6	30.3	18.6	18.4
Cocaine	12.3	10.9	7.7 <sup>b</sup>	6.2	2.6 <sup>b</sup>	1.7
Crack	2.8 <sup>b</sup>	1.8	1.1 <sup>a</sup>	0.7	0.2	0.2
Heroin	1.1	1.0	0.6	0.4	0.2	0.1
Hallucinogens	15.2	14.0	8.4	7.4	2.5 <sup>a</sup>	1.8
LSD	4.7 <sup>a</sup>	3.8	1.7	1.6	0.3	0.4
PCP	1.7 <sup>b</sup>	1.0	0.4	0.2	0.0	0.0
Ecstasy	9.4	8.7	4.8	4.4	1.4 <sup>a</sup>	0.8
Inhalants	10.8 <sup>b</sup>	9.0	2.9 <sup>a</sup>	2.3	0.7	0.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	28.1	26.8	17.0	16.1	7.2	6.4
Pain Relievers	24.1	22.4	13.9	13.0	5.5	5.1
OxyContin <sup>®</sup>	4.8	4.3	2.1	1.8	0.5	0.5
Tranquilizers	10.8	10.5	5.9	5.5	2.1	1.7
Stimulants <sup>3</sup>	9.5	8.6	4.6	3.8	1.7 <sup>b</sup>	1.0
Methamphetamine <sup>3</sup>	4.4	4.0	1.8	1.4	0.7 <sup>b</sup>	0.3
Sedatives	1.6	1.4	0.6	0.5	0.2	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	35.7 <sup>a</sup>	33.7	22.3	20.7	10.5 <sup>b</sup>	8.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.6A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	12,318	11,891	6,437	6,105	3,648	3,602
Marijuana and Hashish	11,064	10,612	5,133	4,974	2,948	2,949
Cocaine	3,559	3,475	1,280	1,263	393	343
Crack	814	737	155	156	46	34
Heroin	366	361	75	94	29	31
Hallucinogens	4,664	4,432	1,079	1,066	244	233
LSD	2,322 <sup>b</sup>	1,869	164	163	25	19
PCP	419	401	28	27	10	10
Ecstasy	3,178	3,046	614	571	150	117
Inhalants	2,701	2,499	203	220	40	63
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6,458	6,246	2,948	2,785	1,198	1,099
Pain Relievers	5,262	5,166	2,289	2,251	920	838
OxyContin <sup>®</sup>	1,059	1,130	304	324	80	87
Tranquilizers	2,896	2,761	1,034	970	377	351
Stimulants <sup>3</sup>	2,709 <sup>a</sup>	2,435	782 <sup>a</sup>	629	241	217
Methamphetamine <sup>3</sup>	1,536 <sup>a</sup>	1,309	323 <sup>a</sup>	222	98	80
Sedatives	405	398	114	101	24	45
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8,376	8,099	3,779	3,631	1,564	1,489

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.6B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	61.8	61.0	32.3	31.3	18.3	18.5
Marijuana and Hashish	55.5	54.4	25.7	25.5	14.8	15.1
Cocaine	17.8	17.8	6.4	6.5	2.0	1.8
Crack	4.1	3.8	0.8	0.8	0.2	0.2
Heroin	1.8	1.8	0.4	0.5	0.1	0.2
Hallucinogens	23.4	22.7	5.4	5.5	1.2	1.2
LSD	11.6 <sup>b</sup>	9.6	0.8	0.8	0.1	0.1
PCP	2.1	2.1	0.1	0.1	0.0	0.1
Ecstasy	15.9	15.6	3.1	2.9	0.8	0.6
Inhalants	13.5	12.8	1.0	1.1	0.2	0.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	32.4	32.0	14.8	14.3	6.0	5.6
Pain Relievers	26.4	26.5	11.5	11.5	4.6	4.3
OxyContin <sup>®</sup>	5.3	5.8	1.5	1.7	0.4	0.4
Tranquilizers	14.5	14.2	5.2	5.0	1.9	1.8
Stimulants <sup>3</sup>	13.6	12.5	3.9 <sup>a</sup>	3.2	1.2	1.1
Methamphetamine <sup>3</sup>	7.7 <sup>a</sup>	6.7	1.6 <sup>a</sup>	1.1	0.5	0.4
Sedatives	2.0	2.0	0.6	0.5	0.1	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	42.0	41.5	18.9	18.6	7.8	7.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.7A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	20,257	19,977	7,317	6,973	4,181	3,864
Marijuana and Hashish	17,785	17,748	5,018	4,952	2,981	2,799
Cocaine	6,398	5,857	1,549	1,261	608	499
Crack	1,871	1,554	271	204	138	96
Heroin	846	621	188 <sup>a</sup>	61	124	37
Hallucinogens	7,770	7,754	840	822	188	231
LSD	5,394	5,386	138	108	15	45
PCP	871	893	27	22	4	16
Ecstasy	4,320	4,494	457	525	102	142
Inhalants	5,076	4,927	280	232	132	69
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	10,173	9,591	3,475	3,203	1,506	1,238
Pain Relievers	7,422	7,193	2,590	2,452	1,057	986
OxyContin <sup>®</sup>	932	1,008	216	269	37	39
Tranquilizers	4,246	3,896	1,151	1,146	426	359
Stimulants <sup>3</sup>	4,156	3,813	743	580	240	160
Methamphetamine <sup>3</sup>	2,980	2,652	455	319	145	87
Sedatives	697	639	160	131	64	65
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	14,142	13,747	4,504	4,164	2,035	1,757

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.7B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	57.7	56.6	20.8	19.8	11.9	10.9
Marijuana and Hashish	50.7	50.3	14.3	14.0	8.5	7.9
Cocaine	18.2	16.6	4.4	3.6	1.7	1.4
Crack	5.3	4.4	0.8	0.6	0.4	0.3
Heroin	2.4	1.8	0.5 <sup>a</sup>	0.2	0.4	0.1
Hallucinogens	22.1	22.0	2.4	2.3	0.5	0.7
LSD	15.4	15.3	0.4	0.3	0.0	0.1
PCP	2.5	2.5	0.1	0.1	0.0	0.0
Ecstasy	12.3	12.7	1.3	1.5	0.3	0.4
Inhalants	14.5	14.0	0.8	0.7	0.4	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	29.0	27.2	9.9	9.1	4.3	3.5
Pain Relievers	21.1	20.4	7.4	6.9	3.0	2.8
OxyContin <sup>®</sup>	2.7	2.9	0.6	0.8	0.1	0.1
Tranquilizers	12.1	11.0	3.3	3.2	1.2	1.0
Stimulants <sup>3</sup>	11.8	10.8	2.1	1.6	0.7	0.5
Methamphetamine <sup>3</sup>	8.5	7.5	1.3	0.9	0.4	0.2
Sedatives	2.0	1.8	0.5	0.4	0.2	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	40.3	38.9	12.8	11.8	5.8	5.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.8A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	65,197 <sup>b</sup>	68,881	12,235	13,129	7,212	7,120
Marijuana and Hashish	58,490 <sup>b</sup>	62,067	7,843	8,001	4,820	4,585
Cocaine	23,200	24,566	1,851	2,010	974	900
Crack	5,380	5,941	842	933	480	442
Heroin	2,368	2,611	188	139	144	65
Hallucinogens	19,912	19,278	320	265	73	115
LSD	14,808	14,696	43	13	26	*
PCP	4,981	4,604	25	*	*	*
Ecstasy	3,087	3,295	134	124	18	67
Inhalants	11,153	11,438	252	329	160	122
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	27,571	28,086	5,705	6,131	2,630	2,879
Pain Relievers	15,061	15,288	4,171	4,363	1,852	2,002
OxyContin <sup>®</sup>	1,148	1,281	333	355	72	128
Tranquilizers	12,043	11,417	1,640	1,931	566	722
Stimulants <sup>3</sup>	13,460	13,535	1,125	867	517	413
Methamphetamine <sup>3</sup>	8,782	8,346	696	503	350	292
Sedatives	7,292	6,960	472	449	221	175
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	40,876	42,554	6,977	7,696	3,424	3,690

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.8B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	42.7 <sup>a</sup>	44.6	8.0	8.5	4.7	4.6
Marijuana and Hashish	38.3 <sup>a</sup>	40.2	5.1	5.2	3.2	3.0
Cocaine	15.2	15.9	1.2	1.3	0.6	0.6
Crack	3.5	3.8	0.6	0.6	0.3	0.3
Heroin	1.5	1.7	0.1	0.1	0.1	0.0
Hallucinogens	13.0	12.5	0.2	0.2	0.0	0.1
LSD	9.7	9.5	0.0	0.0	0.0	*
PCP	3.3	3.0	0.0	*	*	*
Ecstasy	2.0	2.1	0.1	0.1	0.0	0.0
Inhalants	7.3	7.4	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	18.0	18.2	3.7	4.0	1.7	1.9
Pain Relievers	9.9	9.9	2.7	2.8	1.2	1.3
OxyContin <sup>®</sup>	0.8	0.8	0.2	0.2	0.0	0.1
Tranquilizers	7.9	7.4	1.1	1.2	0.4	0.5
Stimulants <sup>3</sup>	8.8	8.8	0.7	0.6	0.3	0.3
Methamphetamine <sup>3</sup>	5.7	5.4	0.5	0.3	0.2	0.2
Sedatives	4.8	4.5	0.3	0.3	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	26.8	27.5	4.6	5.0	2.2	2.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 1.9A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	60,022	60,913	20,768	20,907	12,541	12,508
Marijuana and Hashish	52,864	54,349	15,592	15,634	9,650	9,614
Cocaine	20,668	21,467	3,953	3,719	1,624	1,438
Crack	5,584	5,863	1,026	1,047	520	457
Heroin	2,651	2,765	376	287	261	128
Hallucinogens	20,935	20,629	2,364	2,481	579	684
LSD	14,239	14,459	455	452	82	117
PCP	4,447	4,062	95	87	15	38
Ecstasy	6,956	7,011	1,137	1,327	272	313
Inhalants	14,863	14,285	1,344	1,333	504	393
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	27,713	26,442	8,905	8,674	3,922	3,907
Pain Relievers	19,123	18,092	7,223	6,890	3,014	3,067
OxyContin <sup>®</sup>	2,505	2,756	788	830	161	216
Tranquilizers	11,378	10,412	2,436	2,621	965	908
Stimulants <sup>3</sup>	12,659	11,964	1,949 <sup>b</sup>	1,486	718 <sup>a</sup>	473
Methamphetamine <sup>3</sup>	8,551 <sup>a</sup>	7,547	1,040 <sup>a</sup>	722	424	278
Sedatives	5,281	4,748	407	480	134	191
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	39,945	40,236	11,944	11,872	5,596	5,530

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.9B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	50.3	50.6	17.4	17.4	10.5	10.4
Marijuana and Hashish	44.3	45.2	13.1	13.0	8.1	8.0
Cocaine	17.3	17.8	3.3	3.1	1.4	1.2
Crack	4.7	4.9	0.9	0.9	0.4	0.4
Heroin	2.2	2.3	0.3	0.2	0.2	0.1
Hallucinogens	17.5	17.2	2.0	2.1	0.5	0.6
LSD	11.9	12.0	0.4	0.4	0.1	0.1
PCP	3.7	3.4	0.1	0.1	0.0	0.0
Ecstasy	5.8	5.8	1.0	1.1	0.2	0.3
Inhalants	12.5	11.9	1.1	1.1	0.4	0.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	23.2 <sup>a</sup>	22.0	7.5	7.2	3.3	3.2
Pain Relievers	16.0 <sup>a</sup>	15.0	6.1	5.7	2.5	2.6
OxyContin <sup>®</sup>	2.1	2.3	0.7	0.7	0.1	0.2
Tranquilizers	9.5 <sup>a</sup>	8.7	2.0	2.2	0.8	0.8
Stimulants <sup>3</sup>	10.6	9.9	1.6 <sup>b</sup>	1.2	0.6 <sup>a</sup>	0.4
Methamphetamine <sup>3</sup>	7.2 <sup>a</sup>	6.3	0.9 <sup>a</sup>	0.6	0.4	0.2
Sedatives	4.4	3.9	0.3	0.4	0.1	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	33.5	33.5	10.0	9.9	4.7	4.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.10A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	51,752	53,361	15,007	14,785	7,816	7,349
Marijuana and Hashish	44,961	46,169	9,785	9,451	5,162	4,834
Cocaine	14,630	14,415	2,116	2,019	797	638
Crack	2,970	2,719	453	403	182	153
Heroin	1,134	1,015	184 <sup>b</sup>	79	77 <sup>b</sup>	25
Hallucinogens	14,347	13,586	1,593 <sup>b</sup>	1,281	428	311
LSD	9,106 <sup>a</sup>	8,198	211	169	49	28
PCP	2,171	2,078	91	50	15	*
Ecstasy	5,306	5,415	993	805	256	190
Inhalants	8,016	8,192	875	748	257	223
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	23,252	23,973	7,577	7,606	3,173	2,988
Pain Relievers	14,349	14,968	5,427	5,576	2,206	2,107
OxyContin <sup>®</sup>	1,593	1,598	534	592	115	152
Tranquilizers	9,925	9,796	2,622	2,661	801	926
Stimulants <sup>3</sup>	9,809	9,690	1,841 <sup>a</sup>	1,511	667	580
Methamphetamine <sup>3</sup>	5,655	5,518	849 <sup>a</sup>	621	306	251
Sedatives	3,541	3,648	519	383	250	155
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	32,961	33,257	9,310	9,272	4,019	3,740

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.10B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	40.9	41.8	11.8	11.6	6.2	5.8
Marijuana and Hashish	35.5	36.2	7.7	7.4	4.1	3.8
Cocaine	11.6	11.3	1.7	1.6	0.6	0.5
Crack	2.3	2.1	0.4	0.3	0.1	0.1
Heroin	0.9	0.8	0.1 <sup>b</sup>	0.1	0.1 <sup>b</sup>	0.0
Hallucinogens	11.3	10.6	1.3 <sup>b</sup>	1.0	0.3	0.2
LSD	7.2 <sup>a</sup>	6.4	0.2	0.1	0.0	0.0
PCP	1.7	1.6	0.1	0.0	0.0	*
Ecstasy	4.2	4.2	0.8 <sup>a</sup>	0.6	0.2	0.1
Inhalants	6.3	6.4	0.7	0.6	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	18.4	18.8	6.0	6.0	2.5	2.3
Pain Relievers	11.3	11.7	4.3	4.4	1.7	1.7
OxyContin <sup>®</sup>	1.3	1.3	0.4	0.5	0.1	0.1
Tranquilizers	7.8	7.7	2.1	2.1	0.6	0.7
Stimulants <sup>3</sup>	7.7	7.6	1.5 <sup>a</sup>	1.2	0.5	0.5
Methamphetamine <sup>3</sup>	4.5	4.3	0.7 <sup>a</sup>	0.5	0.2	0.2
Sedatives	2.8	2.9	0.4	0.3	0.2	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	26.0	26.1	7.4	7.3	3.2	2.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.