

Table 1.44A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	22,879	22,477	2,218	2,080	761	616
AGE						
12-17	2,561	2,422	1,110	994	340	295
18-25	4,089 ^b	3,690	577	526	129	130
26 or Older	16,229	16,365	531	560	291	191
GENDER						
Male	14,863	14,285	1,344	1,333	504	393
Female	8,016	8,192	875	748	257	223
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20,518	20,212	1,901	1,736	664	483
White	18,413	18,097	1,588	1,511	528	403
Black or African American	1,101	1,090	193	138	80	54
American Indian or Alaska Native	158	160	8	20	2	4
Native Hawaiian or Other Pacific Islander	*	*	12	2	2	1
Asian	495	446	72	34	37	16
Two or More Races	253	357	28	31	15	5
Hispanic or Latino	2,361	2,265	317	345	97	133

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.44B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	9.3	9.1	0.9	0.8	0.3	0.2
AGE						
12-17	10.1	9.6	4.4	3.9	1.3	1.2
18-25	12.5 ^b	11.3	1.8	1.6	0.4	0.4
26 or Older	8.6	8.6	0.3	0.3	0.2	0.1
GENDER						
Male	12.5	11.9	1.1	1.1	0.4	0.3
Female	6.3	6.4	0.7	0.6	0.2	0.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.7	9.5	0.9	0.8	0.3 ^a	0.2
White	10.9	10.7	0.9	0.9	0.3	0.2
Black or African American	3.8	3.7	0.7	0.5	0.3	0.2
American Indian or Alaska Native	12.8	12.6	0.7	1.6	0.2	0.3
Native Hawaiian or Other Pacific Islander	*	*	1.2	0.2	0.2	0.1
Asian	4.8	4.2	0.7	0.3	0.4	0.2
Two or More Races	9.6	13.0	1.0	1.1	0.6	0.2
Hispanic or Latino	7.1	6.6	0.9	1.0	0.3	0.4

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.45A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	2,561	2,422	1,110	994	340	295
GENDER						
Male	1,301	1,220	521	500	156	158
Female	1,261	1,202	590 ^a	494	185	136
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,130	1,978	898	806	266	235
White	1,629	1,550	728	665	193	179
Black or African American	314	293	112	94	45	45
American Indian or Alaska Native	26	18	5	9	2	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	99	62	28	21	12	5
Two or More Races	51	49	22	16	13 ^a	2
Hispanic or Latino	431	443	213	188	75	59
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	814	772	318	335	82	99
Female, White, Not Hispanic	815	778	409 ^a	329	111	80
Male, Black, Not Hispanic	170	154	58	49	21	23
Female, Black, Not Hispanic	144	139	54	46	24	23
Male, Hispanic	231	232	112	91	42	29
Female, Hispanic	200	211	101	98	33	31

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.45B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	10.1	9.6	4.4	3.9	1.3	1.2
GENDER						
Male	10.0	9.5	4.0	3.9	1.2	1.2
Female	10.1	9.7	4.7 ^a	4.0	1.5	1.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10.2	9.6	4.3	3.9	1.3	1.1
White	10.7	10.3	4.8	4.4	1.3	1.2
Black or African American	8.1	7.6	2.9	2.4	1.1	1.2
American Indian or Alaska Native	19.3	11.1	3.5	5.5	1.7	1.6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9.6	6.1	2.7	2.1	1.1	0.5
Two or More Races	12.4	11.7	5.3	3.7	3.1 ^a	0.5
Hispanic or Latino	9.5	9.5	4.7	4.0	1.6	1.3
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	10.5	10.0	4.1	4.4	1.1	1.3
Female, White, Not Hispanic	10.9	10.6	5.5 ^a	4.5	1.5	1.1
Male, Black, Not Hispanic	8.5	7.9	2.9	2.5	1.1	1.2
Female, Black, Not Hispanic	7.6	7.3	2.9	2.4	1.2	1.2
Male, Hispanic	9.9	9.7	4.8	3.8	1.8	1.2
Female, Hispanic	9.0	9.3	4.5	4.3	1.5	1.3

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.46A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	4,089 ^b	3,690	577	526	129	130
GENDER						
Male	2,477 ^a	2,229	386	379	89	81
Female	1,612	1,461	191	147	40	49
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,561 ^b	3,172	504	441	109	103
White	3,214 ^b	2,866	454	401	92	83
Black or African American	149	145	19	18	12	9
American Indian or Alaska Native	33	*	4	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	0	*	0
Asian	101	69	13	13	3	11
Two or More Races	40	58	6	8	2	*
Hispanic or Latino	527	518	72	85	21	27
EDUCATION						
< High School	791	765	129	132	27	31
High School Graduate	1,431 ^b	1,173	204	198	53	61
Some College	1,346	1,251	195	164	45	31
College Graduate	520	501	49	32	3	6
CURRENT EMPLOYMENT						
Full-Time	2,149 ^a	1,926	249	213	69	64
Part-Time	956	880	150	141	21	25
Unemployed	301	310	48	49	12	13
Other ¹	683	573	130	124	27	27

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.46B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	12.5 ^b	11.3	1.8	1.6	0.4	0.4
GENDER						
Male	15.0 ^a	13.5	2.3	2.3	0.5	0.5
Female	9.9	9.0	1.2	0.9	0.2	0.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	13.2 ^b	11.8	1.9	1.6	0.4	0.4
White	15.9 ^b	14.2	2.2	2.0	0.5	0.4
Black or African American	3.3	3.2	0.4	0.4	0.3	0.2
American Indian or Alaska Native	18.4	*	2.0	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	0.3	*	0.3
Asian	6.6	4.8	0.9	0.9	0.2	0.7
Two or More Races	11.4	13.0	1.7	1.8	0.6	*
Hispanic or Latino	9.0	9.0	1.2	1.5	0.4	0.5
EDUCATION						
< High School	12.1	12.3	2.0	2.1	0.4	0.5
High School Graduate	12.7 ^b	10.5	1.8	1.8	0.5	0.6
Some College	12.7	11.4	1.8	1.5	0.4	0.3
College Graduate	12.0	11.3	1.1	0.7	0.1	0.1
CURRENT EMPLOYMENT						
Full-Time	13.6	12.6	1.6	1.4	0.4	0.4
Part-Time	11.6	10.4	1.8	1.7	0.3	0.3
Unemployed	12.1	11.9	1.9	1.9	0.5	0.5
Other ¹	11.0 ^a	9.0	2.1	1.9	0.4	0.4

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.47A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	16,229	16,365	531	560	291	191
GENDER						
Male	11,085	10,836	437	453	259	154
Female	5,144	5,529	94	107	32	37
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	14,826	15,062	499	489	289	145
White	13,570	13,682	407	446	244	140
Black or African American	638	652	61	26	23	*
American Indian or Alaska Native	98	117	*	*	*	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	295	314	31	*	23	*
Two or More Races	162	250	*	7	*	3
Hispanic or Latino	1,403	1,304	32	71	2	47
EDUCATION						
< High School	1,431	1,805	28	63	2	53
High School Graduate	4,192	4,069	59	107	31	30
Some College	4,706	4,709	142	117	76	38
College Graduate	5,899	5,782	302	273	183	71
CURRENT EMPLOYMENT						
Full-Time	11,884	11,612	376	413	223	104
Part-Time	1,470	1,764	21	100	13	73
Unemployed	757	526	48	11	44	3
Other ¹	2,118	2,463	86	37	11	11

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.47B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	8.6	8.6	0.3	0.3	0.2	0.1
GENDER						
Male	12.3	11.9	0.5	0.5	0.3	0.2
Female	5.2	5.6	0.1	0.1	0.0	0.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.0	9.1	0.3	0.3	0.2	0.1
White	10.2	10.2	0.3	0.3	0.2	0.1
Black or African American	3.1	3.1	0.3	0.1	0.1	*
American Indian or Alaska Native	10.7	12.5	*	*	*	0.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.8	3.9	0.4	*	0.3	*
Two or More Races	8.6	13.3	*	0.4	*	0.2
Hispanic or Latino	6.1	5.5	0.1	0.3	0.0	0.2
EDUCATION						
< High School	4.8	6.0	0.1	0.2	0.0	0.2
High School Graduate	7.2	7.1	0.1	0.2	0.1	0.1
Some College	10.5	10.1	0.3	0.3	0.2	0.1
College Graduate	10.7	10.3	0.5	0.5	0.3	0.1
CURRENT EMPLOYMENT						
Full-Time	11.2	10.9	0.4	0.4	0.2	0.1
Part-Time	7.1	8.4	0.1	0.5	0.1	0.3
Unemployed	16.6	11.7	1.1	0.2	1.0	0.1
Other ¹	3.7	4.2	0.2	0.1	0.0	0.0

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.48A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	20,318	20,055	1,108	1,086	421	321
GENDER						
Male	13,562	13,065	823	832	348	235
Female	6,755	6,990	285	254	73	86
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	18,388	18,233	1,004	930	398	247
White	16,784	16,547	861	847	335	223
Black or African American	787	797	80	44	35	9
American Indian or Alaska Native	132	142	4	*	*	1
Native Hawaiian or Other Pacific Islander	*	*	*	0	*	0
Asian	396	383	45	13	25	11
Two or More Races	202	308	6	15	2	3
Hispanic or Latino	1,930	1,822	104	156	23	74
EDUCATION						
< High School	2,223	2,570	157	195	29	84
High School Graduate	5,623	5,242	263	305	84	91
Some College	6,053	5,960	337	281	121	70
College Graduate	6,419	6,283	351	306	186	77
CURRENT EMPLOYMENT						
Full-Time	14,033	13,538	625	625	293	167
Part-Time	2,427	2,644	171	241	34	98
Unemployed	1,058	836	96	59	56	17
Other ¹	2,800	3,037	217	161	38	38

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.48B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	9.2	9.0	0.5	0.5	0.2	0.1
GENDER						
Male	12.7	12.2	0.8	0.8	0.3	0.2
Female	5.9	6.1	0.2	0.2	0.1	0.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.6	9.4	0.5	0.5	0.2	0.1
White	11.0	10.7	0.6	0.5	0.2	0.1
Black or African American	3.1	3.1	0.3	0.2	0.1	0.0
American Indian or Alaska Native	12.0	12.9	0.3	*	*	0.1
Native Hawaiian or Other Pacific Islander	*	*	*	0.1	*	0.1
Asian	4.3	4.0	0.5	0.1	0.3	0.1
Two or More Races	9.1	13.3	0.3	0.6	0.1	0.1
Hispanic or Latino	6.7	6.2	0.4	0.5	0.1	0.2
EDUCATION						
< High School	6.1	7.1	0.4	0.5	0.1	0.2
High School Graduate	8.1	7.7	0.4	0.4	0.1	0.1
Some College	11.0	10.4	0.6	0.5	0.2	0.1
College Graduate	10.8	10.4	0.6	0.5	0.3	0.1
CURRENT EMPLOYMENT						
Full-Time	11.5	11.1	0.5	0.5	0.2	0.1
Part-Time	8.4	9.0	0.6	0.8	0.1	0.3
Unemployed	15.0	11.8	1.4	0.8	0.8	0.2
Other ¹	4.4	4.7	0.3	0.2	0.1	0.1

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.