

**Table 1.49A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	50,965	50,415	16,482	16,280	7,095	6,895
<b>AGE</b>						
12-17	3,171 <sup>a</sup>	2,949	2,181	2,034	844	829
18-25	10,051	9,790	5,121	4,913	2,115	1,949
26 or Older	37,743	37,676	9,180	9,334	4,136	4,117
<b>GENDER</b>						
Male	27,713	26,442	8,905	8,674	3,922	3,907
Female	23,252	23,973	7,577	7,606	3,173	2,988
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	45,287	45,206	14,324	14,359	6,096	6,119
White	39,218	39,597	12,175	12,193	5,103	5,114
Black or African American	3,752	3,514	1,291	1,399	646	632
American Indian or Alaska Native	291	285	111	103	69	58
Native Hawaiian or Other Pacific Islander	184	*	48	*	11	*
Asian	1,098	937	451	317	156	161
Two or More Races	746	713	247	285	111	112
Hispanic or Latino	5,678	5,210	2,158	1,921	999	776

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.49B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	20.7	20.3	6.7	6.6	2.9	2.8
<b>AGE</b>						
12-17	12.5	11.7	8.6	8.1	3.3	3.3
18-25	30.7	29.9	15.6	15.0	6.5	6.0
26 or Older	20.1	19.8	4.9	4.9	2.2	2.2
<b>GENDER</b>						
Male	23.2 <sup>a</sup>	22.0	7.5	7.2	3.3	3.2
Female	18.4	18.8	6.0	6.0	2.5	2.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	21.3	21.2	6.7	6.7	2.9	2.9
White	23.3	23.4	7.2	7.2	3.0	3.0
Black or African American	12.9	12.0	4.4	4.8	2.2	2.2
American Indian or Alaska Native	23.6	22.5	9.0	8.1	5.6	4.5
Native Hawaiian or Other Pacific Islander	19.5	*	5.1	*	1.2	*
Asian	10.7	8.8	4.4	3.0	1.5	1.5
Two or More Races	28.3	26.1	9.4	10.4	4.2	4.1
Hispanic or Latino	17.0	15.2	6.5	5.6	3.0	2.3

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.50A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	3,171 <sup>a</sup>	2,949	2,181	2,034	844	829
<b>GENDER</b>						
Male	1,557	1,436	1,052	970	403	391
Female	1,613	1,513	1,129	1,064	441	438
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	2,647 <sup>a</sup>	2,447	1,840	1,708	723	702
White	2,053	1,914	1,461	1,358	543	537
Black or African American	385	388	240	251	120	120
American Indian or Alaska Native	30	28	19	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	100	65	64	45	28	14
Two or More Races	72	45	49 <sup>a</sup>	27	17	13
Hispanic or Latino	524	502	341	326	121	127
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	1,007	924	695	639	247	259
Female, White, Not Hispanic	1,046	990	766	718	296	278
Male, Black, Not Hispanic	195	191	139	107	68	49
Female, Black, Not Hispanic	190	197	100 <sup>a</sup>	145	52	71
Male, Hispanic	254	244	153	171	53	59
Female, Hispanic	270	258	187	154	68	68

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.50B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	12.5	11.7	8.6	8.1	3.3	3.3
<b>GENDER</b>						
Male	12.0	11.1	8.1	7.5	3.1	3.0
Female	13.0	12.3	9.1	8.6	3.6	3.5
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	12.7	11.9	8.8	8.3	3.5	3.4
White	13.5	12.7	9.6	9.0	3.6	3.6
Black or African American	9.9	10.1	6.2	6.5	3.1	3.1
American Indian or Alaska Native	22.2	17.0	14.1	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9.7	6.4	6.2	4.4	2.7	1.4
Two or More Races	17.4 <sup>a</sup>	10.7	11.9 <sup>a</sup>	6.5	4.0	3.2
Hispanic or Latino	11.5	10.8	7.5	7.0	2.7	2.7
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	12.9	12.0	8.9	8.3	3.2	3.4
Female, White, Not Hispanic	14.0	13.5	10.3	9.8	4.0	3.8
Male, Black, Not Hispanic	9.7	9.8	7.0	5.5	3.4	2.5
Female, Black, Not Hispanic	10.1	10.3	5.3 <sup>a</sup>	7.6	2.7	3.7
Male, Hispanic	10.9	10.2	6.6	7.2	2.3	2.5
Female, Hispanic	12.1	11.3	8.4	6.8	3.0	3.0

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.51A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	10,051	9,790	5,121	4,913	2,115	1,949
<b>GENDER</b>						
Male	5,317	5,188	2,836	2,679	1,220 <sup>a</sup>	1,073
Female	4,734	4,602	2,285	2,234	895	877
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	8,652	8,423	4,491	4,247	1,850	1,742
White	7,537	7,246	3,918	3,658	1,605	1,479
Black or African American	637	733	331	367	166	156
American Indian or Alaska Native	72	*	32	*	15	*
Native Hawaiian or Other Pacific Islander	*	25	*	12	8	4
Asian	247	194	125 <sup>a</sup>	72	33	38
Two or More Races	103 <sup>b</sup>	164	54 <sup>a</sup>	99	24	41
Hispanic or Latino	1,399	1,367	631	666	264	207
<b>EDUCATION</b>						
< High School	2,098	1,942	1,130	1,051	508	482
High School Graduate	3,477	3,295	1,774	1,706	738	683
Some College	3,260	3,304	1,694	1,680	690	602
College Graduate	1,217	1,248	523	477	180	182
<b>CURRENT EMPLOYMENT</b>						
Full-Time	5,111	4,914	2,494	2,311	1,081 <sup>a</sup>	896
Part-Time	2,358	2,359	1,248	1,241	470	511
Unemployed	822	829	453	465	197	191
Other <sup>1</sup>	1,760	1,689	926	896	367	351

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.51B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	30.7	29.9	15.6	15.0	6.5	6.0
<b>GENDER</b>						
Male	32.2	31.5	17.2	16.3	7.4 <sup>a</sup>	6.5
Female	29.1	28.3	14.1	13.7	5.5	5.4
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	32.1	31.3	16.7	15.8	6.9	6.5
White	37.3	35.8	19.4 <sup>a</sup>	18.1	7.9	7.3
Black or African American	14.2	16.2	7.4	8.1	3.7	3.5
American Indian or Alaska Native	40.0	*	17.9	*	8.2	*
Native Hawaiian or Other Pacific Islander	*	18.5	*	8.8	4.3	2.7
Asian	16.1	13.4	8.2	5.0	2.2	2.6
Two or More Races	29.6	37.1	15.6	22.4	7.0	9.3
Hispanic or Latino	24.0	23.6	10.8	11.5	4.5	3.6
<b>EDUCATION</b>						
< High School	32.2	31.2	17.3	16.9	7.8	7.8
High School Graduate	30.9	29.6	15.7	15.3	6.5	6.1
Some College	30.7	30.1	16.0	15.3	6.5	5.5
College Graduate	28.1	28.3	12.1	10.8	4.1	4.1
<b>CURRENT EMPLOYMENT</b>						
Full-Time	32.4	32.1	15.8	15.1	6.8 <sup>a</sup>	5.8
Part-Time	28.5	28.0	15.1	14.7	5.7	6.1
Unemployed	32.9	31.7	18.2	17.8	7.9	7.3
Other <sup>1</sup>	28.4	26.5	15.0	14.1	5.9	5.5

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.52A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	37,743	37,676	9,180	9,334	4,136	4,117
<b>GENDER</b>						
Male	20,839	19,819	5,017	5,025	2,299	2,444
Female	16,905	17,858	4,163	4,308	1,837	1,673
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	33,988	34,336	7,993	8,404	3,522	3,675
White	29,628	30,437	6,797	7,178	2,955	3,098
Black or African American	2,730	2,394	720	780	361	356
American Indian or Alaska Native	188	196	60	43	42	20
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	752	678	262	200	94	109
Two or More Races	571	504	144	159	70	57
Hispanic or Latino	3,755	3,340	1,186	930	614	442
<b>EDUCATION</b>						
< High School	4,917	4,498	1,626	1,522	804	864
High School Graduate	11,142	10,733	2,641	2,656	1,294	1,240
Some College	10,479	10,909	2,546	2,791	1,050	1,141
College Graduate	11,205	11,536	2,366	2,364	987	872
<b>CURRENT EMPLOYMENT</b>						
Full-Time	25,570	24,874	6,071	5,845	2,497	2,576
Part-Time	4,020	4,487	882 <sup>a</sup>	1,233	401	524
Unemployed	1,341	1,224	562	403	306	203
Other <sup>1</sup>	6,812	7,092	1,665	1,853	932	814

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.52B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	20.1	19.8	4.9	4.9	2.2	2.2
<b>GENDER</b>						
Male	23.2	21.8	5.6	5.5	2.6	2.7
Female	17.3	18.0	4.2	4.4	1.9	1.7
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	20.6	20.7	4.8	5.1	2.1	2.2
White	22.3	22.8	5.1	5.4	2.2	2.3
Black or African American	13.2	11.5	3.5	3.7	1.7	1.7
American Indian or Alaska Native	20.5	21.0	6.5	4.6	4.6	2.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9.7	8.3	3.4	2.5	1.2	1.3
Two or More Races	30.5	26.9	7.7	8.5	3.7	3.1
Hispanic or Latino	16.3	14.0	5.1	3.9	2.7	1.9
<b>EDUCATION</b>						
< High School	16.3	14.9	5.4	5.1	2.7	2.9
High School Graduate	19.3	18.8	4.6	4.7	2.2	2.2
Some College	23.5	23.5	5.7	6.0	2.4	2.5
College Graduate	20.3	20.5	4.3	4.2	1.8	1.6
<b>CURRENT EMPLOYMENT</b>						
Full-Time	24.2	23.4	5.7	5.5	2.4	2.4
Part-Time	19.5	21.3	4.3 <sup>a</sup>	5.8	1.9	2.5
Unemployed	29.4	27.3	12.3	9.0	6.7	4.5
Other <sup>1</sup>	12.0	12.2	2.9	3.2	1.6	1.4

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 1.53A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	47,794	47,467	14,301	14,246	6,251	6,066
<b>GENDER</b>						
Male	26,156	25,007	7,853	7,704	3,519	3,516
Female	21,639	22,460	6,448	6,543	2,732	2,550
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	42,640	42,759	12,484	12,651	5,373	5,417
White	37,165	37,683	10,714	10,835	4,560	4,577
Black or African American	3,367	3,127	1,051	1,147	526	512
American Indian or Alaska Native	260	257	92	82	57	44
Native Hawaiian or Other Pacific Islander	*	*	41	*	8	*
Asian	999	873	387	272	127	147
Two or More Races	674	668	198	258	94	99
Hispanic or Latino	5,154	4,708	1,817	1,596	878	649
<b>EDUCATION</b>						
< High School	7,015	6,440	2,756	2,573	1,312	1,346
High School Graduate	14,619	14,028	4,416	4,362	2,032	1,923
Some College	13,739	14,213	4,240	4,471	1,740	1,743
College Graduate	12,422	12,784	2,889	2,841	1,167	1,054
<b>CURRENT EMPLOYMENT</b>						
Full-Time	30,681	29,788	8,565	8,155	3,578	3,472
Part-Time	6,379	6,846	2,129	2,474	872	1,035
Unemployed	2,163	2,052	1,016	868	503	394
Other <sup>1</sup>	8,572	8,780	2,591	2,749	1,299	1,165

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.53B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	21.7	21.3	6.5	6.4	2.8	2.7
<b>GENDER</b>						
Male	24.6	23.3	7.4	7.2	3.3	3.3
Female	18.9	19.5	5.6	5.7	2.4	2.2
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	22.2	22.2	6.5	6.6	2.8	2.8
White	24.3	24.5	7.0	7.0	3.0	3.0
Black or African American	13.4	12.3	4.2	4.5	2.1	2.0
American Indian or Alaska Native	23.8	23.3	8.4	7.4	5.2	4.0
Native Hawaiian or Other Pacific Islander	*	*	4.9	*	0.9	*
Asian	10.8	9.1	4.2	2.8	1.4	1.5
Two or More Races	30.3	28.8	8.9	11.1	4.2	4.3
Hispanic or Latino	17.9	15.9	6.3	5.4	3.0	2.2
<b>EDUCATION</b>						
< High School	19.1	17.7	7.5	7.1	3.6	3.7
High School Graduate	21.2	20.6	6.4	6.4	2.9	2.8
Some College	24.9	24.7	7.7	7.8	3.1	3.0
College Graduate	20.8	21.1	4.8	4.7	2.0	1.7
<b>CURRENT EMPLOYMENT</b>						
Full-Time	25.2	24.5	7.0	6.7	2.9	2.9
Part-Time	22.1	23.2	7.4	8.4	3.0	3.5
Unemployed	30.7	28.9	14.4	12.2	7.1	5.5
Other <sup>1</sup>	13.6	13.6	4.1	4.3	2.1	1.8

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.