

Table 1.64A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	97,792 ^a	100,737	25,432	25,136	14,849	14,470
GEOGRAPHIC DIVISION						
Northeast	18,471	19,248	5,321	4,833	3,101	2,754
New England	5,780	5,558	1,620	1,475	1,003	863
Middle Atlantic	12,691 ^a	13,690	3,700	3,358	2,098	1,891
Midwest	22,244	23,043	5,587	5,506	3,240	3,224
East North Central	15,752	16,263	4,000	3,975	2,316	2,336
West North Central	6,492	6,780	1,587	1,531	924	889
South	33,099	34,274	7,963	8,228	4,556	4,671
South Atlantic	17,985	18,623	4,315	4,656	2,551	2,651
East South Central	5,243	5,672	1,263	1,292	766	744
West South Central	9,871	9,980	2,385	2,281	1,238	1,275
West	23,979	24,172	6,561	6,569	3,952	3,821
Mountain	7,372	7,585	1,785	1,873	1,031	1,141
Pacific	16,606	16,587	4,777	4,696	2,921	2,679
COUNTY TYPE						
Large Metro	54,125	55,365	14,395	14,119	8,442	8,007
Small Metro	28,458	30,195	7,535	7,583	4,282	4,468
250K – 1 Mil. Pop.	18,879	20,171	5,036	5,093	2,912	3,051
< 250K Pop.	9,580	10,024	2,500	2,490	1,369	1,417
Nonmetro	15,209	15,177	3,502	3,433	2,126	1,994
Urbanized	6,287	6,885	1,474	1,681	876	957
Less Urbanized	7,385	6,910	1,630	1,540	1,003	891
Completely Rural	1,536	1,382	398 ^b	212	247	146

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.64B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	39.7	40.6	10.3	10.1	6.0	5.8
GEOGRAPHIC DIVISION						
Northeast	40.3	42.0	11.6	10.5	6.8	6.0
New England	48.1	46.2	13.5	12.3	8.3	7.2
Middle Atlantic	37.5 ^a	40.4	10.9	9.9	6.2	5.6
Midwest	40.7	42.0	10.2	10.0	5.9	5.9
East North Central	41.2	42.5	10.5	10.4	6.1	6.1
West North Central	39.5	41.1	9.7	9.3	5.6	5.4
South	37.2	38.1	8.9	9.1	5.1	5.2
South Atlantic	38.2	39.1	9.2	9.8	5.4	5.6
East South Central	35.9	38.5	8.6	8.8	5.2	5.1
West South Central	36.1	36.1	8.7	8.3	4.5	4.6
West	42.5	42.2	11.6	11.5	7.0	6.7
Mountain	43.7	43.9	10.6	10.8	6.1	6.6
Pacific	41.9	41.5	12.1	11.8	7.4	6.7
COUNTY TYPE						
Large Metro	40.6	41.7	10.8	10.6	6.3	6.0
Small Metro	40.3	40.8	10.7	10.2	6.1	6.0
250K – 1 Mil. Pop.	40.7	40.7	10.9	10.3	6.3	6.2
< 250K Pop.	39.5	40.8	10.3	10.1	5.7	5.8
Nonmetro	36.1	36.9	8.3	8.4	5.0	4.9
Urbanized	38.3	41.0	9.0	10.0	5.3	5.7
Less Urbanized	34.9	35.1	7.7	7.8	4.7	4.5
Completely Rural	33.4	30.0	8.7 ^b	4.6	5.4 ^a	3.2

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.65A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	4,400 ^a	4,096	3,355	3,158	1,695	1,693
GEOGRAPHIC DIVISION						
Northeast	858 ^b	707	693 ^a	591	357	328
New England	235	235	193	193	108	113
Middle Atlantic	624 ^b	472	500 ^b	398	249	215
Midwest	938	929	716	727	387	388
East North Central	668	696	504	534	276	286
West North Central	270	233	212	193	111	102
South	1,480	1,450	1,079	1,071	510	565
South Atlantic	750	723	577	534	278	290
East South Central	249	249	173	179	74	79
West South Central	482	478	329	358	158	195
West	1,124	1,010	867	769	441	412
Mountain	346	324	251	251	123	130
Pacific	778	686	617	518	319	283
COUNTY TYPE						
Large Metro	2,384	2,180	1,875 ^a	1,669	959	934
Small Metro	1,357	1,245	1,030	974	526	513
250K – 1 Mil. Pop.	918	832	693	656	361	355
< 250K Pop.	439	413	337	318	165	158
Nonmetro	659	671	450	515	210	246
Urbanized	274	297	191 ^a	238	98	127
Less Urbanized	320	330	217	240	97	99
Completely Rural	66	44	42	36	15	20

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.65B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	17.3 ^a	16.2	13.2	12.5	6.7	6.7
GEOGRAPHIC DIVISION						
Northeast	19.0 ^b	15.9	15.3 ^a	13.2	7.9	7.4
New England	20.1	20.3	16.5	16.7	9.3	9.8
Middle Atlantic	18.6 ^b	14.3	14.9 ^b	12.1	7.4	6.5
Midwest	16.5	16.6	12.6	12.9	6.8	6.9
East North Central	16.8	17.7	12.7	13.5	6.9	7.3
West North Central	16.0	14.0	12.6	11.6	6.6	6.1
South	16.2	15.9	11.8	11.7	5.6	6.2
South Atlantic	16.1	15.6	12.4	11.5	6.0	6.3
East South Central	16.7	16.8	11.7	12.0	5.0	5.3
West South Central	16.0	15.9	10.9	11.9	5.3	6.5
West	18.6	16.7	14.3	12.7	7.3	6.8
Mountain	19.3	17.9	14.0	13.9	6.8	7.2
Pacific	18.3	16.2	14.5	12.2	7.5	6.7
COUNTY TYPE						
Large Metro	17.4 ^a	15.9	13.7 ^a	12.2	7.0	6.8
Small Metro	18.0	16.9	13.6	13.2	7.0	7.0
250K – 1 Mil. Pop.	18.1	16.7	13.6	13.2	7.1	7.1
< 250K Pop.	17.7	17.2	13.6	13.3	6.7	6.6
Nonmetro	16.0	16.1	10.9	12.3	5.1	5.9
Urbanized	16.4	17.3	11.5 ^a	13.9	5.8	7.4
Less Urbanized	16.1	16.3	10.9	11.9	4.9	4.9
Completely Rural	14.0	10.3	8.9	8.5	3.2	4.8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.66A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	17,180 ^a	16,652	9,188	9,008	5,337	5,392
GEOGRAPHIC DIVISION						
Northeast	3,337 ^a	3,138	1,975	1,841	1,186	1,109
New England	967	933	617	586	388	350
Middle Atlantic	2,370	2,205	1,357	1,254	797	759
Midwest	3,947	3,920	2,052	2,089	1,150	1,232
East North Central	2,797	2,775	1,483	1,494	827	881
West North Central	1,150	1,145	569	595	323	351
South	5,832	5,630	2,952	2,848	1,717	1,677
South Atlantic	3,097	2,986	1,646	1,624	976	985
East South Central	926	867	454	422	273	257
West South Central	1,809	1,776	852	803	469	435
West	4,064	3,964	2,209	2,230	1,284	1,374
Mountain	1,263	1,218	642	615	369	394
Pacific	2,801	2,747	1,567	1,615	914	980
COUNTY TYPE						
Large Metro	9,170	8,666	4,921	4,854	2,897	2,929
Small Metro	5,483	5,400	2,952	2,883	1,656	1,701
250K – 1 Mil. Pop.	3,630	3,564	1,989	1,910	1,127	1,155
< 250K Pop.	1,853	1,836	963	973	529	546
Nonmetro	2,527	2,587	1,315	1,271	784	762
Urbanized	1,103	1,202	593	620	343	380
Less Urbanized	1,191	1,227	609	576	371	339
Completely Rural	233 ^a	157	113	76	70	43

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.66B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	52.5 ^a	50.9	28.1	27.5	16.3	16.5
GEOGRAPHIC DIVISION						
Northeast	56.9 ^a	53.2	33.7	31.2	20.2	18.8
New England	63.4	61.1	40.5	38.4	25.4	22.9
Middle Atlantic	54.6 ^a	50.4	31.3	28.7	18.4	17.3
Midwest	53.5	53.8	27.8	28.7	15.6	16.9
East North Central	54.8	55.2	29.1	29.7	16.2	17.5
West North Central	50.4	50.6	25.0	26.3	14.2	15.5
South	49.9	48.2	25.3	24.4	14.7	14.4
South Atlantic	52.7	50.6	28.0	27.5	16.6	16.7
East South Central	48.9	46.4	23.9	22.6	14.4	13.8
West South Central	46.2	45.4	21.8	20.5	12.0	11.1
West	52.0	50.5	28.3	28.4	16.4	17.5
Mountain	53.6	51.7	27.3	26.1	15.7	16.7
Pacific	51.3	50.0	28.7	29.4	16.8	17.8
COUNTY TYPE						
Large Metro	52.3 ^a	50.1	28.0	28.0	16.5	16.9
Small Metro	54.1	52.3	29.2	27.9	16.4	16.5
250K – 1 Mil. Pop.	54.4	52.7	29.8	28.2	16.9	17.1
< 250K Pop.	53.7	51.7	27.9	27.4	15.3	15.4
Nonmetro	49.9	50.7	26.0	24.9	15.5	14.9
Urbanized	51.5	52.7	27.7	27.2	16.0	16.7
Less Urbanized	49.3	50.2	25.2	23.5	15.4	13.8
Completely Rural	46.0	42.4	22.2	20.4	13.9	11.6

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.67A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	76,213 ^b	79,988	12,889	12,970	7,818	7,385
GEOGRAPHIC DIVISION						
Northeast	14,276 ^a	15,403	2,653	2,401	1,559	1,317
New England	4,578	4,390	810	695	507	400
Middle Atlantic	9,698 ^b	11,013	1,843	1,706	1,052	917
Midwest	17,358	18,193	2,819	2,690	1,703	1,604
East North Central	12,286	12,792	2,013	1,948	1,213	1,168
West North Central	5,072	5,401	805	742	490	436
South	25,788	27,195	3,932	4,309	2,328	2,429
South Atlantic	14,138	14,913	2,092	2,498	1,298	1,376
East South Central	4,069	4,556	636	691	420	408
West South Central	7,580	7,725	1,204	1,120	611	645
West	18,791	19,197	3,485	3,570	2,227	2,034
Mountain	5,763	6,043	892	1,007	539	617
Pacific	13,028	13,154	2,593	2,562	1,688	1,417
COUNTY TYPE						
Large Metro	42,571	44,520	7,599	7,596	4,586	4,145
Small Metro	21,619 ^a	23,549	3,553	3,726	2,100	2,253
250K – 1 Mil. Pop.	14,332 ^a	15,774	2,354	2,527	1,425	1,540
< 250K Pop.	7,287	7,775	1,199	1,199	675	713
Nonmetro	12,023	11,919	1,737	1,647	1,132	987
Urbanized	4,911	5,386	689	824	436	451
Less Urbanized	5,875	5,353	804	724	535	453
Completely Rural	1,237	1,180	244 ^a	100	161	83

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.67B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	40.6 ^a	42.1	6.9	6.8	4.2	3.9
GEOGRAPHIC DIVISION						
Northeast	40.2 ^a	43.4	7.5	6.8	4.4	3.7
New England	49.1	47.0	8.7	7.4	5.4	4.3
Middle Atlantic	37.1 ^b	42.1	7.1	6.5	4.0	3.5
Midwest	41.7	43.4	6.8	6.4	4.1	3.8
East North Central	42.1	43.6	6.9	6.6	4.2	4.0
West North Central	40.7	43.0	6.5	5.9	3.9	3.5
South	37.8	39.3	5.8	6.2	3.4	3.5
South Atlantic	38.7	40.3	5.7	6.7	3.6	3.7
East South Central	36.2	40.0	5.7	6.1	3.7	3.6
West South Central	37.2	37.3	5.9	5.4	3.0	3.1
West	44.1	44.3	8.2	8.2	5.2	4.7
Mountain	45.3	46.1	7.0	7.7	4.2	4.7
Pacific	43.6	43.5	8.7	8.5	5.6	4.7
COUNTY TYPE						
Large Metro	41.7 ^a	43.8	7.5	7.5	4.5	4.1
Small Metro	40.8	41.8	6.7	6.6	4.0	4.0
250K – 1 Mil. Pop.	41.4	41.7	6.8	6.7	4.1	4.1
< 250K Pop.	39.8	41.8	6.6	6.5	3.7	3.8
Nonmetro	36.5	37.5	5.3	5.2	3.4	3.1
Urbanized	39.0	42.0	5.5	6.4	3.5	3.5
Less Urbanized	35.1	35.2	4.8	4.8	3.2	3.0
Completely Rural	34.2	31.1	6.7 ^a	2.6	4.5	2.2

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.68A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	93,393 ^a	96,641	22,077	21,978	13,154	12,777
GEOGRAPHIC DIVISION						
Northeast	17,613	18,541	4,628	4,242	2,745	2,426
New England	5,545	5,323	1,428	1,282	895	751
Middle Atlantic	12,067 ^b	13,218	3,200	2,960	1,849	1,676
Midwest	21,306	22,113	4,871	4,779	2,853	2,836
East North Central	15,084	15,567	3,496	3,442	2,041	2,049
West North Central	6,222	6,547	1,374	1,337	812	787
South	31,619	32,824	6,884	7,157	4,046	4,106
South Atlantic	17,235	17,900	3,739	4,121	2,273	2,361
East South Central	4,995	5,423	1,090	1,113	692	665
West South Central	9,389	9,501	2,056	1,923	1,080	1,080
West	22,855	23,162	5,694	5,800	3,511	3,408
Mountain	7,027	7,261	1,534	1,622	908	1,011
Pacific	15,828	15,901	4,160	4,177	2,602	2,397
COUNTY TYPE						
Large Metro	51,742	53,185	12,520	12,450	7,483	7,074
Small Metro	27,101 ^a	28,949	6,506	6,609	3,756	3,954
250K – 1 Mil. Pop.	17,961	19,339	4,343	4,437	2,551	2,696
< 250K Pop.	9,140	9,611	2,163	2,172	1,204	1,259
Nonmetro	14,550	14,506	3,052	2,919	1,916	1,748
Urbanized	6,014	6,588	1,283	1,443	779	831
Less Urbanized	7,066	6,580	1,413	1,300	906	792
Completely Rural	1,470	1,338	357 ^b	176	232 ^a	126

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.68B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	42.3	43.4	10.0	9.9	6.0	5.7
GEOGRAPHIC DIVISION						
Northeast	42.6	44.8	11.2	10.2	6.6	5.9
New England	51.1	49.0	13.1	11.8	8.2	6.9
Middle Atlantic	39.6 ^a	43.3	10.5	9.7	6.1	5.5
Midwest	43.5	45.0	9.9	9.7	5.8	5.8
East North Central	44.0	45.3	10.2	10.0	6.0	6.0
West North Central	42.2	44.2	9.3	9.0	5.5	5.3
South	39.6	40.6	8.6	8.9	5.1	5.1
South Atlantic	40.6	41.7	8.8	9.6	5.4	5.5
East South Central	38.0	40.9	8.3	8.4	5.3	5.0
West South Central	38.6	38.6	8.5	7.8	4.4	4.4
West	45.3	45.2	11.3	11.3	7.0	6.7
Mountain	46.6	46.9	10.2	10.5	6.0	6.5
Pacific	44.8	44.5	11.8	11.7	7.4	6.7
COUNTY TYPE						
Large Metro	43.3	44.7	10.5	10.5	6.3	5.9
Small Metro	43.0	43.4	10.3	9.9	6.0	5.9
250K – 1 Mil. Pop.	43.5	43.4	10.5	10.0	6.2	6.0
< 250K Pop.	42.0	43.4	9.9	9.8	5.5	5.7
Nonmetro	38.3	39.3	8.0	7.9	5.0	4.7
Urbanized	40.8	43.7	8.7	9.6	5.3	5.5
Less Urbanized	36.9	37.3	7.4	7.4	4.7	4.5
Completely Rural	35.6	32.1	8.6 ^b	4.2	5.6 ^a	3.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.