

Table 1.69A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	35,303	35,947	6,075	5,748	2,426	2,077
GEOGRAPHIC DIVISION						
Northeast	6,693	6,562	1,262 ^a	973	545	403
New England	2,248 ^a	1,841	386	276	143	83
Middle Atlantic	4,445	4,721	876	697	402	320
Midwest	6,933	7,049	1,252	1,147	466	371
East North Central	4,777	4,928	888	874	363	298
West North Central	2,157	2,121	364	273	103	73
South	11,455	11,843	2,173	2,120	874	741
South Atlantic	6,295	6,779	1,176	1,234	442	434
East South Central	1,703	1,825	355	287	162	91
West South Central	3,457	3,239	642	599	270	216
West	10,221	10,493	1,388	1,507	541	562
Mountain	3,197	3,223	418	552	200	225
Pacific	7,025	7,269	970	955	341	337
COUNTY TYPE						
Large Metro	20,644	20,385	3,661	3,184	1,586 ^b	1,136
Small Metro	9,989	10,565	1,727	1,754	592	716
250K – 1 Mil. Pop.	6,787	7,345	1,200	1,300	424	547
< 250K Pop.	3,202	3,220	527	454	168	169
Nonmetro	4,669	4,997	686	810	248	225
Urbanized	1,941	2,353	289	426	132	121
Less Urbanized	2,181	2,294	358	347	116	86
Completely Rural	547 ^a	350	39	37	0 ^a	18

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.69B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	14.3	14.5	2.5	2.3	1.0	0.8
GEOGRAPHIC DIVISION						
Northeast	14.6	14.3	2.8 ^a	2.1	1.2	0.9
New England	18.7 ^a	15.3	3.2	2.3	1.2	0.7
Middle Atlantic	13.1	13.9	2.6	2.1	1.2	0.9
Midwest	12.7	12.9	2.3	2.1	0.9	0.7
East North Central	12.5	12.9	2.3	2.3	0.9	0.8
West North Central	13.1	12.9	2.2	1.7	0.6	0.4
South	12.9	13.2	2.4	2.4	1.0	0.8
South Atlantic	13.4	14.2	2.5	2.6	0.9	0.9
East South Central	11.7	12.4	2.4	1.9	1.1	0.6
West South Central	12.7	11.7	2.3	2.2	1.0	0.8
West	18.1	18.3	2.5	2.6	1.0	1.0
Mountain	18.9	18.7	2.5	3.2	1.2	1.3
Pacific	17.7	18.2	2.5	2.4	0.9	0.8
COUNTY TYPE						
Large Metro	15.5	15.4	2.7	2.4	1.2 ^a	0.9
Small Metro	14.1	14.3	2.4	2.4	0.8	1.0
250K – 1 Mil. Pop.	14.6	14.8	2.6	2.6	0.9	1.1
< 250K Pop.	13.2	13.1	2.2	1.8	0.7	0.7
Nonmetro	11.1	12.2	1.6	2.0	0.6	0.5
Urbanized	11.8	14.0	1.8	2.5	0.8	0.7
Less Urbanized	10.3	11.7	1.7	1.8	0.5	0.4
Completely Rural	11.9 ^a	7.6	0.8	0.8	0.0 ^a	0.4

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.70A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	571	544	411	385	110	104
GEOGRAPHIC DIVISION						
Northeast	62	63	39	52	13	19
New England	15	22	11	15	3	5
Middle Atlantic	47	41	28	37	9	13
Midwest	129	115	97	74	30	24
East North Central	85	78	65	47	21	16
West North Central	45	37	33	27	9	8
South	218	195	146	144	47	36
South Atlantic	101	72	79	52	24	11
East South Central	35	32	14	23	2	5
West South Central	82	91	53	69	20	19
West	162	171	130	115	21	27
Mountain	53	74	40	53	15	14
Pacific	109	97	89	62	6	12
COUNTY TYPE						
Large Metro	316	290	227	211	60	56
Small Metro	177	160	131	109	44	34
250K – 1 Mil. Pop.	115	109	85	74	30	21
< 250K Pop.	62	50	46	35	14	13
Nonmetro	78	95	53	66	6	14
Urbanized	32	47	23	35	4	9
Less Urbanized	40	41	30	26	2	4
Completely Rural	6	7	0 ^a	5	*	1

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.70B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	2.2	2.2	1.6	1.5	0.4	0.4
GEOGRAPHIC DIVISION						
Northeast	1.4	1.4	0.9	1.2	0.3	0.4
New England	1.3	1.9	0.9	1.3	0.3	0.5
Middle Atlantic	1.4	1.2	0.8	1.1	0.3	0.4
Midwest	2.3	2.1	1.7	1.3	0.5	0.4
East North Central	2.1	2.0	1.6	1.2	0.5	0.4
West North Central	2.7	2.2	1.9	1.6	0.5	0.5
South	2.4	2.1	1.6	1.6	0.5	0.4
South Atlantic	2.2	1.6	1.7	1.1	0.5	0.2
East South Central	2.3	2.1	0.9	1.6	0.1	0.3
West South Central	2.7	3.0	1.8	2.3	0.7	0.6
West	2.7	2.8	2.1	1.9	0.3	0.4
Mountain	2.9	4.1	2.3	2.9	0.8	0.8
Pacific	2.6	2.3	2.1	1.5	0.1	0.3
COUNTY TYPE						
Large Metro	2.3	2.1	1.7	1.5	0.4	0.4
Small Metro	2.3	2.2	1.7	1.5	0.6	0.5
250K – 1 Mil. Pop.	2.3	2.2	1.7	1.5	0.6	0.4
< 250K Pop.	2.5	2.1	1.9	1.5	0.5	0.5
Nonmetro	1.9	2.3	1.3	1.6	0.2	0.3
Urbanized	1.9	2.7	1.4	2.0	0.2	0.5
Less Urbanized	2.0	2.0	1.5	1.3	0.1	0.2
Completely Rural	1.3	1.6	0.1 ^a	1.1	*	0.1

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.71A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	5,139	4,925	2,263	2,087	730 ^b	572
GEOGRAPHIC DIVISION						
Northeast	858	871	432	403	160	129
New England	286	283	145	131	57	35
Middle Atlantic	572	588	287	273	103	94
Midwest	1,061	1,069	461	439	140	111
East North Central	740	747	340	324	107	86
West North Central	321	322	121	115	34	25
South	1,862	1,689	797	689	261 ^b	161
South Atlantic	896	849	418	401	112	100
East South Central	300	278	123	106	51 ^a	23
West South Central	665	562	257 ^a	182	97 ^b	37
West	1,358	1,297	573	556	169	172
Mountain	469	437	177	197	68	57
Pacific	889	859	395	359	101	114
COUNTY TYPE						
Large Metro	2,696	2,454	1,230	1,071	401 ^a	296
Small Metro	1,699	1,676	712	694	227	188
250K – 1 Mil. Pop.	1,083	1,141	476	499	142	141
< 250K Pop.	616	535	237	195	85 ^a	47
Nonmetro	744	795	321	323	103	88
Urbanized	298	351	129	142	53	39
Less Urbanized	393	384	166	158	49	40
Completely Rural	53	60	26	23	0	10

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.71B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	15.7	15.0	6.9	6.4	2.2 ^b	1.7
GEOGRAPHIC DIVISION						
Northeast	14.6	14.8	7.4	6.8	2.7	2.2
New England	18.8	18.5	9.5	8.5	3.7	2.3
Middle Atlantic	13.2	13.4	6.6	6.2	2.4	2.1
Midwest	14.4	14.7	6.2	6.0	1.9	1.5
East North Central	14.5	14.9	6.7	6.4	2.1	1.7
West North Central	14.1	14.2	5.3	5.1	1.5	1.1
South	15.9	14.5	6.8	5.9	2.2 ^b	1.4
South Atlantic	15.3	14.4	7.1	6.8	1.9	1.7
East South Central	15.8	14.9	6.5	5.7	2.7 ^a	1.2
West South Central	17.0	14.4	6.6 ^a	4.6	2.5 ^b	1.0
West	17.4	16.5	7.3	7.1	2.2	2.2
Mountain	19.9	18.6	7.5	8.4	2.9	2.4
Pacific	16.3	15.6	7.2	6.5	1.9	2.1
COUNTY TYPE						
Large Metro	15.4	14.2	7.0	6.2	2.3 ^a	1.7
Small Metro	16.8	16.2	7.0	6.7	2.2	1.8
250K – 1 Mil. Pop.	16.2	16.9	7.1	7.4	2.1	2.1
< 250K Pop.	17.9	15.1	6.9	5.5	2.5 ^a	1.3
Nonmetro	14.7	15.6	6.3	6.3	2.0	1.7
Urbanized	13.9	15.4	6.0	6.2	2.5	1.7
Less Urbanized	16.3	15.7	6.9	6.4	2.0	1.6
Completely Rural	10.5	16.0	5.2	6.2	0.1	2.6

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.72A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	29,593	30,477	3,400	3,275	1,586	1,400
GEOGRAPHIC DIVISION						
Northeast	5,773	5,628	791 ^a	518	372	255
New England	1,947 ^a	1,536	230	131	83	43
Middle Atlantic	3,826	4,092	561	387	289	213
Midwest	5,743	5,865	694	634	296	236
East North Central	3,952	4,103	484	503	236	196
West North Central	1,791	1,762	210	131	60	40
South	9,376	9,959	1,230	1,287	567	545
South Atlantic	5,297	5,858	679	781	306	323
East South Central	1,368	1,515	218	157	109	62
West South Central	2,710	2,586	332	348	152	160
West	8,701	9,025	686	836	352	364
Mountain	2,675	2,713	200	302	117	153
Pacific	6,027	6,313	486	535	235	211
COUNTY TYPE						
Large Metro	17,631	17,641	2,205	1,902	1,126 ^a	783
Small Metro	8,114	8,729	884	951	321	494
250K – 1 Mil. Pop.	5,590	6,095	639	727	252	385
< 250K Pop.	2,524	2,634	244	224	70	109
Nonmetro	3,847	4,107	312	421	139	123
Urbanized	1,611	1,955	138	249	74	73
Less Urbanized	1,748	1,869	163	163	65	42
Completely Rural	488 ^a	284	12	9	*	8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.72B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	15.7	16.1	1.8	1.7	0.8	0.7
GEOGRAPHIC DIVISION						
Northeast	16.3	15.8	2.2 ^a	1.5	1.0	0.7
New England	20.9 ^a	16.4	2.5	1.4	0.9	0.5
Middle Atlantic	14.6	15.6	2.1	1.5	1.1	0.8
Midwest	13.8	14.0	1.7	1.5	0.7	0.6
East North Central	13.5	14.0	1.7	1.7	0.8	0.7
West North Central	14.4	14.0	1.7	1.0	0.5	0.3
South	13.8	14.4	1.8	1.9	0.8	0.8
South Atlantic	14.5	15.8	1.9	2.1	0.8	0.9
East South Central	12.2	13.3	1.9	1.4	1.0	0.5
West South Central	13.3	12.5	1.6	1.7	0.7	0.8
West	20.4	20.8	1.6	1.9	0.8	0.8
Mountain	21.0	20.7	1.6	2.3	0.9	1.2
Pacific	20.2	20.9	1.6	1.8	0.8	0.7
COUNTY TYPE						
Large Metro	17.3	17.4	2.2	1.9	1.1 ^a	0.8
Small Metro	15.3	15.5	1.7	1.7	0.6	0.9
250K – 1 Mil. Pop.	16.1	16.1	1.8	1.9	0.7	1.0
< 250K Pop.	13.8	14.2	1.3	1.2	0.4	0.6
Nonmetro	11.7	12.9	0.9	1.3	0.4	0.4
Urbanized	12.8	15.3	1.1	1.9	0.6	0.6
Less Urbanized	10.4	12.3	1.0	1.1	0.4	0.3
Completely Rural	13.5 ^b	7.5	0.3	0.2	*	0.2

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.73A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	34,732	35,402	5,663	5,362	2,316	1,972
GEOGRAPHIC DIVISION						
Northeast	6,631	6,499	1,223 ^a	921	532	384
New England	2,233 ^a	1,819	375	261	140	77
Middle Atlantic	4,398	4,680	848	660	392	307
Midwest	6,804	6,934	1,155	1,073	436	347
East North Central	4,692	4,850	824	827	342	282
West North Central	2,112	2,084	331	246	94	65
South	11,237	11,648	2,027	1,976	828	706
South Atlantic	6,194	6,707	1,097	1,182	418	423
East South Central	1,669	1,793	341	263	160	86
West South Central	3,375	3,148	589	530	249	197
West	10,059	10,322	1,259	1,393	520	536
Mountain	3,144	3,150	378	499	185	210
Pacific	6,915	7,172	881	894	336	325
COUNTY TYPE						
Large Metro	20,328	20,095	3,435	2,973	1,527 ^a	1,079
Small Metro	9,813	10,405	1,596	1,645	548	682
250K – 1 Mil. Pop.	6,673	7,236	1,115	1,226	394	526
< 250K Pop.	3,140	3,169	481	419	154	156
Nonmetro	4,591	4,902	633	744	242	212
Urbanized	1,909	2,306	266	391	128	112
Less Urbanized	2,141	2,252	328	321	114	82
Completely Rural	541 ^a	343	38	33	0 ^a	17

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.73B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	15.7	15.9	2.6	2.4	1.0	0.9
GEOGRAPHIC DIVISION						
Northeast	16.0	15.7	3.0 ^a	2.2	1.3	0.9
New England	20.6 ^a	16.7	3.5	2.4	1.3	0.7
Middle Atlantic	14.4	15.3	2.8	2.2	1.3	1.0
Midwest	13.9	14.1	2.4	2.2	0.9	0.7
East North Central	13.7	14.1	2.4	2.4	1.0	0.8
West North Central	14.3	14.1	2.2	1.7	0.6	0.4
South	14.1	14.4	2.5	2.4	1.0	0.9
South Atlantic	14.6	15.6	2.6	2.8	1.0	1.0
East South Central	12.7	13.5	2.6	2.0	1.2	0.6
West South Central	13.9	12.8	2.4	2.2	1.0	0.8
West	20.0	20.2	2.5	2.7	1.0	1.0
Mountain	20.8	20.4	2.5	3.2	1.2	1.4
Pacific	19.6	20.1	2.5	2.5	1.0	0.9
COUNTY TYPE						
Large Metro	17.0	16.9	2.9	2.5	1.3 ^a	0.9
Small Metro	15.6	15.6	2.5	2.5	0.9	1.0
250K – 1 Mil. Pop.	16.1	16.2	2.7	2.8	1.0	1.2
< 250K Pop.	14.4	14.3	2.2	1.9	0.7	0.7
Nonmetro	12.1	13.3	1.7	2.0	0.6	0.6
Urbanized	13.0	15.3	1.8	2.6	0.9	0.7
Less Urbanized	11.2	12.8	1.7	1.8	0.6	0.5
Completely Rural	13.1 ^b	8.2	0.9	0.8	0.0 ^a	0.4

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.