

Table 1.74C (REVISED) Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	329	339	134	123	101	80
GEOGRAPHIC DIVISION						
Northeast	138	109	46	35	24	19
New England	70	49	10	24	7	6
Middle Atlantic	119	97	45	26	23	18
Midwest	110	120	55	57	44	37
East North Central	93	95	45	53	34	35
West North Central	58	77	32	22	28	13
South	197	197	91	88	75	55
South Atlantic	145	160	76	78	66	48
East South Central	87	66	48	25	30	19
West South Central	101	91	27	32	21	19
West	190	220	68	53	47	41
Mountain	85	88	12	20	7	22
Pacific	169	201	67	51	46	34
COUNTY TYPE						
Large Metro	269	283	107	99	83	55
Small Metro	174	145	73	63	53	55
250K – 1 Mil. Pop.	134	120	69	51	51	43
< 250K Pop.	101	88	24	37	14	35
Nonmetro	106	120	40	40	22	18
Urbanized	64	98	20	26	18	11
Less Urbanized	78	63	34	30	13	12
Completely Rural	32	29	6	7	*	6

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.74D (REVISED) Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.13	0.14	0.05	0.05	0.04	0.03
GEOGRAPHIC DIVISION						
Northeast	0.30	0.24	0.10	0.08	0.05	0.04
New England	0.58	0.40	0.09	0.20	0.06	0.05
Middle Atlantic	0.35	0.29	0.13	0.08	0.07	0.05
Midwest	0.20	0.22	0.10	0.10	0.08	0.07
East North Central	0.24	0.25	0.12	0.14	0.09	0.09
West North Central	0.35	0.46	0.19	0.13	0.17	0.08
South	0.22	0.22	0.10	0.10	0.08	0.06
South Atlantic	0.31	0.34	0.16	0.16	0.14	0.10
East South Central	0.59	0.45	0.33	0.17	0.21	0.13
West South Central	0.37	0.33	0.10	0.12	0.08	0.07
West	0.34	0.38	0.12	0.09	0.08	0.07
Mountain	0.50	0.51	0.07	0.12	0.04	0.13
Pacific	0.43	0.50	0.17	0.13	0.12	0.09
COUNTY TYPE						
Large Metro	0.20	0.21	0.08	0.07	0.06	0.04
Small Metro	0.24	0.19	0.10	0.09	0.07	0.07
250K – 1 Mil. Pop.	0.28	0.23	0.15	0.10	0.11	0.09
< 250K Pop.	0.41	0.35	0.10	0.15	0.06	0.14
Nonmetro	0.24	0.28	0.09	0.10	0.05	0.04
Urbanized	0.37	0.55	0.12	0.15	0.11	0.06
Less Urbanized	0.35	0.30	0.16	0.15	0.06	0.06
Completely Rural	0.64	0.57	0.13	0.14	*	0.12

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.74P (REVISED) Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.9872		0.8377		0.4434	
GEOGRAPHIC DIVISION						
Northeast	0.1555		0.6352		0.8234	
New England	0.1960		0.7628		0.3248	
Middle Atlantic	0.3787		0.4800		0.9697	
Midwest	0.9196		0.9919		0.4797	
East North Central	0.6652		0.8750		0.5887	
West North Central	0.6575		0.7881		0.6491	
South	0.4119		0.7549		0.7895	
South Atlantic	0.0933		0.5400		0.9873	
East South Central	0.9552		0.3196		0.5110	
West South Central	0.3316		0.5782		0.9212	
West	0.9085		0.5494		0.6605	
Mountain	0.8561		0.1094		0.3124	
Pacific	0.8309		0.2826		0.3876	
COUNTY TYPE						
Large Metro	0.7299		0.9094		0.1462	
Small Metro	0.1652		0.5115		0.4240	
250K – 1 Mil. Pop.	0.2043		0.3922		0.8408	
< 250K Pop.	0.4694		0.8674		0.2277	
Nonmetro	0.2133		0.4831		0.6557	
Urbanized	0.1773		0.6100		0.2557	
Less Urbanized	0.8050		0.6225		0.8139	
Completely Rural	0.7289		0.8895		*	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.