

**Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	897	971	566	596	426	445
Marijuana and Hashish	908	963	477	492	356	360
Cocaine	654	659	230	242	153	149
Crack	329	339	135	123	101	80
Heroin	238	239	86	53	77	36
Hallucinogens	644	638	149	140	70	74
LSD	520	548	56	55	24	33
PCP	294	297	38	18	9	12
Ecstasy	355	346	105	108	51	56
Inhalants	471	503	107	106	73	67
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	700	696	360	380	243	251
Pain Relievers	539	562	306	316	216	215
OxyContin <sup>®</sup>	167	180	93	96	35	53
Tranquilizers	478	468	196	221	116	129
Stimulants <sup>3</sup>	506	471	180	152	105	94
Methamphetamine <sup>3</sup>	412	367	137	115	79	80
Sedatives	352	360	99	93	69	68
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	807	855	418	449	284	307

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.36	0.39	0.23	0.24	0.17	0.18
Marijuana and Hashish	0.37	0.39	0.19	0.20	0.14	0.15
Cocaine	0.27	0.27	0.09	0.10	0.06	0.06
Crack	0.13	0.14	0.05	0.05	0.04	0.03
Heroin	0.10	0.10	0.03	0.02	0.03	0.01
Hallucinogens	0.26	0.26	0.06	0.06	0.03	0.03
LSD	0.21	0.22	0.02	0.02	0.01	0.01
PCP	0.12	0.12	0.02	0.01	0.00	0.00
Ecstasy	0.14	0.14	0.04	0.04	0.02	0.02
Inhalants	0.19	0.20	0.04	0.04	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.28	0.28	0.15	0.15	0.10	0.10
Pain Relievers	0.22	0.23	0.12	0.13	0.09	0.09
OxyContin <sup>®</sup>	0.07	0.07	0.04	0.04	0.01	0.02
Tranquilizers	0.19	0.19	0.08	0.09	0.05	0.05
Stimulants <sup>3</sup>	0.21	0.19	0.07	0.06	0.04	0.04
Methamphetamine <sup>3</sup>	0.17	0.15	0.06	0.05	0.03	0.03
Sedatives	0.14	0.15	0.04	0.04	0.03	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.33	0.35	0.17	0.18	0.12	0.12

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.1P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.2061		0.6550		0.2782	
Marijuana and Hashish	0.1262		0.4708		0.3387	
Cocaine	0.7302		0.2511		0.0799	
Crack	0.9378		0.8263		0.4485	
Heroin	0.9188		0.0423		0.0222	
Hallucinogens	0.1428		0.2720		0.8641	
LSD	0.2540		0.5278		0.7390	
PCP	0.2140		0.2242		0.4788	
Ecstasy	0.8839		0.9297		0.7098	
Inhalants	0.4154		0.3174		0.1264	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.3493		0.5185		0.4643	
Pain Relievers	0.4043		0.5138		0.7810	
OxyContin <sup>®</sup>	0.3541		0.5026		0.1552	
Tranquilizers	0.0565		0.5367		0.7447	
Stimulants <sup>3</sup>	0.1560		0.0006		0.0149	
Methamphetamine <sup>3</sup>	0.0242		0.0019		0.0633	
Sedatives	0.3533		0.6086		0.6700	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.9680		0.6518		0.3049	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	44	48	36	38	24	24
Marijuana and Hashish	22	21	19	17	11	11
Cocaine	5	6	3	5	2	4
Crack	*	2	*	2	*	*
Heroin	1	1	1	1	1	*
Hallucinogens	10	10	8	8	5	5
LSD	6	4	5	3	3	1
PCP	4	3	3	2	3	*
Ecstasy	5	5	4	3	1	1
Inhalants	35	38	25	27	12	16
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	31	31	26	23	18	15
Pain Relievers	28	27	24	22	17	13
OxyContin <sup>®</sup>	6	4	3	4	2	*
Tranquilizers	10	10	7	7	5	6
Stimulants <sup>3</sup>	15	12	10	9	8	4
Methamphetamine <sup>3</sup>	8	4	6	2	5	1
Sedatives	9	9	8	3	6	2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	41	46	34	35	21	22

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.51	0.54	0.43	0.43	0.29	0.29
Marijuana and Hashish	0.26	0.25	0.23	0.21	0.13	0.14
Cocaine	0.06	0.07	0.04	0.07	0.02	0.05
Crack	*	0.03	*	0.02	*	*
Heroin	0.02	0.02	0.02	0.02	0.02	*
Hallucinogens	0.12	0.12	0.10	0.09	0.06	0.06
LSD	0.07	0.05	0.06	0.04	0.04	0.02
PCP	0.05	0.04	0.04	0.02	0.03	*
Ecstasy	0.07	0.06	0.05	0.04	0.01	0.01
Inhalants	0.42	0.44	0.31	0.32	0.15	0.19
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.38	0.37	0.32	0.28	0.23	0.18
Pain Relievers	0.34	0.33	0.30	0.26	0.21	0.16
OxyContin <sup>®</sup>	0.07	0.05	0.04	0.05	0.02	*
Tranquilizers	0.13	0.12	0.09	0.09	0.06	0.08
Stimulants <sup>3</sup>	0.18	0.14	0.12	0.10	0.10	0.04
Methamphetamine <sup>3</sup>	0.09	0.05	0.08	0.03	0.06	0.02
Sedatives	0.11	0.11	0.10	0.03	0.07	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.49	0.52	0.41	0.40	0.26	0.26

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.2P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.1475		0.2824		0.1528	
Marijuana and Hashish	0.3196		0.5358		0.8381	
Cocaine	0.7890		0.3689		0.5506	
Crack	*		*		*	
Heroin	0.6704		0.8918		*	
Hallucinogens	0.8724		0.4754		0.6629	
LSD	0.7767		0.9127		0.2651	
PCP	0.5175		0.3091		*	
Ecstasy	0.8257		0.8462		0.5771	
Inhalants	0.2562		0.2417		0.8155	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.0937		0.0690		0.0311	
Pain Relievers	0.0616		0.1022		0.0615	
OxyContin <sup>®</sup>	0.7730		0.4395		*	
Tranquilizers	0.6360		0.9935		0.5529	
Stimulants <sup>3</sup>	0.0619		0.2976		0.0126	
Methamphetamine <sup>3</sup>	0.0294		0.0392		0.1348	
Sedatives	0.5261		0.0280		0.0542	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.1252		0.1379		0.1134	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	69	64	56	54	39	38
Marijuana and Hashish	51	49	44	42	31	29
Cocaine	15	15	14	14	8	5
Crack	9	7	8	7	3	3
Heroin	6	5	5	4	3	*
Hallucinogens	21	24	18	21	9	10
LSD	8	10	8	8	5	6
PCP	10	8	9	7	4	3
Ecstasy	14	18	11	16	6	5
Inhalants	41	41	27	27	17	15
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	45	45	36	39	22	24
Pain Relievers	40	41	33	35	20	21
OxyContin <sup>®</sup>	14	11	11	10	3	4
Tranquilizers	18	20	16	19	7	12
Stimulants <sup>3</sup>	23	19	18	15	9	9
Methamphetamine <sup>3</sup>	16	12	12	9	5	4
Sedatives	12	12	8	11	5	8
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	57	57	43	46	27	29

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.67	0.65	0.58	0.57	0.42	0.42
Marijuana and Hashish	0.53	0.54	0.47	0.46	0.35	0.33
Cocaine	0.18	0.18	0.16	0.16	0.09	0.06
Crack	0.10	0.09	0.09	0.08	0.03	0.04
Heroin	0.07	0.06	0.06	0.05	0.04	*
Hallucinogens	0.23	0.28	0.20	0.24	0.11	0.11
LSD	0.10	0.12	0.09	0.10	0.05	0.07
PCP	0.11	0.09	0.10	0.08	0.04	0.04
Ecstasy	0.16	0.20	0.13	0.18	0.06	0.06
Inhalants	0.44	0.46	0.30	0.31	0.19	0.17
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.47	0.49	0.39	0.43	0.25	0.28
Pain Relievers	0.44	0.46	0.36	0.40	0.22	0.24
OxyContin <sup>®</sup>	0.16	0.13	0.13	0.11	0.04	0.05
Tranquilizers	0.20	0.23	0.18	0.22	0.08	0.14
Stimulants <sup>3</sup>	0.26	0.22	0.21	0.18	0.10	0.10
Methamphetamine <sup>3</sup>	0.18	0.14	0.13	0.11	0.06	0.05
Sedatives	0.14	0.14	0.09	0.12	0.06	0.09
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.57	0.60	0.46	0.49	0.30	0.32

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 1.3P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.0153		0.1171		0.7864	
Marijuana and Hashish	0.0162		0.0767		0.9685	
Cocaine	0.3893		0.5124		0.0910	
Crack	0.6427		0.8813		0.7154	
Heroin	0.7416		0.5993		*	
Hallucinogens	0.2904		0.3530		0.8666	
LSD	0.1313		0.3147		0.9224	
PCP	0.5813		0.8610		0.6749	
Ecstasy	0.1799		0.1760		0.8205	
Inhalants	0.1376		0.2355		0.1510	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.4235		0.8606		0.4378	
Pain Relievers	0.4095		0.6129		0.9207	
OxyContin <sup>®</sup>	0.3835		0.6937		0.4516	
Tranquilizers	0.2668		0.1655		0.0348	
Stimulants <sup>3</sup>	0.0696		0.1026		0.9302	
Methamphetamine <sup>3</sup>	0.2762		0.3117		0.7003	
Sedatives	0.4660		0.8826		0.8146	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.1334		0.6299		0.9320	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	80	87	71	73	51	54
Marijuana and Hashish	73	76	64	63	45	48
Cocaine	28	28	23	22	10	11
Crack	13	11	9	9	3	4
Heroin	9	9	6	5	4	2
Hallucinogens	36	31	27	26	14	14
LSD	18	14	11	11	5	5
PCP	12	10	6	6	1	3
Ecstasy	25	23	20	20	10	9
Inhalants	39	41	25	24	15	13
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	56	56	47	46	28	27
Pain Relievers	51	51	42	42	25	25
OxyContin <sup>®</sup>	19	21	13	15	5	7
Tranquilizers	31	29	25	23	12	13
Stimulants <sup>3</sup>	32	27	26	21	12	11
Methamphetamine <sup>3</sup>	21	14	16	11	7	7
Sedatives	12	13	7	10	3	4
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	63	67	52	52	33	32

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.72	0.77	0.69	0.69	0.55	0.58
Marijuana and Hashish	0.69	0.72	0.65	0.64	0.49	0.52
Cocaine	0.32	0.32	0.27	0.26	0.12	0.13
Crack	0.15	0.13	0.10	0.10	0.04	0.05
Heroin	0.11	0.10	0.08	0.05	0.04	0.02
Hallucinogens	0.41	0.35	0.32	0.29	0.16	0.16
LSD	0.21	0.16	0.12	0.12	0.05	0.06
PCP	0.14	0.12	0.07	0.07	0.01	0.04
Ecstasy	0.29	0.26	0.23	0.23	0.11	0.11
Inhalants	0.44	0.45	0.29	0.28	0.17	0.15
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.59	0.58	0.50	0.49	0.32	0.31
Pain Relievers	0.54	0.54	0.45	0.46	0.28	0.29
OxyContin <sup>®</sup>	0.22	0.23	0.15	0.17	0.06	0.08
Tranquilizers	0.35	0.33	0.28	0.27	0.14	0.15
Stimulants <sup>3</sup>	0.36	0.30	0.29	0.23	0.14	0.13
Methamphetamine <sup>3</sup>	0.25	0.16	0.18	0.13	0.09	0.08
Sedatives	0.15	0.16	0.08	0.11	0.04	0.05
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.65	0.66	0.55	0.54	0.36	0.36

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.4P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.5260		0.5271		0.9619	
Marijuana and Hashish	0.2271		0.3808		0.9577	
Cocaine	0.7751		0.5590		0.6098	
Crack	0.2290		0.3434		0.6692	
Heroin	0.7708		0.2022		0.1229	
Hallucinogens	0.0082		0.1584		0.5788	
LSD	0.1140		0.5483		0.8357	
PCP	0.4026		0.7043		0.3392	
Ecstasy	0.1032		0.9658		0.2465	
Inhalants	0.7004		0.5029		0.7620	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.2227		0.1879		0.6998	
Pain Relievers	0.3200		0.3710		0.4753	
OxyContin <sup>®</sup>	0.1632		0.0545		0.0565	
Tranquilizers	0.7370		0.7690		0.2131	
Stimulants <sup>3</sup>	0.0076		0.0171		0.2017	
Methamphetamine <sup>3</sup>	0.0016		0.0453		0.3790	
Sedatives	0.5058		0.1111		0.4491	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.3095		0.0860		0.6878	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	170	180	141	147	101	106
Marijuana and Hashish	156	164	127	134	91	98
Cocaine	71	70	52	52	29	24
Crack	32	24	19	15	7	7
Heroin	19	17	13	10	8	6
Hallucinogens	79	80	58	56	34	25
LSD	42	36	24	22	9	11
PCP	25	18	10	8	3	3
Ecstasy	59	62	46	42	28	16
Inhalants	62	60	32	29	14	12
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	110	116	82	88	50	51
Pain Relievers	99	104	70	77	41	45
OxyContin <sup>®</sup>	39	39	27	24	11	12
Tranquilizers	63	66	45	48	24	25
Stimulants <sup>3</sup>	62	62	43	40	25	19
Methamphetamine <sup>3</sup>	41	43	25	24	17	10
Sedatives	24	25	15	14	12	8
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	130	135	99	103	65	59

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.77	0.78	0.75	0.74	0.63	0.64
Marijuana and Hashish	0.79	0.76	0.73	0.71	0.59	0.60
Cocaine	0.50	0.49	0.38	0.37	0.22	0.18
Crack	0.25	0.18	0.15	0.12	0.06	0.05
Heroin	0.15	0.13	0.10	0.07	0.07	0.04
Hallucinogens	0.56	0.54	0.42	0.39	0.26	0.19
LSD	0.32	0.26	0.18	0.16	0.07	0.08
PCP	0.19	0.14	0.08	0.06	0.02	0.03
Ecstasy	0.43	0.44	0.34	0.31	0.21	0.12
Inhalants	0.44	0.41	0.24	0.22	0.11	0.09
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.69	0.67	0.56	0.56	0.36	0.37
Pain Relievers	0.63	0.63	0.48	0.50	0.30	0.33
OxyContin <sup>®</sup>	0.28	0.27	0.20	0.17	0.08	0.09
Tranquilizers	0.46	0.45	0.34	0.34	0.19	0.19
Stimulants <sup>3</sup>	0.45	0.43	0.32	0.29	0.19	0.14
Methamphetamine <sup>3</sup>	0.32	0.32	0.20	0.18	0.13	0.08
Sedatives	0.18	0.19	0.12	0.10	0.09	0.06
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.74	0.73	0.61	0.63	0.45	0.42

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.5P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	0.0185		0.0979		0.5436	
Marijuana and Hashish	0.0324		0.2025		0.8004	
Cocaine	0.0530		0.0066		0.0021	
Crack	0.0010		0.0413		0.7230	
Heroin	0.5123		0.1142		0.3484	
Hallucinogens	0.1107		0.0924		0.0324	
LSD	0.0307		0.7435		0.2382	
PCP	0.0053		0.1582		0.9813	
Ecstasy	0.2128		0.3298		0.0322	
Inhalants	0.0015		0.0490		0.1677	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.1822		0.2504		0.1412	
Pain Relievers	0.0580		0.1802		0.4292	
OxyContin <sup>®</sup>	0.2276		0.2776		0.6205	
Tranquilizers	0.6335		0.4424		0.0888	
Stimulants <sup>3</sup>	0.1646		0.0540		0.0063	
Methamphetamine <sup>3</sup>	0.3816		0.1263		0.0099	
Sedatives	0.4777		0.8994		0.7155	
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.0497		0.0708		0.0037	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.6C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	228	220	153	153	107	108
Marijuana and Hashish	214	205	136	139	95	98
Cocaine	109	107	65	62	31	30
Crack	45	44	18	19	10	8
Heroin	32	30	12	17	8	9
Hallucinogens	128	125	55	59	26	24
LSD	80	74	20	21	8	6
PCP	30	31	9	8	6	5
Ecstasy	103	104	42	41	21	16
Inhalants	92	83	22	25	10	14
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	153	151	98	92	58	54
Pain Relievers	136	132	81	80	50	46
OxyContin <sup>®</sup>	52	53	26	27	13	13
Tranquilizers	96	90	57	53	34	30
Stimulants <sup>3</sup>	97	88	51	44	25	25
Methamphetamine <sup>3</sup>	71	60	32	24	16	15
Sedatives	30	31	16	15	5	10
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	181	174	111	108	67	65

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 1.6D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.61	0.59	0.55	0.58	0.44	0.47
Marijuana and Hashish	0.64	0.63	0.52	0.55	0.40	0.45
Cocaine	0.48	0.48	0.31	0.30	0.15	0.15
Crack	0.22	0.22	0.09	0.10	0.05	0.04
Heroin	0.16	0.15	0.06	0.09	0.04	0.05
Hallucinogens	0.54	0.52	0.27	0.29	0.13	0.12
LSD	0.37	0.35	0.10	0.11	0.04	0.03
PCP	0.15	0.16	0.05	0.04	0.03	0.02
Ecstasy	0.47	0.46	0.21	0.21	0.11	0.08
Inhalants	0.41	0.39	0.11	0.13	0.05	0.07
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.57	0.58	0.42	0.41	0.27	0.26
Pain Relievers	0.54	0.53	0.36	0.37	0.24	0.23
OxyContin <sup>®</sup>	0.25	0.26	0.13	0.14	0.07	0.07
Tranquilizers	0.43	0.42	0.28	0.26	0.17	0.15
Stimulants <sup>3</sup>	0.44	0.39	0.25	0.22	0.12	0.13
Methamphetamine <sup>3</sup>	0.33	0.29	0.16	0.12	0.08	0.08
Sedatives	0.15	0.16	0.08	0.08	0.03	0.05
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.62	0.61	0.47	0.48	0.31	0.31

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.6P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.3419		0.2235		0.7721	
Marijuana and Hashish	0.2250		0.7718		0.5559	
Cocaine	0.9793		0.8879		0.3204	
Crack	0.3351		0.8717		0.3682	
Heroin	0.9566		0.3374		0.7909	
Hallucinogens	0.3920		0.8799		0.8893	
LSD	0.0001		0.9235		0.5838	
PCP	0.8389		0.9699		0.9548	
Ecstasy	0.6463		0.6093		0.2674	
Inhalants	0.2043		0.5105		0.1620	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.6767		0.4157		0.3341	
Pain Relievers	0.8772		0.8944		0.3488	
OxyContin <sup>®</sup>	0.1673		0.4413		0.6552	
Tranquilizers	0.5496		0.5752		0.6939	
Stimulants <sup>3</sup>	0.0565		0.0334		0.5915	
Methamphetamine <sup>3</sup>	0.0253		0.0131		0.4783	
Sedatives	0.9582		0.6230		0.0513	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.6044		0.6224		0.6595	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.7C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	280	313	241	228	191	183
Marijuana and Hashish	286	306	211	204	163	156
Cocaine	228	222	124	113	84	69
Crack	130	114	58	41	50	26
Heroin	94	73	55	21	47	18
Hallucinogens	246	250	90	92	44	52
LSD	203	209	38	41	11	29
PCP	94	90	23	11	4	10
Ecstasy	195	199	66	75	34	38
Inhalants	198	198	58	44	40	26
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	272	249	169	159	115	97
Pain Relievers	239	227	147	139	98	90
OxyContin <sup>®</sup>	82	90	42	47	13	16
Tranquilizers	184	178	94	105	54	56
Stimulants <sup>3</sup>	195	171	79	69	44	36
Methamphetamine <sup>3</sup>	162	145	62	54	35	30
Sedatives	82	76	36	32	25	23
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	277	291	193	185	137	123

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.7D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.80	0.89	0.69	0.65	0.54	0.52
Marijuana and Hashish	0.82	0.87	0.60	0.58	0.47	0.44
Cocaine	0.65	0.63	0.35	0.32	0.24	0.20
Crack	0.37	0.32	0.17	0.12	0.14	0.07
Heroin	0.27	0.21	0.16	0.06	0.13	0.05
Hallucinogens	0.70	0.71	0.26	0.26	0.13	0.15
LSD	0.58	0.59	0.11	0.12	0.03	0.08
PCP	0.27	0.25	0.07	0.03	0.01	0.03
Ecstasy	0.56	0.56	0.19	0.21	0.10	0.11
Inhalants	0.56	0.56	0.17	0.12	0.11	0.07
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.77	0.71	0.48	0.45	0.33	0.28
Pain Relievers	0.68	0.64	0.42	0.39	0.28	0.25
OxyContin <sup>®</sup>	0.23	0.25	0.12	0.13	0.04	0.05
Tranquilizers	0.52	0.50	0.27	0.30	0.15	0.16
Stimulants <sup>3</sup>	0.56	0.48	0.23	0.20	0.13	0.10
Methamphetamine <sup>3</sup>	0.46	0.41	0.18	0.15	0.10	0.09
Sedatives	0.23	0.21	0.10	0.09	0.07	0.06
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.79	0.83	0.55	0.52	0.39	0.35

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.7P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.3718		0.2623		0.2112	
Marijuana and Hashish	0.7571		0.7583		0.3889	
Cocaine	0.0705		0.0650		0.2738	
Crack	0.0634		0.3427		0.4482	
Heroin	0.0544		0.0315		0.0842	
Hallucinogens	0.8695		0.8663		0.5513	
LSD	0.8983		0.5777		0.3378	
PCP	0.9022		0.8490		0.2831	
Ecstasy	0.5930		0.5121		0.4453	
Inhalants	0.5304		0.5025		0.1864	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.0844		0.2006		0.0670	
Pain Relievers	0.4179		0.4489		0.5671	
OxyContin <sup>®</sup>	0.5522		0.4174		0.9662	
Tranquilizers	0.1400		0.9347		0.3704	
Stimulants <sup>3</sup>	0.1393		0.1038		0.1490	
Methamphetamine <sup>3</sup>	0.1024		0.0936		0.2068	
Sedatives	0.5894		0.5423		0.9850	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.2491		0.1754		0.1116	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.8C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	814	862	424	453	312	333
Marijuana and Hashish	822	844	335	350	255	257
Cocaine	567	606	163	181	121	122
Crack	284	312	116	113	87	74
Heroin	206	218	62	43	59	29
Hallucinogens	541	522	68	50	26	34
LSD	455	472	19	10	16	*
PCP	267	284	25	*	*	*
Ecstasy	227	218	45	38	12	30
Inhalants	392	424	63	76	51	52
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	604	595	278	302	185	210
Pain Relievers	436	444	227	256	163	175
OxyContin <sup>®</sup>	122	133	70	70	27	47
Tranquilizers	414	408	152	178	90	106
Stimulants <sup>3</sup>	436	423	138	105	84	78
Methamphetamine <sup>3</sup>	351	321	111	83	68	70
Sedatives	334	350	87	82	62	63
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	703	749	308	348	213	250

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.8D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.53	0.56	0.28	0.29	0.20	0.22
Marijuana and Hashish	0.54	0.55	0.22	0.23	0.17	0.17
Cocaine	0.37	0.39	0.11	0.12	0.08	0.08
Crack	0.19	0.20	0.08	0.07	0.06	0.05
Heroin	0.14	0.14	0.04	0.03	0.04	0.02
Hallucinogens	0.35	0.34	0.04	0.03	0.02	0.02
LSD	0.30	0.31	0.01	0.01	0.01	*
PCP	0.17	0.18	0.02	*	*	*
Ecstasy	0.15	0.14	0.03	0.02	0.01	0.02
Inhalants	0.26	0.27	0.04	0.05	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.40	0.38	0.18	0.20	0.12	0.14
Pain Relievers	0.29	0.29	0.15	0.17	0.11	0.11
OxyContin <sup>®</sup>	0.08	0.09	0.05	0.05	0.02	0.03
Tranquilizers	0.27	0.26	0.10	0.12	0.06	0.07
Stimulants <sup>3</sup>	0.29	0.27	0.09	0.07	0.06	0.05
Methamphetamine <sup>3</sup>	0.23	0.21	0.07	0.05	0.04	0.05
Sedatives	0.22	0.23	0.06	0.05	0.04	0.04
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.46	0.48	0.20	0.23	0.14	0.16

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.8P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	0.0146		0.2157		0.6956	
Marijuana and Hashish	0.0131		0.8928		0.4201	
Cocaine	0.1922		0.5686		0.6139	
Crack	0.2302		0.6098		0.7017	
Heroin	0.4526		0.4751		0.1936	
Hallucinogens	0.2524		0.4872		0.3470	
LSD	0.6655		0.1460		*	
PCP	0.2730		*		*	
Ecstasy	0.5885		0.8466		0.1311	
Inhalants	0.7931		0.4553		0.5865	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.8216		0.3692		0.4375	
Pain Relievers	0.9366		0.6680		0.5904	
OxyContin <sup>®</sup>	0.5116		0.8618		0.3027	
Tranquilizers	0.1903		0.2545		0.2826	
Stimulants <sup>3</sup>	0.8917		0.1247		0.3414	
Methamphetamine <sup>3</sup>	0.2574		0.1498		0.5276	
Sedatives	0.4097		0.8133		0.5812	
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.2399		0.1573		0.4803	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 1.9C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	616	650	416	444	333	341
Marijuana and Hashish	618	643	364	387	285	287
Cocaine	476	499	191	201	132	127
Crack	277	284	121	115	94	71
Heroin	211	216	78	50	75	34
Hallucinogens	475	480	110	112	50	63
LSD	400	430	48	48	21	32
PCP	255	257	28	15	6	12
Ecstasy	249	248	75	84	33	43
Inhalants	385	381	89	91	65	60
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	504	503	268	271	183	189
Pain Relievers	410	412	239	227	166	164
OxyContin <sup>®</sup>	134	138	76	68	26	34
Tranquilizers	363	345	139	155	94	83
Stimulants <sup>3</sup>	393	367	133	105	80	63
Methamphetamine <sup>3</sup>	331	290	104	83	65	58
Sedatives	279	279	65	77	34	61
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	565	613	314	330	221	232

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.9D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	0.52	0.54	0.35	0.37	0.28	0.28
Marijuana and Hashish	0.52	0.53	0.30	0.32	0.24	0.24
Cocaine	0.40	0.42	0.16	0.17	0.11	0.11
Crack	0.23	0.24	0.10	0.10	0.08	0.06
Heroin	0.18	0.18	0.07	0.04	0.06	0.03
Hallucinogens	0.40	0.40	0.09	0.09	0.04	0.05
LSD	0.34	0.36	0.04	0.04	0.02	0.03
PCP	0.21	0.21	0.02	0.01	0.00	0.01
Ecstasy	0.21	0.21	0.06	0.07	0.03	0.04
Inhalants	0.32	0.32	0.07	0.08	0.05	0.05
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.42	0.42	0.22	0.23	0.15	0.16
Pain Relievers	0.34	0.34	0.20	0.19	0.14	0.14
OxyContin <sup>®</sup>	0.11	0.12	0.06	0.06	0.02	0.03
Tranquilizers	0.30	0.29	0.12	0.13	0.08	0.07
Stimulants <sup>3</sup>	0.33	0.31	0.11	0.09	0.07	0.05
Methamphetamine <sup>3</sup>	0.28	0.24	0.09	0.07	0.05	0.05
Sedatives	0.23	0.23	0.05	0.06	0.03	0.05
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.47	0.51	0.26	0.27	0.18	0.19

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.9P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.6330		0.9760		0.7832	
Marijuana and Hashish	0.2245		0.8837		0.7859	
Cocaine	0.3694		0.3379		0.2672	
Crack	0.5393		0.9328		0.5686	
Heroin	0.7442		0.3193		0.1046	
Hallucinogens	0.4944		0.5235		0.2194	
LSD	0.8483		0.9225		0.3682	
PCP	0.2471		0.7863		0.0871	
Ecstasy	0.9955		0.1097		0.4772	
Inhalants	0.2179		0.8705		0.1926	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.0414		0.4278		0.8676	
Pain Relievers	0.0498		0.2377		0.8964	
OxyContin <sup>®</sup>	0.2380		0.7222		0.2147	
Tranquilizers	0.0343		0.4307		0.6020	
Stimulants <sup>3</sup>	0.1421		0.0059		0.0149	
Methamphetamine <sup>3</sup>	0.0168		0.0165		0.0880	
Sedatives	0.1609		0.4823		0.4225	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.9901		0.7162		0.7321	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.10C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	600	659	323	335	235	242
Marijuana and Hashish	589	646	254	248	180	177
Cocaine	376	390	113	120	73	73
Crack	160	172	53	45	36	33
Heroin	107	95	34	16	17	10
Hallucinogens	371	379	94	71	48	37
LSD	301	310	27	19	11	7
PCP	142	152	26	10	7	*
Ecstasy	203	216	77	58	40	33
Inhalants	258	299	51	47	27	29
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	427	464	230	246	157	161
Pain Relievers	322	374	186	213	133	132
OxyContin <sup>®</sup>	99	104	53	65	24	41
Tranquilizers	299	301	137	150	65	94
Stimulants <sup>3</sup>	285	300	117	101	66	69
Methamphetamine <sup>3</sup>	232	226	87	71	47	54
Sedatives	195	229	73	49	59	31
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	513	553	252	269	171	181

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.10D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Standard Errors of Percentages, 2006 and 2007**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.47	0.52	0.26	0.26	0.19	0.19
Marijuana and Hashish	0.47	0.51	0.20	0.19	0.14	0.14
Cocaine	0.30	0.31	0.09	0.09	0.06	0.06
Crack	0.13	0.14	0.04	0.03	0.03	0.03
Heroin	0.08	0.07	0.03	0.01	0.01	0.01
Hallucinogens	0.29	0.30	0.07	0.06	0.04	0.03
LSD	0.24	0.24	0.02	0.01	0.01	0.01
PCP	0.11	0.12	0.02	0.01	0.01	*
Ecstasy	0.16	0.17	0.06	0.05	0.03	0.03
Inhalants	0.20	0.23	0.04	0.04	0.02	0.02
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.34	0.36	0.18	0.19	0.12	0.13
Pain Relievers	0.25	0.29	0.15	0.17	0.10	0.10
OxyContin <sup>®</sup>	0.08	0.08	0.04	0.05	0.02	0.03
Tranquilizers	0.24	0.24	0.11	0.12	0.05	0.07
Stimulants <sup>3</sup>	0.22	0.23	0.09	0.08	0.05	0.05
Methamphetamine <sup>3</sup>	0.18	0.18	0.07	0.06	0.04	0.04
Sedatives	0.15	0.18	0.06	0.04	0.05	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.41	0.43	0.20	0.21	0.13	0.14

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.10P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	0.1618		0.4737		0.1337	
Marijuana and Hashish	0.2971		0.2608		0.1564	
Cocaine	0.5437		0.5039		0.1106	
Crack	0.2424		0.4455		0.5397	
Heroin	0.3716		0.0052		0.0069	
Hallucinogens	0.1015		0.0063		0.0543	
LSD	0.0252		0.1890		0.1094	
PCP	0.6044		0.1287		*	
Ecstasy	0.8083		0.0497		0.1923	
Inhalants	0.7600		0.0614		0.3554	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.3824		0.9394		0.3532	
Pain Relievers	0.2998		0.6930		0.5436	
OxyContin <sup>®</sup>	0.9635		0.5322		0.4419	
Tranquilizers	0.6334		0.9250		0.2966	
Stimulants <sup>3</sup>	0.6473		0.0288		0.3418	
Methamphetamine <sup>3</sup>	0.5787		0.0426		0.4214	
Sedatives	0.7900		0.1128		0.1495	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.9399		0.7744		0.2190	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.