

Table 1.49C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	700	696	360	380	243	251
AGE						
12-17	75	74	62	63	40	40
18-25	153	145	118	110	76	69
26 or Older	663	659	323	345	221	237
GENDER						
Male	504	503	268	271	183	189
Female	427	464	230	246	157	161
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	665	659	336	355	217	232
White	590	614	300	316	196	201
Black or African American	201	200	106	114	74	83
American Indian or Alaska Native	40	45	22	26	17	22
Native Hawaiian or Other Pacific Islander	49	*	17	*	5	*
Asian	131	131	81	77	45	66
Two or More Races	97	76	40	45	28	24
Hispanic or Latino	249	232	142	125	110	91

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.49D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.28	0.28	0.15	0.15	0.10	0.10
AGE						
12-17	0.30	0.29	0.24	0.25	0.16	0.16
18-25	0.47	0.44	0.36	0.34	0.23	0.21
26 or Older	0.35	0.35	0.17	0.18	0.12	0.12
GENDER						
Male	0.42	0.42	0.22	0.23	0.15	0.16
Female	0.34	0.36	0.18	0.19	0.12	0.13
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.31	0.31	0.16	0.17	0.10	0.11
White	0.35	0.36	0.18	0.19	0.12	0.12
Black or African American	0.69	0.68	0.36	0.39	0.25	0.28
American Indian or Alaska Native	3.27	3.37	1.87	2.02	1.45	1.70
Native Hawaiian or Other Pacific Islander	4.78	*	1.86	*	0.54	*
Asian	1.23	1.20	0.76	0.72	0.43	0.62
Two or More Races	3.09	2.47	1.51	1.58	1.04	0.87
Hispanic or Latino	0.75	0.68	0.43	0.36	0.33	0.27

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.49P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.3493		0.5185		0.4643	
AGE						
12-17	0.0522		0.1296		0.8590	
18-25	0.2212		0.2054		0.1042	
26 or Older	0.6209		0.8994		0.8443	
GENDER						
Male	0.0414		0.4278		0.8676	
Female	0.3824		0.9394		0.3532	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7538		0.9443		0.9862	
White	0.7933		0.9435		0.9736	
Black or African American	0.3662		0.4762		0.8802	
American Indian or Alaska Native	0.8062		0.7412		0.6339	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2717		0.1935		0.9956	
Two or More Races	0.5686		0.6364		0.9296	
Hispanic or Latino	0.0708		0.1272		0.1011	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.50C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	75	74	62	63	40	40
GENDER						
Male	52	52	43	45	27	29
Female	50	51	43	42	28	28
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	66	66	53	56	35	35
White	61	63	50	53	30	30
Black or African American	30	32	23	24	16	16
American Indian or Alaska Native	8	8	6	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	18	13	14	12	10	7
Two or More Races	13	7	9	4	5	3
Hispanic or Latino	34	31	29	25	17	17
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	42	44	34	37	20	22
Female, White, Not Hispanic	41	44	35	37	22	21
Male, Black, Not Hispanic	21	24	18	17	13	11
Female, Black, Not Hispanic	18	19	13	16	9	11
Male, Hispanic	25	22	20	20	11	11
Female, Hispanic	27	23	23	17	12	13

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.50D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.30	0.29	0.24	0.25	0.16	0.16
GENDER						
Male	0.40	0.40	0.33	0.35	0.21	0.22
Female	0.40	0.41	0.35	0.34	0.22	0.23
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.32	0.32	0.26	0.27	0.17	0.17
White	0.36	0.38	0.30	0.33	0.19	0.19
Black or African American	0.70	0.73	0.56	0.57	0.40	0.40
American Indian or Alaska Native	4.65	4.29	4.22	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.59	1.25	1.29	1.12	0.94	0.66
Two or More Races	2.90	1.59	1.99	1.07	1.13	0.80
Hispanic or Latino	0.74	0.67	0.65	0.53	0.37	0.37
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.48	0.53	0.40	0.45	0.24	0.28
Female, White, Not Hispanic	0.51	0.54	0.44	0.47	0.28	0.28
Male, Black, Not Hispanic	0.99	1.12	0.87	0.81	0.66	0.56
Female, Black, Not Hispanic	0.92	0.91	0.67	0.77	0.46	0.55
Male, Hispanic	1.00	0.88	0.82	0.78	0.47	0.47
Female, Hispanic	1.09	0.97	0.97	0.71	0.55	0.56

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.50P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0522		0.1296		0.8590	
GENDER						
Male	0.1192		0.2151		0.8137	
Female	0.1917		0.3245		0.9834	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0707		0.1533		0.8047	
White	0.1531		0.1991		0.9928	
Black or African American	0.8417		0.6207		0.9321	
American Indian or Alaska Native	0.4048		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1069		0.3045		0.2339	
Two or More Races	0.0423		0.0160		0.5363	
Hispanic or Latino	0.4468		0.5558		0.8943	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.1882		0.2955		0.6143	
Female, White, Not Hispanic	0.4669		0.4439		0.6405	
Male, Black, Not Hispanic	0.9460		0.1663		0.3150	
Female, Black, Not Hispanic	0.8245		0.0250		0.1419	
Male, Hispanic	0.6185		0.6053		0.7689	
Female, Hispanic	0.5686		0.1676		0.9307	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.51C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	153	145	118	110	76	69
GENDER						
Male	106	99	85	79	55	50
Female	100	95	74	75	47	48
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	138	131	108	98	72	64
White	174	167	121	111	73	67
Black or African American	40	57	30	35	23	23
American Indian or Alaska Native	13	*	6	*	4	*
Native Hawaiian or Other Pacific Islander	*	6	*	4	4	2
Asian	31	24	22	14	10	10
Two or More Races	13	19	10	15	8	9
Hispanic or Latino	64	60	48	47	31	26
EDUCATION						
< High School	79	75	56	55	38	38
High School Graduate	102	100	73	72	46	44
Some College	109	116	76	82	45	43
College Graduate	64	66	39	36	24	22
CURRENT EMPLOYMENT						
Full-Time	133	123	86	85	57	49
Part-Time	89	91	65	61	36	37
Unemployed	44	47	32	35	22	22
Other ¹	77	77	55	55	33	32

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.51D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.47	0.44	0.36	0.34	0.23	0.21
GENDER						
Male	0.64	0.60	0.52	0.48	0.34	0.30
Female	0.62	0.59	0.46	0.46	0.29	0.29
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.51	0.49	0.40	0.36	0.27	0.24
White	0.57	0.58	0.48	0.43	0.33	0.30
Black or African American	0.79	1.07	0.61	0.68	0.48	0.48
American Indian or Alaska Native	4.43	*	3.53	*	2.48	*
Native Hawaiian or Other Pacific Islander	*	4.22	*	2.76	2.23	1.40
Asian	1.98	1.55	1.43	0.92	0.68	0.71
Two or More Races	3.33	3.42	2.71	3.02	2.16	2.06
Hispanic or Latino	1.10	1.03	0.83	0.81	0.53	0.45
EDUCATION						
< High School	1.01	0.96	0.80	0.77	0.56	0.59
High School Graduate	0.71	0.69	0.57	0.56	0.38	0.38
Some College	0.74	0.81	0.62	0.64	0.40	0.37
College Graduate	1.15	1.12	0.82	0.72	0.54	0.47
CURRENT EMPLOYMENT						
Full-Time	0.66	0.58	0.49	0.47	0.34	0.30
Part-Time	0.85	0.84	0.70	0.64	0.41	0.42
Unemployed	1.47	1.44	1.17	1.18	0.86	0.78
Other ¹	0.96	0.91	0.76	0.74	0.51	0.49

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.51P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.2212		0.2054		0.1042	
GENDER						
Male	0.3921		0.1773		0.0446	
Female	0.3432		0.6400		0.7883	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2142		0.0992		0.2548	
White	0.0623		0.0469		0.1469	
Black or African American	0.1326		0.4261		0.7389	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		0.5312	
Asian	0.2888		0.0562		0.6340	
Two or More Races	0.1114		0.0908		0.4366	
Hispanic or Latino	0.7968		0.5604		0.1690	
EDUCATION						
< High School	0.4882		0.6789		0.9736	
High School Graduate	0.2016		0.5888		0.4378	
Some College	0.6162		0.4996		0.0699	
College Graduate	0.9249		0.2384		0.9633	
CURRENT EMPLOYMENT						
Full-Time	0.7013		0.2783		0.0270	
Part-Time	0.6878		0.7249		0.5179	
Unemployed	0.5628		0.8287		0.6271	
Other ¹	0.1512		0.4064		0.5558	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.52C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	663	659	323	345	221	237
GENDER						
Male	481	487	248	252	173	180
Female	410	444	206	227	147	152
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	629	625	299	324	196	218
White	649	686	276	294	181	191
Black or African American	208	209	99	111	67	82
American Indian or Alaska Native	36	40	19	17	15	12
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	120	128	72	75	43	65
Two or More Races	95	75	37	45	26	22
Hispanic or Latino	238	218	131	110	105	86
EDUCATION						
< High School	270	273	147	153	102	118
High School Graduate	373	374	167	194	121	132
Some College	369	393	174	183	110	118
College Graduate	433	470	180	177	118	112
CURRENT EMPLOYMENT						
Full-Time	610	633	265	271	166	190
Part-Time	215	235	89	128	63	81
Unemployed	127	108	90	59	70	41
Other ¹	344	339	160	177	124	114

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.52D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.35	0.35	0.17	0.18	0.12	0.12
GENDER						
Male	0.53	0.54	0.28	0.28	0.19	0.20
Female	0.42	0.45	0.21	0.23	0.15	0.15
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.38	0.38	0.18	0.20	0.12	0.13
White	0.43	0.44	0.20	0.21	0.13	0.14
Black or African American	0.93	0.91	0.47	0.52	0.32	0.39
American Indian or Alaska Native	4.21	4.23	2.18	1.83	1.68	1.27
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.52	1.53	0.91	0.92	0.55	0.80
Two or More Races	4.20	3.55	1.99	2.29	1.38	1.17
Hispanic or Latino	1.03	0.91	0.57	0.46	0.46	0.36
EDUCATION						
< High School	0.81	0.85	0.48	0.50	0.34	0.38
High School Graduate	0.60	0.59	0.28	0.33	0.21	0.23
Some College	0.74	0.74	0.39	0.38	0.25	0.25
College Graduate	0.68	0.71	0.32	0.31	0.21	0.20
CURRENT EMPLOYMENT						
Full-Time	0.50	0.50	0.24	0.25	0.15	0.18
Part-Time	0.97	1.05	0.43	0.59	0.31	0.38
Unemployed	2.44	2.15	1.85	1.29	1.46	0.91
Other ¹	0.56	0.56	0.28	0.30	0.22	0.19

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.52P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.6209		0.8994		0.8443	
GENDER						
Male	0.0719		0.8936		0.6367	
Female	0.1994		0.7346		0.3839	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9156		0.4051		0.6600	
White	0.4464		0.3742		0.6217	
Black or African American	0.1799		0.6754		0.9428	
American Indian or Alaska Native	0.9365		0.4947		0.2335	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4982		0.4675		0.9029	
Two or More Races	0.5117		0.7968		0.7121	
Hispanic or Latino	0.0872		0.0916		0.1862	
EDUCATION						
< High School	0.2297		0.6146		0.7023	
High School Graduate	0.5930		0.8315		0.8375	
Some College	0.9868		0.5847		0.7755	
College Graduate	0.8039		0.8594		0.4042	
CURRENT EMPLOYMENT						
Full-Time	0.3042		0.4998		0.7722	
Part-Time	0.2236		0.0330		0.2621	
Unemployed	0.4998		0.1306		0.1998	
Other ¹	0.7750		0.5057		0.4056	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.53C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	695	691	353	377	236	249
GENDER						
Male	502	501	266	268	181	187
Female	425	463	224	243	152	158
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	659	653	331	351	212	230
White	689	727	305	327	198	205
Black or African American	217	223	106	117	73	85
American Indian or Alaska Native	39	44	21	23	16	18
Native Hawaiian or Other Pacific Islander	*	*	17	*	4	*
Asian	129	131	78	76	44	66
Two or More Races	96	76	39	45	27	24
Hispanic or Latino	248	231	140	124	109	90
EDUCATION						
< High School	284	285	158	164	108	124
High School Graduate	391	393	184	209	129	139
Some College	388	417	197	204	121	125
College Graduate	444	473	185	181	120	114
CURRENT EMPLOYMENT						
Full-Time	640	655	284	293	177	198
Part-Time	235	255	110	142	72	89
Unemployed	135	116	95	68	74	46
Other ¹	351	349	165	188	127	119

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.53D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.32	0.31	0.16	0.17	0.11	0.11
GENDER						
Male	0.47	0.47	0.25	0.25	0.17	0.17
Female	0.37	0.40	0.20	0.21	0.13	0.14
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.34	0.34	0.17	0.18	0.11	0.12
White	0.38	0.40	0.19	0.20	0.13	0.13
Black or African American	0.79	0.78	0.41	0.44	0.29	0.33
American Indian or Alaska Native	3.67	3.84	2.02	2.09	1.51	1.63
Native Hawaiian or Other Pacific Islander	*	*	2.06	*	0.50	*
Asian	1.36	1.33	0.82	0.79	0.47	0.68
Two or More Races	3.60	2.89	1.74	1.87	1.21	1.01
Hispanic or Latino	0.86	0.78	0.49	0.42	0.38	0.30
EDUCATION						
< High School	0.70	0.74	0.43	0.44	0.30	0.34
High School Graduate	0.53	0.51	0.26	0.30	0.19	0.20
Some College	0.61	0.63	0.35	0.34	0.22	0.21
College Graduate	0.64	0.66	0.30	0.29	0.20	0.19
CURRENT EMPLOYMENT						
Full-Time	0.45	0.45	0.22	0.23	0.14	0.16
Part-Time	0.75	0.80	0.38	0.47	0.25	0.29
Unemployed	1.68	1.45	1.28	0.94	1.00	0.64
Other ¹	0.51	0.52	0.26	0.29	0.20	0.18

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.53P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.4434		0.7134		0.4772	
GENDER						
Male	0.0541		0.5541		0.8924	
Female	0.3153		0.9066		0.3471	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8628		0.8532		0.9763	
White	0.7167		0.8826		0.9766	
Black or African American	0.3432		0.5253		0.8712	
American Indian or Alaska Native	0.9299		0.7460		0.5835	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3577		0.2451		0.8504	
Two or More Races	0.7429		0.3879		0.9952	
Hispanic or Latino	0.0849		0.1604		0.0913	
EDUCATION						
< High School	0.1562		0.4653		0.7808	
High School Graduate	0.4232		0.9778		0.6598	
Some College	0.8852		0.8283		0.7073	
College Graduate	0.7962		0.6910		0.4053	
CURRENT EMPLOYMENT						
Full-Time	0.2684		0.2971		0.6908	
Part-Time	0.3155		0.0921		0.2033	
Unemployed	0.4173		0.1701		0.1784	
Other ¹	0.9733		0.6745		0.3405	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.