

Table 1.54C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	539	562	306	316	216	215
AGE						
12-17	68	69	56	59	36	36
18-25	144	135	102	97	65	60
26 or Older	496	524	272	289	198	199
GENDER						
Male	410	412	239	227	166	164
Female	322	374	186	213	133	132
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	510	532	285	294	191	194
White	447	486	253	261	167	162
Black or African American	176	162	93	106	71	81
American Indian or Alaska Native	27	36	19	24	15	22
Native Hawaiian or Other Pacific Islander	40	22	11	16	4	*
Asian	87	119	61	75	36	66
Two or More Races	51	65	30	40	24	22
Hispanic or Latino	204	188	125	111	103	85

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.54D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.22	0.23	0.12	0.13	0.09	0.09
AGE						
12-17	0.27	0.27	0.22	0.23	0.14	0.14
18-25	0.44	0.41	0.31	0.30	0.20	0.18
26 or Older	0.26	0.28	0.14	0.15	0.11	0.11
GENDER						
Male	0.34	0.34	0.20	0.19	0.14	0.14
Female	0.25	0.29	0.15	0.17	0.10	0.10
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.24	0.25	0.13	0.14	0.09	0.09
White	0.27	0.29	0.15	0.15	0.10	0.10
Black or African American	0.61	0.55	0.32	0.36	0.24	0.28
American Indian or Alaska Native	2.32	2.81	1.64	1.87	1.29	1.69
Native Hawaiian or Other Pacific Islander	3.96	3.02	1.20	2.22	0.39	*
Asian	0.83	1.10	0.58	0.71	0.34	0.62
Two or More Races	1.89	2.19	1.15	1.43	0.92	0.80
Hispanic or Latino	0.61	0.55	0.38	0.32	0.31	0.25

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.54P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.4043		0.5138		0.7810	
AGE						
12-17	0.0639		0.1218		0.7402	
18-25	0.2810		0.4852		0.2370	
26 or Older	0.7434		0.9627		0.8654	
GENDER						
Male	0.0498		0.2377		0.8964	
Female	0.2998		0.6930		0.5436	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7654		0.8309		0.6551	
White	0.9811		0.6379		0.6807	
Black or African American	0.2260		0.4903		0.7873	
American Indian or Alaska Native	0.8712		0.7093		0.9496	
Native Hawaiian or Other Pacific Islander	0.7310		0.3413		*	
Asian	0.9238		0.6012		0.6265	
Two or More Races	0.1982		0.4521		0.9224	
Hispanic or Latino	0.1293		0.2520		0.1409	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.55C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	68	69	56	59	36	36
GENDER						
Male	48	47	40	40	25	26
Female	45	49	39	40	25	25
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	59	61	49	52	32	32
White	55	56	45	48	27	27
Black or African American	28	27	22	21	15	15
American Indian or Alaska Native	6	8	6	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	15	11	12	10	8	4
Two or More Races	13	6	8	4	5	3
Hispanic or Latino	32	30	27	23	15	15
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	38	40	31	34	18	21
Female, White, Not Hispanic	37	40	32	33	19	18
Male, Black, Not Hispanic	20	19	17	14	12	9
Female, Black, Not Hispanic	18	18	13	15	8	10
Male, Hispanic	23	21	17	18	10	10
Female, Hispanic	25	23	21	16	12	11

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.55D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.27	0.27	0.22	0.23	0.14	0.14
GENDER						
Male	0.37	0.36	0.31	0.31	0.20	0.20
Female	0.36	0.39	0.31	0.33	0.20	0.20
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.29	0.30	0.24	0.26	0.16	0.15
White	0.33	0.34	0.27	0.30	0.18	0.17
Black or African American	0.66	0.65	0.54	0.52	0.38	0.38
American Indian or Alaska Native	3.93	4.18	3.65	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.38	1.03	1.09	0.93	0.75	0.43
Two or More Races	2.89	1.50	1.96	0.95	1.12	0.75
Hispanic or Latino	0.70	0.65	0.59	0.49	0.33	0.32
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.44	0.49	0.37	0.42	0.23	0.26
Female, White, Not Hispanic	0.46	0.50	0.40	0.43	0.26	0.25
Male, Black, Not Hispanic	0.93	0.95	0.83	0.71	0.60	0.47
Female, Black, Not Hispanic	0.91	0.86	0.67	0.73	0.45	0.53
Male, Hispanic	0.92	0.81	0.71	0.73	0.42	0.41
Female, Hispanic	1.05	1.00	0.89	0.67	0.53	0.49

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.55P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0639		0.1218		0.7402	
GENDER						
Male	0.0985		0.2804		0.9062	
Female	0.2851		0.2326		0.7180	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0587		0.0734		0.7313	
White	0.1962		0.1142		0.9738	
Black or African American	0.7123		0.9381		0.9221	
American Indian or Alaska Native	0.7624		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1153		0.3616		0.1840	
Two or More Races	0.0230		0.0102		0.4679	
Hispanic or Latino	0.7060		0.9200		0.9784	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.1462		0.3216		0.5727	
Female, White, Not Hispanic	0.6945		0.2166		0.5414	
Male, Black, Not Hispanic	0.7596		0.0740		0.3168	
Female, Black, Not Hispanic	0.8196		0.0572		0.2984	
Male, Hispanic	0.9475		0.2500		0.6682	
Female, Hispanic	0.6551		0.3238		0.6830	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.56C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	144	135	102	97	65	60
GENDER						
Male	104	95	77	74	48	45
Female	90	86	63	61	40	40
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	130	121	94	86	61	56
White	155	146	101	95	61	57
Black or African American	37	53	28	33	22	22
American Indian or Alaska Native	12	*	5	*	3	*
Native Hawaiian or Other Pacific Islander	*	6	*	3	*	2
Asian	28	21	18	11	8	8
Two or More Races	13	18	10	13	4	7
Hispanic or Latino	57	54	40	39	25	23
EDUCATION						
< High School	75	69	53	49	32	34
High School Graduate	93	91	63	66	40	40
Some College	94	99	64	68	38	36
College Graduate	57	55	31	28	19	16
CURRENT EMPLOYMENT						
Full-Time	121	112	77	77	48	45
Part-Time	80	81	54	52	30	31
Unemployed	41	43	29	31	20	19
Other ¹	68	69	46	49	26	26

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.56D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.44	0.41	0.31	0.30	0.20	0.18
GENDER						
Male	0.63	0.58	0.47	0.45	0.29	0.28
Female	0.55	0.53	0.39	0.38	0.24	0.24
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.48	0.45	0.35	0.32	0.23	0.21
White	0.54	0.54	0.41	0.39	0.28	0.26
Black or African American	0.74	1.02	0.58	0.64	0.46	0.45
American Indian or Alaska Native	4.66	*	3.15	*	1.91	*
Native Hawaiian or Other Pacific Islander	*	4.12	*	2.60	*	1.33
Asian	1.79	1.37	1.20	0.76	0.53	0.53
Two or More Races	3.12	3.25	2.68	2.69	1.22	1.48
Hispanic or Latino	0.98	0.94	0.69	0.68	0.43	0.40
EDUCATION						
< High School	0.99	0.94	0.76	0.70	0.48	0.52
High School Graduate	0.69	0.67	0.50	0.53	0.33	0.35
Some College	0.69	0.73	0.54	0.54	0.34	0.32
College Graduate	1.06	1.01	0.65	0.59	0.43	0.37
CURRENT EMPLOYMENT						
Full-Time	0.63	0.56	0.45	0.43	0.29	0.28
Part-Time	0.78	0.77	0.59	0.56	0.35	0.35
Unemployed	1.41	1.37	1.08	1.09	0.77	0.70
Other ¹	0.92	0.85	0.67	0.68	0.41	0.41

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.56P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.2810		0.4852		0.2370	
GENDER						
Male	0.4607		0.5523		0.0939	
Female	0.3922		0.6978		0.9335	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2517		0.2436		0.4621	
White	0.0604		0.1033		0.2508	
Black or African American	0.0736		0.2093		0.8880	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3174		0.0598		0.7601	
Two or More Races	0.2388		0.3379		0.3311	
Hispanic or Latino	0.8750		0.3559		0.1951	
EDUCATION						
< High School	0.4496		0.5237		0.9514	
High School Graduate	0.4890		0.7054		0.9497	
Some College	0.6925		0.6318		0.1114	
College Graduate	0.7129		0.3125		0.5025	
CURRENT EMPLOYMENT						
Full-Time	0.9480		0.7207		0.1939	
Part-Time	0.2314		0.3249		0.9928	
Unemployed	0.9415		0.7982		0.7237	
Other ¹	0.2933		0.9542		0.7831	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.57C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	496	524	272	289	198	199
GENDER						
Male	384	390	220	209	158	154
Female	298	354	169	196	125	122
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	468	497	250	271	171	181
White	449	483	227	241	151	152
Black or African American	177	153	84	101	63	77
American Indian or Alaska Native	24	31	18	16	14	12
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	76	117	54	74	34	65
Two or More Races	48	65	27	38	23	21
Hispanic or Latino	191	174	117	99	100	80
EDUCATION						
< High School	220	210	132	133	93	103
High School Graduate	263	305	146	166	107	125
Some College	271	281	149	146	93	88
College Graduate	307	292	136	135	97	78
CURRENT EMPLOYMENT						
Full-Time	434	465	225	227	143	160
Part-Time	159	183	79	115	51	73
Unemployed	104	95	71	54	60	36
Other ¹	238	235	133	133	112	93

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.57D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.26	0.28	0.14	0.15	0.11	0.11
GENDER						
Male	0.43	0.43	0.24	0.23	0.18	0.17
Female	0.30	0.36	0.17	0.20	0.13	0.12
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.28	0.30	0.15	0.16	0.10	0.11
White	0.31	0.34	0.17	0.18	0.11	0.11
Black or African American	0.81	0.71	0.40	0.48	0.30	0.37
American Indian or Alaska Native	2.78	3.27	1.96	1.68	1.57	1.27
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.98	1.40	0.69	0.90	0.44	0.79
Two or More Races	2.47	3.16	1.42	1.98	1.24	1.09
Hispanic or Latino	0.83	0.73	0.51	0.41	0.43	0.33
EDUCATION						
< High School	0.69	0.67	0.43	0.44	0.31	0.34
High School Graduate	0.44	0.50	0.25	0.29	0.18	0.22
Some College	0.57	0.55	0.34	0.31	0.21	0.19
College Graduate	0.52	0.48	0.24	0.23	0.17	0.14
CURRENT EMPLOYMENT						
Full-Time	0.38	0.40	0.21	0.21	0.13	0.15
Part-Time	0.73	0.84	0.38	0.53	0.25	0.34
Unemployed	2.09	1.94	1.50	1.17	1.27	0.79
Other ¹	0.40	0.41	0.23	0.23	0.20	0.16

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.57P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.7434		0.9627		0.8654	
GENDER						
Male	0.0914		0.4125		0.5012	
Female	0.1305		0.3700		0.5624	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8284		0.5347		0.4053	
White	0.5172		0.6701		0.3711	
Black or African American	0.0883		0.7306		0.8201	
American Indian or Alaska Native	0.9274		0.5062		0.5103	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6443		0.9434		0.5305	
Two or More Races	0.1859		0.4099		0.7862	
Hispanic or Latino	0.1418		0.1243		0.2391	
EDUCATION						
< High School	0.2905		0.8309		0.6168	
High School Graduate	0.9953		0.8979		0.5555	
Some College	0.9812		0.8713		0.9878	
College Graduate	0.9556		0.8130		0.3686	
CURRENT EMPLOYMENT						
Full-Time	0.2047		0.5929		0.4016	
Part-Time	0.0776		0.0195		0.0812	
Unemployed	0.7428		0.6811		0.3186	
Other ¹	0.6913		0.5334		0.1430	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.58C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	532	557	298	312	210	212
GENDER						
Male	408	409	237	224	165	162
Female	318	370	180	208	129	129
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	503	527	278	290	186	192
White	490	521	253	265	166	163
Black or African American	186	168	92	108	70	81
American Indian or Alaska Native	27	35	19	21	15	18
Native Hawaiian or Other Pacific Islander	*	21	10	15	2	*
Asian	85	119	59	75	35	65
Two or More Races	50	65	28	40	24	22
Hispanic or Latino	201	187	123	109	102	83
EDUCATION						
< High School	235	225	143	144	98	109
High School Graduate	281	322	160	178	114	131
Some College	285	304	164	162	100	94
College Graduate	319	296	140	139	99	79
CURRENT EMPLOYMENT						
Full-Time	465	484	244	242	153	167
Part-Time	182	203	95	126	59	80
Unemployed	113	105	77	62	64	40
Other ¹	250	248	140	143	114	97

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.58D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.24	0.25	0.13	0.14	0.10	0.10
GENDER						
Male	0.38	0.38	0.22	0.21	0.15	0.15
Female	0.28	0.32	0.16	0.18	0.11	0.11
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.26	0.27	0.14	0.15	0.10	0.10
White	0.29	0.31	0.16	0.17	0.11	0.10
Black or African American	0.69	0.63	0.36	0.41	0.27	0.31
American Indian or Alaska Native	2.58	3.14	1.79	1.88	1.38	1.62
Native Hawaiian or Other Pacific Islander	*	3.31	1.26	2.39	0.26	*
Asian	0.91	1.21	0.63	0.77	0.38	0.68
Two or More Races	2.17	2.58	1.29	1.70	1.06	0.93
Hispanic or Latino	0.70	0.63	0.43	0.37	0.35	0.28
EDUCATION						
< High School	0.61	0.60	0.39	0.39	0.27	0.29
High School Graduate	0.39	0.44	0.23	0.26	0.16	0.19
Some College	0.48	0.48	0.30	0.28	0.18	0.16
College Graduate	0.50	0.46	0.23	0.22	0.16	0.13
CURRENT EMPLOYMENT						
Full-Time	0.35	0.36	0.20	0.20	0.12	0.14
Part-Time	0.59	0.66	0.33	0.42	0.20	0.26
Unemployed	1.48	1.36	1.07	0.86	0.88	0.56
Other ¹	0.37	0.39	0.22	0.22	0.18	0.15

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.58P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.5304		0.7301		0.8252	
GENDER						
Male	0.0701		0.3148		0.8802	
Female	0.2348		0.5020		0.5833	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9201		0.8916		0.5999	
White	0.8807		0.8556		0.6670	
Black or African American	0.2346		0.4795		0.8009	
American Indian or Alaska Native	0.9106		0.6925		0.9709	
Native Hawaiian or Other Pacific Islander	*		0.3576		*	
Asian	0.9127		0.6986		0.5128	
Two or More Races	0.0878		0.2143		0.9782	
Hispanic or Latino	0.1421		0.2385		0.1352	
EDUCATION						
< High School	0.1875		0.5917		0.6676	
High School Graduate	0.8598		0.7974		0.5859	
Some College	0.9098		0.9545		0.5707	
College Graduate	1.0000		0.6729		0.3120	
CURRENT EMPLOYMENT						
Full-Time	0.1891		0.4707		0.7126	
Part-Time	0.2485		0.1091		0.1246	
Unemployed	0.7385		0.8515		0.3041	
Other ¹	0.8776		0.5556		0.1372	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.