

Table 1.59C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	899	974	566	596	427	445
GEOGRAPHIC DIVISION						
Northeast	363	377	226	227	176	166
New England	193	186	115	103	85	76
Middle Atlantic	309	326	196	203	154	146
Midwest	352	379	225	218	166	167
East North Central	295	296	183	183	136	140
West North Central	197	227	121	113	93	86
South	592	637	325	358	236	260
South Atlantic	455	496	252	274	185	201
East South Central	192	221	111	139	85	100
West South Central	297	300	160	177	121	131
West	486	508	329	343	255	257
Mountain	196	215	137	160	114	128
Pacific	442	455	297	304	228	222
COUNTY TYPE						
Large Metro	1,091	1,128	490	487	360	343
Small Metro	694	820	305	358	219	256
250K – 1 Mil. Pop.	540	714	248	307	179	218
< 250K Pop.	458	512	181	195	129	140
Nonmetro	551	540	205	221	155	155
Urbanized	349	404	139	169	88	99
Less Urbanized	436	365	147	159	114	119
Completely Rural	221	210	85	40	67	32

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.59D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.37	0.39	0.23	0.24	0.17	0.18
GEOGRAPHIC DIVISION						
Northeast	0.79	0.82	0.49	0.50	0.38	0.36
New England	1.61	1.55	0.96	0.86	0.70	0.63
Middle Atlantic	0.91	0.96	0.58	0.60	0.46	0.43
Midwest	0.64	0.69	0.41	0.40	0.30	0.30
East North Central	0.77	0.77	0.48	0.48	0.35	0.37
West North Central	1.20	1.38	0.74	0.69	0.57	0.52
South	0.66	0.71	0.37	0.40	0.26	0.29
South Atlantic	0.97	1.04	0.53	0.58	0.39	0.42
East South Central	1.32	1.50	0.76	0.94	0.58	0.68
West South Central	1.09	1.09	0.59	0.64	0.44	0.47
West	0.86	0.89	0.58	0.60	0.45	0.45
Mountain	1.16	1.24	0.81	0.93	0.67	0.74
Pacific	1.11	1.14	0.75	0.76	0.58	0.56
COUNTY TYPE						
Large Metro	0.54	0.58	0.34	0.34	0.26	0.25
Small Metro	0.65	0.64	0.40	0.42	0.29	0.32
250K – 1 Mil. Pop.	0.73	0.80	0.48	0.52	0.36	0.38
< 250K Pop.	1.24	1.16	0.69	0.72	0.51	0.56
Nonmetro	0.78	0.90	0.44	0.48	0.36	0.36
Urbanized	1.24	1.34	0.72	0.78	0.47	0.51
Less Urbanized	1.19	1.25	0.61	0.70	0.52	0.56
Completely Rural	2.39	2.87	1.42	0.66	1.27	0.55

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.59P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.1453		0.7139		0.2817	
GEOGRAPHIC DIVISION						
Northeast	0.7254		0.1358		0.0346	
New England	0.3244		0.1511		0.1095	
Middle Atlantic	0.3537		0.3358		0.1228	
Midwest	0.0358		0.7681		0.8531	
East North Central	0.1068		0.9842		0.9279	
West North Central	0.1773		0.5833		0.6556	
South	0.2142		0.4042		0.9825	
South Atlantic	0.3731		0.3203		0.8439	
East South Central	0.2417		0.4234		0.8228	
West South Central	0.7592		0.6810		0.6245	
West	0.5931		0.8375		0.8068	
Mountain	0.7223		0.6507		0.6775	
Pacific	0.6612		0.9914		0.5966	
COUNTY TYPE						
Large Metro	0.3110		0.7987		0.2651	
Small Metro	0.3740		0.3771		0.7817	
250K – 1 Mil. Pop.	0.9770		0.2136		0.5304	
< 250K Pop.	0.1789		0.8712		0.7338	
Nonmetro	0.5932		0.4535		0.8468	
Urbanized	0.3625		0.1130		0.5633	
Less Urbanized	0.8486		0.2390		0.6734	
Completely Rural	0.5398		0.0001		0.0098	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.60C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	104	103	95	88	67	68
GEOGRAPHIC DIVISION						
Northeast	40	38	38	33	28	23
New England	19	20	18	17	13	13
Middle Atlantic	36	33	34	28	25	19
Midwest	37	42	34	34	26	27
East North Central	31	35	27	30	21	23
West North Central	22	22	22	18	17	14
South	62	65	54	54	38	42
South Atlantic	43	46	37	38	27	31
East South Central	23	23	21	19	14	14
West South Central	38	36	33	33	22	25
West	65	55	57	47	41	39
Mountain	29	25	24	24	16	17
Pacific	58	49	51	41	38	36
COUNTY TYPE						
Large Metro	98	106	86	86	57	61
Small Metro	70	70	57	60	37	37
250K – 1 Mil. Pop.	57	55	47	46	31	28
< 250K Pop.	41	44	33	38	21	23
Nonmetro	45	44	34	34	21	24
Urbanized	30	29	23	22	15	16
Less Urbanized	34	34	26	27	14	15
Completely Rural	14	12	8	10	5	7

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.60D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.41	0.41	0.37	0.35	0.27	0.27
GEOGRAPHIC DIVISION						
Northeast	0.90	0.86	0.85	0.73	0.62	0.51
New England	1.63	1.70	1.57	1.43	1.14	1.12
Middle Atlantic	1.07	0.99	1.01	0.85	0.74	0.56
Midwest	0.66	0.74	0.60	0.61	0.46	0.48
East North Central	0.79	0.88	0.68	0.76	0.52	0.59
West North Central	1.29	1.31	1.29	1.05	0.98	0.81
South	0.67	0.71	0.59	0.60	0.41	0.46
South Atlantic	0.92	1.00	0.79	0.82	0.59	0.67
East South Central	1.55	1.57	1.39	1.31	0.96	0.92
West South Central	1.26	1.21	1.10	1.10	0.73	0.82
West	1.07	0.92	0.94	0.79	0.67	0.65
Mountain	1.62	1.38	1.35	1.33	0.88	0.92
Pacific	1.35	1.17	1.19	0.96	0.89	0.85
COUNTY TYPE						
Large Metro	0.61	0.57	0.56	0.48	0.39	0.40
Small Metro	0.73	0.72	0.64	0.63	0.45	0.45
250K – 1 Mil. Pop.	0.89	0.86	0.78	0.71	0.56	0.53
< 250K Pop.	1.24	1.33	1.08	1.22	0.75	0.85
Nonmetro	0.81	0.83	0.67	0.70	0.47	0.53
Urbanized	1.32	1.20	1.07	1.00	0.82	0.84
Less Urbanized	1.17	1.19	1.01	1.03	0.63	0.70
Completely Rural	2.23	2.40	1.52	2.09	1.05	1.71

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.60P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0217		0.1022		0.5424	
GEOGRAPHIC DIVISION						
Northeast	0.0000		0.0015		0.1035	
New England	0.7993		0.9462		0.8931	
Middle Atlantic	0.0000		0.0004		0.0499	
Midwest	0.5566		0.9193		0.6594	
East North Central	0.6593		0.6590		0.8865	
West North Central	0.0949		0.4080		0.5905	
South	0.8747		0.9725		0.5793	
South Atlantic	0.5154		0.7211		0.9372	
East South Central	0.2753		0.5446		0.6820	
West South Central	0.8026		0.9620		0.1944	
West	0.4881		0.4088		0.7831	
Mountain	0.5781		0.7317		0.3105	
Pacific	0.6086		0.2633		0.4499	
COUNTY TYPE						
Large Metro	0.0194		0.0104		0.1356	
Small Metro	0.4855		0.8341		0.4477	
250K – 1 Mil. Pop.	0.2903		0.7752		0.7550	
< 250K Pop.	0.8221		0.4681		0.3840	
Nonmetro	0.7664		0.4582		0.5318	
Urbanized	0.9614		0.4877		0.2787	
Less Urbanized	0.9295		0.7404		0.6163	
Completely Rural	0.4502		0.8682		0.5267	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.61C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	166	162	157	156	122	127
GEOGRAPHIC DIVISION						
Northeast	70	74	65	67	54	55
New England	29	34	29	33	25	28
Middle Atlantic	63	65	57	56	47	46
Midwest	63	64	63	57	47	47
East North Central	51	49	53	46	40	37
West North Central	36	39	32	31	25	28
South	95	97	91	98	76	70
South Atlantic	70	68	67	71	56	54
East South Central	34	37	35	32	31	24
West South Central	56	57	51	52	37	37
West	90	92	85	88	68	76
Mountain	36	46	33	40	28	32
Pacific	82	80	78	78	63	70
COUNTY TYPE						
Large Metro	253	239	176	170	122	118
Small Metro	175	191	128	139	85	93
250K – 1 Mil. Pop.	144	154	106	113	70	75
< 250K Pop.	99	119	71	82	51	55
Nonmetro	113	118	81	87	56	63
Urbanized	85	78	57	54	40	37
Less Urbanized	80	90	56	68	38	50
Completely Rural	34	32	22	20	15	14

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.61D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.51	0.49	0.48	0.48	0.37	0.39
GEOGRAPHIC DIVISION						
Northeast	1.19	1.26	1.10	1.13	0.91	0.92
New England	1.93	2.25	1.92	2.19	1.65	1.84
Middle Atlantic	1.45	1.49	1.32	1.29	1.08	1.06
Midwest	0.85	0.88	0.85	0.78	0.64	0.65
East North Central	1.00	0.97	1.04	0.91	0.78	0.74
West North Central	1.56	1.75	1.42	1.39	1.11	1.23
South	0.81	0.83	0.78	0.84	0.65	0.60
South Atlantic	1.19	1.15	1.15	1.20	0.95	0.91
East South Central	1.81	1.99	1.84	1.73	1.62	1.30
West South Central	1.42	1.46	1.31	1.34	0.95	0.95
West	1.15	1.18	1.09	1.12	0.87	0.97
Mountain	1.52	1.94	1.42	1.70	1.20	1.34
Pacific	1.51	1.46	1.43	1.42	1.15	1.27
COUNTY TYPE						
Large Metro	0.77	0.70	0.68	0.65	0.54	0.54
Small Metro	0.81	0.93	0.80	0.90	0.64	0.71
250K – 1 Mil. Pop.	1.00	1.16	0.97	1.14	0.79	0.87
< 250K Pop.	1.37	1.49	1.41	1.38	1.19	1.14
Nonmetro	1.04	1.20	1.03	1.10	0.83	0.96
Urbanized	1.63	1.95	1.54	1.53	1.31	1.28
Less Urbanized	1.44	1.62	1.53	1.75	1.17	1.56
Completely Rural	3.61	4.43	2.89	3.82	2.41	3.05

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.61P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0207		0.0750		0.9010	
GEOGRAPHIC DIVISION						
Northeast	0.0024		0.0099		0.1984	
New England	0.4002		0.4061		0.3775	
Middle Atlantic	0.0028		0.0122		0.3315	
Midwest	0.9926		0.6687		0.2467	
East North Central	0.5044		0.9958		0.2245	
West North Central	0.4154		0.4179		0.7571	
South	0.5067		0.5566		0.6319	
South Atlantic	0.7362		0.9768		0.9862	
East South Central	0.3112		0.4867		0.7408	
West South Central	0.9557		0.5127		0.5039	
West	0.2746		0.7305		0.6673	
Mountain	0.1099		0.1744		0.6334	
Pacific	0.6938		0.8031		0.8033	
COUNTY TYPE						
Large Metro	0.0090		0.3494		0.7017	
Small Metro	0.5476		0.1256		0.4935	
250K – 1 Mil. Pop.	0.6182		0.1967		0.4679	
< 250K Pop.	0.7355		0.3964		0.8822	
Nonmetro	0.8436		0.5164		0.8928	
Urbanized	0.9889		0.9737		0.4319	
Less Urbanized	0.6667		0.2878		0.3366	
Completely Rural	0.5563		0.8394		0.8831	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.62C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	854	935	494	529	376	395
GEOGRAPHIC DIVISION						
Northeast	353	369	201	201	162	146
New England	189	181	102	84	75	66
Middle Atlantic	300	319	174	182	144	130
Midwest	341	363	199	194	153	152
East North Central	282	283	159	164	122	126
West North Central	193	221	111	101	87	80
South	576	623	293	311	210	232
South Atlantic	444	482	230	235	162	174
East South Central	194	218	100	130	76	96
West South Central	280	291	141	153	115	115
West	461	481	295	306	230	223
Mountain	189	209	126	146	104	117
Pacific	420	429	265	271	204	190
COUNTY TYPE						
Large Metro	997	1,056	428	432	322	302
Small Metro	624	733	251	296	186	226
250K – 1 Mil. Pop.	486	642	206	252	153	190
< 250K Pop.	411	451	148	159	110	120
Nonmetro	490	477	169	182	137	126
Urbanized	304	348	99	141	70	83
Less Urbanized	379	315	123	120	102	91
Completely Rural	202	189	75	27	63	24

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.62D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.45	0.49	0.26	0.28	0.20	0.21
GEOGRAPHIC DIVISION						
Northeast	0.99	1.04	0.57	0.57	0.46	0.41
New England	2.03	1.94	1.10	0.90	0.80	0.71
Middle Atlantic	1.15	1.22	0.67	0.70	0.55	0.50
Midwest	0.82	0.87	0.48	0.46	0.37	0.36
East North Central	0.97	0.96	0.55	0.56	0.42	0.43
West North Central	1.55	1.76	0.89	0.80	0.70	0.64
South	0.84	0.90	0.43	0.45	0.31	0.34
South Atlantic	1.22	1.30	0.63	0.63	0.44	0.47
East South Central	1.73	1.92	0.89	1.14	0.68	0.85
West South Central	1.37	1.40	0.69	0.74	0.56	0.55
West	1.08	1.11	0.69	0.71	0.54	0.51
Mountain	1.49	1.59	0.99	1.11	0.82	0.89
Pacific	1.40	1.42	0.89	0.90	0.68	0.63
COUNTY TYPE						
Large Metro	0.67	0.73	0.40	0.40	0.30	0.29
Small Metro	0.84	0.80	0.45	0.48	0.34	0.38
250K – 1 Mil. Pop.	0.94	1.01	0.56	0.59	0.42	0.46
< 250K Pop.	1.60	1.43	0.77	0.80	0.59	0.64
Nonmetro	0.98	1.10	0.50	0.54	0.41	0.38
Urbanized	1.59	1.64	0.73	0.94	0.53	0.60
Less Urbanized	1.46	1.50	0.70	0.72	0.60	0.57
Completely Rural	3.05	3.47	1.73	0.67	1.57	0.60

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.62P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0332		0.5782		0.3413	
GEOGRAPHIC DIVISION						
Northeast	0.1866		0.6992		0.1038	
New England	0.4174		0.1946		0.1397	
Middle Atlantic	0.0497		0.8333		0.2885	
Midwest	0.0244		0.9483		0.6940	
East North Central	0.1290		0.9616		0.8652	
West North Central	0.0818		0.8606		0.6572	
South	0.1663		0.2256		0.9223	
South Atlantic	0.3765		0.2910		0.7916	
East South Central	0.1356		0.1954		0.6403	
West South Central	0.7178		0.8451		0.5758	
West	0.7651		0.9471		0.7449	
Mountain	0.9834		0.8773		0.8089	
Pacific	0.7301		0.8714		0.5973	
COUNTY TYPE						
Large Metro	0.0753		0.6252		0.2872	
Small Metro	0.3118		0.8710		0.9792	
250K – 1 Mil. Pop.	0.8517		0.6607		0.8641	
< 250K Pop.	0.1728		0.7470		0.7913	
Nonmetro	0.5881		0.4899		0.6665	
Urbanized	0.3677		0.1258		0.9857	
Less Urbanized	0.9229		0.2215		0.5218	
Completely Rural	0.6953		0.0003		0.0130	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.63C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	896	966	548	592	416	440
GEOGRAPHIC DIVISION						
Northeast	365	378	220	223	174	164
New England	199	185	112	98	83	77
Middle Atlantic	308	327	191	200	153	144
Midwest	352	375	220	213	164	164
East North Central	295	295	179	179	133	137
West North Central	196	224	118	111	91	85
South	595	636	316	354	229	253
South Atlantic	459	495	248	271	180	196
East South Central	191	220	107	137	83	99
West South Central	296	296	154	174	119	125
West	480	497	319	338	248	254
Mountain	194	210	134	156	111	127
Pacific	437	447	288	300	221	220
COUNTY TYPE						
Large Metro	1,071	1,100	473	478	350	340
Small Metro	672	795	292	343	212	250
250K – 1 Mil. Pop.	527	695	241	296	175	212
< 250K Pop.	440	492	169	184	123	135
Nonmetro	537	524	197	215	151	151
Urbanized	336	390	130	162	85	96
Less Urbanized	422	352	140	152	111	117
Completely Rural	215	203	82	37	66	30

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.63D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.41	0.43	0.25	0.27	0.19	0.20
GEOGRAPHIC DIVISION						
Northeast	0.88	0.91	0.53	0.54	0.42	0.40
New England	1.83	1.70	1.03	0.91	0.77	0.70
Middle Atlantic	1.01	1.07	0.63	0.65	0.50	0.47
Midwest	0.72	0.76	0.45	0.43	0.33	0.33
East North Central	0.86	0.86	0.52	0.52	0.39	0.40
West North Central	1.33	1.51	0.80	0.75	0.62	0.57
South	0.75	0.79	0.40	0.44	0.29	0.31
South Atlantic	1.08	1.15	0.58	0.63	0.42	0.46
East South Central	1.45	1.66	0.82	1.04	0.64	0.75
West South Central	1.22	1.20	0.63	0.71	0.49	0.51
West	0.95	0.97	0.63	0.66	0.49	0.50
Mountain	1.29	1.36	0.89	1.01	0.73	0.82
Pacific	1.24	1.25	0.81	0.84	0.62	0.61
COUNTY TYPE						
Large Metro	0.60	0.64	0.37	0.38	0.28	0.28
Small Metro	0.73	0.71	0.43	0.46	0.32	0.35
250K – 1 Mil. Pop.	0.82	0.88	0.53	0.57	0.40	0.42
< 250K Pop.	1.38	1.27	0.74	0.78	0.55	0.60
Nonmetro	0.88	1.00	0.48	0.53	0.39	0.39
Urbanized	1.40	1.46	0.78	0.85	0.52	0.55
Less Urbanized	1.32	1.39	0.66	0.76	0.56	0.62
Completely Rural	2.67	3.18	1.59	0.70	1.40	0.59

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.63P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0966		0.9426		0.3285	
GEOGRAPHIC DIVISION						
Northeast	0.4410		0.2931		0.0609	
New England	0.3394		0.1404		0.1049	
Middle Atlantic	0.1622		0.6501		0.2088	
Midwest	0.0319		0.7864		0.9105	
East North Central	0.1239		0.9653		0.9046	
West North Central	0.1221		0.6785		0.7179	
South	0.2160		0.3837		0.9126	
South Atlantic	0.4162		0.3315		0.8258	
East South Central	0.1931		0.3449		0.7628	
West South Central	0.7451		0.6714		0.4512	
West	0.6303		0.9507		0.8422	
Mountain	0.7576		0.6063		0.7684	
Pacific	0.6891		0.8424		0.6881	
COUNTY TYPE						
Large Metro	0.1978		0.8849		0.3712	
Small Metro	0.4286		0.3934		0.7119	
250K – 1 Mil. Pop.	0.9759		0.2593		0.5135	
< 250K Pop.	0.2037		0.9440		0.8227	
Nonmetro	0.5382		0.5462		0.7626	
Urbanized	0.3567		0.1326		0.6943	
Less Urbanized	0.7820		0.2851		0.6336	
Completely Rural	0.5569		0.0001		0.0068	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.