

**Table 1.64C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	909	964	478	493	357	359
GEOGRAPHIC DIVISION						
Northeast	369	375	205	192	152	133
New England	195	183	106	89	84	64
Middle Atlantic	313	324	178	170	127	115
Midwest	337	369	188	180	139	136
East North Central	282	282	154	145	110	110
West North Central	194	228	103	103	83	78
South	590	626	264	295	189	212
South Atlantic	451	497	219	242	156	174
East South Central	197	216	88	104	70	77
West South Central	292	281	132	139	93	100
West	498	508	281	287	222	205
Mountain	205	215	100	129	81	102
Pacific	451	459	261	257	207	179
COUNTY TYPE						
Large Metro	1,006	1,062	411	392	303	266
Small Metro	654	738	246	283	177	212
250K – 1 Mil. Pop.	514	652	194	235	143	182
< 250K Pop.	422	458	153	152	107	109
Nonmetro	506	492	166	161	131	124
Urbanized	323	367	107	122	76	83
Less Urbanized	394	334	116	112	100	89
Completely Rural	208	184	67	35	48	29

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.64D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.37	0.39	0.19	0.20	0.15	0.14
GEOGRAPHIC DIVISION						
Northeast	0.80	0.82	0.45	0.42	0.33	0.29
New England	1.62	1.52	0.88	0.74	0.70	0.53
Middle Atlantic	0.92	0.96	0.53	0.50	0.37	0.34
Midwest	0.62	0.67	0.34	0.33	0.25	0.25
East North Central	0.74	0.74	0.40	0.38	0.29	0.29
West North Central	1.18	1.38	0.63	0.62	0.51	0.47
South	0.66	0.70	0.30	0.33	0.21	0.24
South Atlantic	0.96	1.05	0.46	0.51	0.33	0.37
East South Central	1.35	1.47	0.60	0.71	0.48	0.52
West South Central	1.07	1.02	0.48	0.50	0.34	0.36
West	0.88	0.89	0.50	0.50	0.39	0.36
Mountain	1.21	1.24	0.59	0.75	0.48	0.59
Pacific	1.14	1.15	0.66	0.64	0.52	0.45
COUNTY TYPE						
Large Metro	0.54	0.57	0.30	0.28	0.22	0.20
Small Metro	0.66	0.62	0.33	0.36	0.24	0.28
250K – 1 Mil. Pop.	0.74	0.78	0.39	0.43	0.30	0.34
< 250K Pop.	1.20	1.11	0.60	0.59	0.43	0.45
Nonmetro	0.77	0.87	0.37	0.37	0.30	0.29
Urbanized	1.20	1.31	0.58	0.61	0.41	0.45
Less Urbanized	1.17	1.16	0.51	0.53	0.46	0.43
Completely Rural	2.48	2.77	1.21	0.63	0.88	0.52

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.64P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0857		0.4667		0.3232	
GEOGRAPHIC DIVISION						
Northeast	0.1286		0.0763		0.0826	
New England	0.3636		0.2388		0.1961	
Middle Atlantic	0.0235		0.1636		0.2156	
Midwest	0.1187		0.7239		0.9111	
East North Central	0.2037		0.8909		0.9077	
West North Central	0.3653		0.6805		0.7465	
South	0.3206		0.6347		0.8088	
South Atlantic	0.4936		0.3541		0.7496	
East South Central	0.1754		0.8894		0.7807	
West South Central	0.9968		0.4796		0.8705	
West	0.8565		0.8396		0.5428	
Mountain	0.8892		0.7865		0.5450	
Pacific	0.7901		0.7286		0.3197	
COUNTY TYPE						
Large Metro	0.1527		0.6880		0.3099	
Small Metro	0.6013		0.3423		0.9240	
250K – 1 Mil. Pop.	0.9889		0.2900		0.7763	
< 250K Pop.	0.4064		0.8315		0.8442	
Nonmetro	0.4384		0.9198		0.6451	
Urbanized	0.0971		0.2021		0.5466	
Less Urbanized	0.8947		0.8563		0.7231	
Completely Rural	0.3591		0.0040		0.0396	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.65C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	87	88	78	75	55	56
GEOGRAPHIC DIVISION						
Northeast	38	32	35	28	24	21
New England	19	17	17	15	11	13
Middle Atlantic	33	27	31	24	21	17
Midwest	33	34	29	31	22	23
East North Central	26	29	22	27	17	20
West North Central	20	17	19	15	14	12
South	50	53	44	44	31	32
South Atlantic	35	40	32	31	22	24
East South Central	19	20	16	17	11	11
West South Central	30	29	25	25	17	19
West	51	49	46	43	32	34
Mountain	22	22	20	20	13	14
Pacific	46	43	41	38	30	32
COUNTY TYPE						
Large Metro	79	78	69	64	45	48
Small Metro	55	54	46	45	31	30
250K – 1 Mil. Pop.	45	43	37	36	26	25
< 250K Pop.	31	32	27	27	18	17
Nonmetro	33	33	27	27	17	19
Urbanized	22	21	17	19	12	14
Less Urbanized	25	25	20	20	11	12
Completely Rural	10	8	6	7	3	5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.65D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.34	0.35	0.31	0.30	0.21	0.22
GEOGRAPHIC DIVISION						
Northeast	0.85	0.71	0.77	0.63	0.52	0.47
New England	1.64	1.46	1.44	1.30	0.96	1.09
Middle Atlantic	0.99	0.81	0.92	0.71	0.62	0.50
Midwest	0.58	0.61	0.50	0.54	0.39	0.41
East North Central	0.65	0.75	0.55	0.69	0.44	0.50
West North Central	1.21	1.01	1.12	0.87	0.84	0.69
South	0.55	0.58	0.48	0.48	0.33	0.35
South Atlantic	0.76	0.86	0.69	0.67	0.48	0.52
East South Central	1.30	1.33	1.09	1.12	0.74	0.75
West South Central	1.01	0.95	0.83	0.84	0.56	0.64
West	0.84	0.82	0.76	0.71	0.53	0.57
Mountain	1.25	1.20	1.14	1.11	0.75	0.77
Pacific	1.08	1.03	0.97	0.89	0.69	0.74
COUNTY TYPE						
Large Metro	0.52	0.48	0.47	0.40	0.31	0.33
Small Metro	0.62	0.63	0.55	0.55	0.39	0.38
250K – 1 Mil. Pop.	0.74	0.77	0.66	0.66	0.48	0.48
< 250K Pop.	1.04	1.07	0.94	0.96	0.67	0.65
Nonmetro	0.68	0.68	0.57	0.60	0.38	0.45
Urbanized	1.05	0.94	0.88	0.94	0.68	0.76
Less Urbanized	1.02	1.03	0.88	0.86	0.53	0.57
Completely Rural	1.82	1.72	1.31	1.54	0.72	1.28

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.65P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0220		0.0957		0.9184	
GEOGRAPHIC DIVISION						
Northeast	0.0026		0.0253		0.4118	
New England	0.9305		0.9367		0.7386	
Middle Atlantic	0.0004		0.0091		0.2364	
Midwest	0.9933		0.6607		0.8781	
East North Central	0.3679		0.3161		0.6135	
West North Central	0.1844		0.4647		0.6528	
South	0.7173		0.9255		0.2092	
South Atlantic	0.6182		0.3482		0.6760	
East South Central	0.9810		0.8181		0.7499	
West South Central	0.9617		0.3835		0.1359	
West	0.1284		0.1458		0.5543	
Mountain	0.4279		0.9614		0.7479	
Pacific	0.1897		0.1133		0.4260	
COUNTY TYPE						
Large Metro	0.0349		0.0133		0.6883	
Small Metro	0.2031		0.5900		1.0000	
250K – 1 Mil. Pop.	0.1659		0.5992		0.9744	
< 250K Pop.	0.7649		0.8363		0.9573	
Nonmetro	0.9023		0.0711		0.1597	
Urbanized	0.4716		0.0483		0.1200	
Less Urbanized	0.8942		0.4449		0.9844	
Completely Rural	0.1260		0.8540		0.2896	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.66C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	175	166	150	150	115	120
GEOGRAPHIC DIVISION						
Northeast	73	78	65	66	52	51
New England	32	35	31	31	25	27
Middle Atlantic	65	69	57	57	45	43
Midwest	68	63	61	54	45	44
East North Central	53	48	52	44	38	35
West North Central	41	39	31	30	24	27
South	97	101	88	92	69	66
South Atlantic	73	71	67	68	52	51
East South Central	35	37	30	31	25	25
West South Central	55	56	47	46	34	32
West	99	96	79	84	60	73
Mountain	40	49	31	41	24	31
Pacific	91	83	72	74	55	66
COUNTY TYPE						
Large Metro	234	218	161	153	111	104
Small Metro	166	173	111	121	74	85
250K – 1 Mil. Pop.	136	143	93	97	60	70
< 250K Pop.	94	102	60	71	44	48
Nonmetro	103	106	72	79	52	59
Urbanized	76	70	51	47	37	34
Less Urbanized	72	83	49	63	34	47
Completely Rural	30	27	19	15	14	12

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.66D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.53	0.51	0.46	0.46	0.35	0.37
GEOGRAPHIC DIVISION						
Northeast	1.25	1.32	1.11	1.11	0.89	0.86
New England	2.08	2.26	2.01	2.03	1.64	1.74
Middle Atlantic	1.50	1.57	1.31	1.30	1.04	0.98
Midwest	0.92	0.87	0.82	0.74	0.60	0.61
East North Central	1.03	0.96	1.01	0.88	0.74	0.69
West North Central	1.81	1.73	1.34	1.31	1.05	1.18
South	0.83	0.86	0.75	0.79	0.59	0.57
South Atlantic	1.24	1.20	1.13	1.15	0.89	0.86
East South Central	1.85	2.00	1.57	1.64	1.31	1.34
West South Central	1.41	1.44	1.21	1.18	0.87	0.81
West	1.26	1.22	1.01	1.07	0.76	0.93
Mountain	1.69	2.06	1.31	1.73	1.04	1.33
Pacific	1.66	1.50	1.32	1.34	1.01	1.20
COUNTY TYPE						
Large Metro	0.79	0.73	0.66	0.63	0.51	0.49
Small Metro	0.87	0.93	0.75	0.83	0.58	0.67
250K – 1 Mil. Pop.	1.08	1.19	0.93	1.03	0.72	0.83
< 250K Pop.	1.46	1.43	1.26	1.31	1.05	1.07
Nonmetro	1.14	1.16	1.01	1.08	0.81	0.92
Urbanized	1.84	1.84	1.51	1.43	1.31	1.23
Less Urbanized	1.52	1.66	1.43	1.78	1.08	1.53
Completely Rural	3.89	4.15	2.86	3.14	2.24	2.64

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.66P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0177		0.3783		0.7235	
GEOGRAPHIC DIVISION						
Northeast	0.0242		0.0975		0.2330	
New England	0.4006		0.4724		0.3006	
Middle Atlantic	0.0342		0.1329		0.4439	
Midwest	0.7656		0.4108		0.1196	
East North Central	0.7667		0.6267		0.1918	
West North Central	0.9164		0.4114		0.3928	
South	0.1302		0.3889		0.6580	
South Atlantic	0.1830		0.7233		0.9574	
East South Central	0.3607		0.5306		0.7202	
West South Central	0.6789		0.4424		0.4682	
West	0.3381		0.9338		0.3759	
Mountain	0.4223		0.5735		0.5549	
Pacific	0.5093		0.7146		0.4876	
COUNTY TYPE						
Large Metro	0.0269		1.0000		0.5588	
Small Metro	0.1336		0.2346		0.8723	
250K – 1 Mil. Pop.	0.2611		0.2064		0.8489	
< 250K Pop.	0.3106		0.7620		0.9852	
Nonmetro	0.5920		0.4737		0.6502	
Urbanized	0.6072		0.7922		0.7218	
Less Urbanized	0.6790		0.4335		0.4012	
Completely Rural	0.4742		0.6510		0.4655	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.67C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	863	921	410	418	311	309
GEOGRAPHIC DIVISION						
Northeast	354	363	178	164	134	112
New England	187	178	91	71	73	53
Middle Atlantic	301	313	154	147	114	98
Midwest	327	349	167	153	127	118
East North Central	270	270	132	122	99	94
West North Central	192	216	96	89	76	70
South	572	612	231	247	166	187
South Atlantic	438	485	193	202	135	154
East South Central	201	214	77	91	61	72
West South Central	278	270	112	116	84	83
West	469	475	246	248	198	172
Mountain	195	208	87	118	70	95
Pacific	424	427	230	218	186	144
COUNTY TYPE						
Large Metro	924	1,003	352	336	268	227
Small Metro	596	666	201	234	150	184
250K – 1 Mil. Pop.	469	590	158	191	121	159
< 250K Pop.	384	408	125	121	91	90
Nonmetro	457	444	138	125	116	96
Urbanized	284	324	79	101	60	72
Less Urbanized	349	294	96	76	91	60
Completely Rural	194	167	59	26	44	24

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.67D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.46	0.48	0.22	0.22	0.17	0.16
GEOGRAPHIC DIVISION						
Northeast	1.00	1.02	0.50	0.46	0.38	0.32
New England	2.00	1.91	0.98	0.76	0.78	0.57
Middle Atlantic	1.15	1.20	0.59	0.56	0.43	0.37
Midwest	0.79	0.83	0.40	0.37	0.31	0.28
East North Central	0.93	0.92	0.45	0.42	0.34	0.32
West North Central	1.54	1.72	0.77	0.71	0.61	0.56
South	0.84	0.89	0.34	0.36	0.24	0.27
South Atlantic	1.20	1.31	0.53	0.54	0.37	0.42
East South Central	1.79	1.88	0.69	0.80	0.55	0.63
West South Central	1.36	1.30	0.55	0.56	0.41	0.40
West	1.10	1.10	0.58	0.57	0.46	0.40
Mountain	1.53	1.58	0.68	0.90	0.55	0.73
Pacific	1.42	1.41	0.77	0.72	0.62	0.48
COUNTY TYPE						
Large Metro	0.68	0.72	0.33	0.32	0.26	0.22
Small Metro	0.85	0.77	0.37	0.40	0.28	0.32
250K – 1 Mil. Pop.	0.96	0.96	0.44	0.48	0.35	0.40
< 250K Pop.	1.53	1.39	0.66	0.63	0.49	0.48
Nonmetro	0.95	1.06	0.41	0.38	0.35	0.30
Urbanized	1.52	1.63	0.60	0.73	0.45	0.54
Less Urbanized	1.43	1.42	0.57	0.48	0.54	0.38
Completely Rural	3.10	3.27	1.43	0.64	1.07	0.60

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.67P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0170		0.9250		0.2414	
GEOGRAPHIC DIVISION						
Northeast	0.0250		0.2967		0.1776	
New England	0.4342		0.3073		0.2696	
Middle Atlantic	0.0023		0.5210		0.3719	
Midwest	0.1184		0.5304		0.5401	
East North Central	0.2383		0.6721		0.6994	
West North Central	0.2987		0.6207		0.6055	
South	0.2007		0.3248		0.7844	
South Atlantic	0.3568		0.1768		0.7683	
East South Central	0.1280		0.6824		0.8530	
West South Central	0.9454		0.5034		0.8353	
West	0.8959		0.9421		0.3836	
Mountain	0.6957		0.5741		0.6337	
Pacific	0.9688		0.8443		0.2120	
COUNTY TYPE						
Large Metro	0.0358		0.9629		0.2089	
Small Metro	0.4073		0.8490		0.9462	
250K – 1 Mil. Pop.	0.7862		0.8663		0.9418	
< 250K Pop.	0.3198		0.9069		0.8385	
Nonmetro	0.4721		0.8726		0.4694	
Urbanized	0.1351		0.3104		0.9372	
Less Urbanized	0.9429		0.9577		0.7450	
Completely Rural	0.4845		0.0107		0.0680	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.68C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	903	952	466	484	350	353
GEOGRAPHIC DIVISION						
Northeast	369	373	201	188	149	132
New England	198	182	104	85	83	64
Middle Atlantic	311	323	174	168	125	114
Midwest	339	364	186	176	137	133
East North Central	284	283	151	142	108	107
West North Central	194	222	103	100	83	77
South	590	624	257	288	187	207
South Atlantic	452	496	213	236	153	171
East South Central	200	215	85	103	68	78
West South Central	289	277	128	134	92	95
West	492	495	272	279	216	200
Mountain	204	212	98	125	78	100
Pacific	444	447	252	251	201	174
COUNTY TYPE						
Large Metro	989	1,042	399	382	298	260
Small Metro	639	722	235	275	171	207
250K – 1 Mil. Pop.	506	640	188	228	140	178
< 250K Pop.	411	444	145	146	102	106
Nonmetro	497	484	161	157	129	121
Urbanized	314	359	102	118	73	81
Less Urbanized	385	327	111	109	99	88
Completely Rural	204	179	65	33	47	28

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.68D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.41	0.43	0.21	0.22	0.16	0.16
GEOGRAPHIC DIVISION						
Northeast	0.89	0.90	0.49	0.45	0.36	0.32
New England	1.83	1.67	0.96	0.78	0.76	0.59
Middle Atlantic	1.02	1.06	0.57	0.55	0.41	0.37
Midwest	0.69	0.74	0.38	0.36	0.28	0.27
East North Central	0.83	0.82	0.44	0.41	0.32	0.31
West North Central	1.31	1.50	0.70	0.67	0.56	0.52
South	0.74	0.77	0.32	0.36	0.23	0.26
South Atlantic	1.07	1.16	0.50	0.55	0.36	0.40
East South Central	1.52	1.62	0.65	0.78	0.52	0.59
West South Central	1.19	1.13	0.53	0.55	0.38	0.39
West	0.98	0.97	0.54	0.55	0.43	0.39
Mountain	1.35	1.37	0.65	0.81	0.52	0.65
Pacific	1.26	1.25	0.71	0.70	0.57	0.49
COUNTY TYPE						
Large Metro	0.60	0.63	0.32	0.31	0.24	0.22
Small Metro	0.74	0.68	0.35	0.39	0.27	0.30
250K – 1 Mil. Pop.	0.83	0.85	0.43	0.47	0.33	0.37
< 250K Pop.	1.33	1.23	0.64	0.64	0.46	0.48
Nonmetro	0.86	0.96	0.41	0.40	0.33	0.32
Urbanized	1.35	1.44	0.63	0.67	0.45	0.49
Less Urbanized	1.29	1.29	0.55	0.59	0.51	0.48
Completely Rural	2.74	3.04	1.34	0.67	0.98	0.57

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.68P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0600		0.6511		0.3129	
GEOGRAPHIC DIVISION						
Northeast	0.0766		0.1454		0.1071	
New England	0.3543		0.2323		0.1781	
Middle Atlantic	0.0103		0.3066		0.2911	
Midwest	0.1270		0.6730		0.8931	
East North Central	0.2521		0.7576		0.9746	
West North Central	0.3004		0.7662		0.8007	
South	0.3215		0.6064		0.9673	
South Atlantic	0.4855		0.2740		0.7887	
East South Central	0.1780		0.9177		0.7393	
West South Central	0.9811		0.3712		0.9156	
West	0.9522		0.9612		0.6012	
Mountain	0.8417		0.7712		0.5685	
Pacific	0.8731		0.9370		0.3795	
COUNTY TYPE						
Large Metro	0.0988		0.9834		0.3343	
Small Metro	0.6660		0.4142		0.9401	
250K – 1 Mil. Pop.	0.9461		0.3538		0.7841	
< 250K Pop.	0.4325		0.8744		0.8268	
Nonmetro	0.4002		0.8330		0.4987	
Urbanized	0.1086		0.3301		0.7334	
Less Urbanized	0.8111		0.9943		0.7187	
Completely Rural	0.3793		0.0041		0.0254	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.