

**Table 1.69C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	655	660	230	242	153	149
GEOGRAPHIC DIVISION						
Northeast	265	260	106	72	72	50
New England	154	118	56	36	28	17
Middle Atlantic	218	232	90	63	67	47
Midwest	231	242	89	83	54	48
East North Central	174	203	69	77	44	46
West North Central	149	127	55	36	32	18
South	386	370	135	159	91	91
South Atlantic	306	301	112	137	76	77
East South Central	139	139	52	41	35	23
West South Central	174	170	65	65	42	42
West	388	381	116	142	82	92
Mountain	157	173	51	88	43	64
Pacific	352	337	105	112	69	67
COUNTY TYPE						
Large Metro	610	590	195	193	135	116
Small Metro	334	378	108	126	67	86
250K – 1 Mil. Pop.	276	335	95	107	62	74
< 250K Pop.	197	213	59	65	27	42
Nonmetro	229	261	60	87	33	39
Urbanized	148	203	34	74	25	33
Less Urbanized	168	160	49	45	22	18
Completely Rural	86	54	12	11	0	8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.69D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.27	0.27	0.09	0.10	0.06	0.06
GEOGRAPHIC DIVISION						
Northeast	0.58	0.57	0.23	0.16	0.16	0.11
New England	1.28	0.98	0.46	0.30	0.24	0.14
Middle Atlantic	0.64	0.69	0.27	0.19	0.20	0.14
Midwest	0.42	0.44	0.16	0.15	0.10	0.09
East North Central	0.46	0.53	0.18	0.20	0.11	0.12
West North Central	0.91	0.77	0.33	0.22	0.19	0.11
South	0.43	0.41	0.15	0.18	0.10	0.10
South Atlantic	0.65	0.63	0.24	0.29	0.16	0.16
East South Central	0.95	0.94	0.35	0.28	0.24	0.16
West South Central	0.64	0.61	0.24	0.24	0.16	0.15
West	0.69	0.67	0.21	0.25	0.14	0.16
Mountain	0.93	1.00	0.30	0.51	0.25	0.37
Pacific	0.89	0.84	0.26	0.28	0.17	0.17
COUNTY TYPE						
Large Metro	0.40	0.40	0.15	0.14	0.10	0.09
Small Metro	0.43	0.42	0.15	0.17	0.09	0.12
250K – 1 Mil. Pop.	0.54	0.53	0.20	0.21	0.13	0.15
< 250K Pop.	0.71	0.72	0.24	0.26	0.11	0.17
Nonmetro	0.47	0.55	0.14	0.20	0.08	0.09
Urbanized	0.77	0.97	0.20	0.42	0.15	0.19
Less Urbanized	0.69	0.67	0.22	0.21	0.10	0.09
Completely Rural	1.31	0.99	0.26	0.22	0.01	0.16

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.69P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.6837		0.2553		0.0775	
GEOGRAPHIC DIVISION						
Northeast	0.7205		0.0247		0.1046	
New England	0.0322		0.1172		0.0799	
Middle Atlantic	0.4045		0.0966		0.3083	
Midwest	0.7534		0.3715		0.1872	
East North Central	0.5769		0.8848		0.3063	
West North Central	0.8166		0.1508		0.4019	
South	0.6129		0.7160		0.2515	
South Atlantic	0.3147		0.8001		0.9055	
East South Central	0.6037		0.2623		0.0882	
West South Central	0.2980		0.5819		0.3344	
West	0.8024		0.5622		0.9051	
Mountain	0.8330		0.2068		0.7891	
Pacific	0.7089		0.8702		0.9369	
COUNTY TYPE						
Large Metro	0.8178		0.0882		0.0105	
Small Metro	0.8523		0.7174		0.3780	
250K – 1 Mil. Pop.	0.7980		0.8944		0.3287	
< 250K Pop.	0.9239		0.3388		0.9834	
Nonmetro	0.1359		0.1383		0.7387	
Urbanized	0.0774		0.0942		0.7378	
Less Urbanized	0.1338		0.8178		0.3927	
Completely Rural	0.0115		0.9193		0.0158	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.70C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	32	32	28	27	13	13
GEOGRAPHIC DIVISION						
Northeast	11	10	8	9	4	5
New England	4	6	3	4	2	2
Middle Atlantic	10	8	7	8	3	5
Midwest	13	13	12	10	7	6
East North Central	10	11	9	8	6	5
West North Central	8	7	7	6	4	4
South	19	19	16	16	9	7
South Atlantic	13	12	12	10	6	4
East South Central	8	8	4	7	1	3
West South Central	12	13	10	12	6	6
West	20	20	18	16	6	7
Mountain	10	11	9	10	5	4
Pacific	17	17	16	14	3	5
COUNTY TYPE						
Large Metro	26	26	22	22	10	10
Small Metro	17	17	15	14	9	8
250K – 1 Mil. Pop.	14	13	12	11	7	6
< 250K Pop.	11	10	10	9	5	5
Nonmetro	9	12	8	10	2	4
Urbanized	6	8	5	7	2	4
Less Urbanized	7	8	6	6	1	2
Completely Rural	3	3	0	2	*	0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.70D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.13	0.13	0.11	0.11	0.05	0.05
GEOGRAPHIC DIVISION						
Northeast	0.24	0.22	0.17	0.19	0.08	0.12
New England	0.36	0.53	0.28	0.33	0.14	0.20
Middle Atlantic	0.30	0.24	0.20	0.24	0.10	0.15
Midwest	0.23	0.23	0.21	0.18	0.12	0.12
East North Central	0.25	0.28	0.23	0.21	0.14	0.13
West North Central	0.48	0.40	0.44	0.35	0.23	0.22
South	0.21	0.20	0.17	0.18	0.10	0.08
South Atlantic	0.27	0.25	0.25	0.22	0.13	0.09
East South Central	0.56	0.52	0.29	0.45	0.10	0.17
West South Central	0.39	0.43	0.32	0.39	0.20	0.19
West	0.33	0.33	0.30	0.27	0.10	0.11
Mountain	0.53	0.60	0.48	0.53	0.28	0.24
Pacific	0.41	0.39	0.38	0.32	0.07	0.13
COUNTY TYPE						
Large Metro	0.19	0.18	0.16	0.15	0.07	0.07
Small Metro	0.23	0.22	0.20	0.19	0.11	0.11
250K – 1 Mil. Pop.	0.27	0.25	0.23	0.22	0.13	0.11
< 250K Pop.	0.43	0.42	0.39	0.37	0.20	0.20
Nonmetro	0.21	0.28	0.19	0.24	0.05	0.10
Urbanized	0.34	0.47	0.28	0.42	0.10	0.22
Less Urbanized	0.34	0.38	0.31	0.31	0.06	0.10
Completely Rural	0.57	0.63	0.06	0.50	*	0.09

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.70P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.6165		0.5469		0.8239	
GEOGRAPHIC DIVISION						
Northeast	0.8743		0.2300		0.3454	
New England	0.2905		0.3689		0.4322	
Middle Atlantic	0.6507		0.3705		0.5039	
Midwest	0.4818		0.1689		0.5564	
East North Central	0.6865		0.1557		0.5350	
West North Central	0.5045		0.6184		0.8924	
South	0.4226		0.9581		0.3584	
South Atlantic	0.0893		0.0870		0.0765	
East South Central	0.7983		0.2315		0.3002	
West South Central	0.6121		0.3116		0.9151	
West	0.7274		0.5476		0.5129	
Mountain	0.1730		0.3327		0.9214	
Pacific	0.6398		0.1878		0.2901	
COUNTY TYPE						
Large Metro	0.4704		0.6174		0.8298	
Small Metro	0.5916		0.3572		0.4890	
250K – 1 Mil. Pop.	0.8584		0.5490		0.3423	
< 250K Pop.	0.5201		0.4522		0.9886	
Nonmetro	0.2541		0.3641		0.1117	
Urbanized	0.1799		0.2037		0.2158	
Less Urbanized	0.9214		0.5960		0.4544	
Completely Rural	0.6916		0.0422		*	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.71C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	116	117	80	78	41	38
GEOGRAPHIC DIVISION						
Northeast	49	50	36	31	20	16
New England	26	25	22	17	12	7
Middle Atlantic	41	43	29	26	15	15
Midwest	46	44	29	29	16	13
East North Central	39	36	25	26	14	12
West North Central	24	25	15	15	8	7
South	68	70	46	42	24	20
South Atlantic	49	50	35	32	15	16
East South Central	25	25	16	17	11	7
West South Central	38	40	26	22	18	10
West	71	68	47	47	21	24
Mountain	29	32	20	24	12	11
Pacific	65	60	43	40	17	22
COUNTY TYPE						
Large Metro	105	102	69	62	33	28
Small Metro	71	74	40	47	20	24
250K – 1 Mil. Pop.	55	59	34	41	16	22
< 250K Pop.	47	46	23	23	15	9
Nonmetro	43	53	31	33	14	13
Urbanized	26	29	17	18	10	8
Less Urbanized	35	41	24	26	10	9
Completely Rural	12	20	10	9	0	5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.71D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.36	0.36	0.24	0.24	0.13	0.12
GEOGRAPHIC DIVISION						
Northeast	0.83	0.85	0.61	0.53	0.33	0.27
New England	1.72	1.66	1.41	1.12	0.81	0.44
Middle Atlantic	0.95	0.98	0.66	0.60	0.34	0.33
Midwest	0.63	0.60	0.40	0.40	0.22	0.18
East North Central	0.77	0.72	0.50	0.52	0.27	0.23
West North Central	1.04	1.12	0.64	0.65	0.34	0.32
South	0.58	0.60	0.39	0.36	0.21	0.17
South Atlantic	0.84	0.85	0.59	0.54	0.26	0.27
East South Central	1.32	1.34	0.86	0.93	0.57	0.39
West South Central	0.98	1.01	0.67	0.56	0.45	0.24
West	0.91	0.87	0.60	0.59	0.27	0.31
Mountain	1.24	1.38	0.84	1.01	0.52	0.46
Pacific	1.19	1.10	0.79	0.73	0.31	0.40
COUNTY TYPE						
Large Metro	0.53	0.51	0.37	0.34	0.19	0.16
Small Metro	0.61	0.62	0.37	0.41	0.19	0.22
250K – 1 Mil. Pop.	0.72	0.73	0.47	0.52	0.23	0.30
< 250K Pop.	1.16	1.16	0.62	0.61	0.44	0.27
Nonmetro	0.72	0.89	0.54	0.57	0.27	0.25
Urbanized	0.95	1.22	0.68	0.70	0.41	0.37
Less Urbanized	1.21	1.35	0.91	0.93	0.40	0.34
Completely Rural	2.09	4.36	1.84	2.31	0.05	1.34

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.71P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.1847		0.1176		0.0053	
GEOGRAPHIC DIVISION						
Northeast	0.9164		0.4887		0.1781	
New England	0.9123		0.5932		0.1070	
Middle Atlantic	0.8387		0.6442		0.5947	
Midwest	0.7219		0.7016		0.1993	
East North Central	0.7220		0.7650		0.3078	
West North Central	0.9168		0.8185		0.4518	
South	0.0783		0.0850		0.0019	
South Atlantic	0.4583		0.6884		0.5856	
East South Central	0.5851		0.5031		0.0381	
West South Central	0.0617		0.0298		0.0026	
West	0.4719		0.7692		0.9556	
Mountain	0.4496		0.5080		0.4923	
Pacific	0.6728		0.5109		0.6614	
COUNTY TYPE						
Large Metro	0.0989		0.0944		0.0221	
Small Metro	0.5218		0.5752		0.1491	
250K – 1 Mil. Pop.	0.5189		0.7190		0.9077	
< 250K Pop.	0.0674		0.1026		0.0262	
Nonmetro	0.4229		1.0000		0.4064	
Urbanized	0.3047		0.8139		0.1366	
Less Urbanized	0.7579		0.7582		0.4395	
Completely Rural	0.2327		0.7290		0.0606	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.72C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	635	655	210	223	147	143
GEOGRAPHIC DIVISION						
Northeast	257	255	98	65	69	46
New England	151	112	49	33	26	16
Middle Atlantic	211	229	85	56	64	43
Midwest	224	234	82	75	51	47
East North Central	170	197	63	68	41	45
West North Central	143	124	52	34	31	17
South	377	368	127	147	88	89
South Atlantic	300	300	106	129	74	75
East South Central	140	135	47	39	33	23
West South Central	169	165	58	59	38	42
West	370	380	101	132	80	89
Mountain	152	171	45	84	41	63
Pacific	335	338	91	103	69	62
COUNTY TYPE						
Large Metro	586	577	178	178	131	112
Small Metro	321	359	97	113	63	81
250K – 1 Mil. Pop.	265	320	84	95	60	71
< 250K Pop.	185	198	53	57	22	39
Nonmetro	221	245	50	81	30	37
Urbanized	141	192	29	73	23	32
Less Urbanized	159	146	40	34	20	16
Completely Rural	83	47	6	6	*	6

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.72D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.34	0.35	0.11	0.12	0.08	0.08
GEOGRAPHIC DIVISION						
Northeast	0.72	0.72	0.28	0.18	0.20	0.13
New England	1.61	1.20	0.53	0.35	0.28	0.17
Middle Atlantic	0.81	0.87	0.33	0.21	0.25	0.17
Midwest	0.54	0.56	0.20	0.18	0.12	0.11
East North Central	0.58	0.67	0.22	0.23	0.14	0.15
West North Central	1.15	0.99	0.42	0.27	0.25	0.13
South	0.55	0.53	0.19	0.21	0.13	0.13
South Atlantic	0.82	0.81	0.29	0.35	0.20	0.20
East South Central	1.25	1.18	0.42	0.35	0.29	0.20
West South Central	0.83	0.80	0.28	0.28	0.19	0.20
West	0.87	0.88	0.24	0.30	0.19	0.20
Mountain	1.19	1.31	0.35	0.64	0.32	0.48
Pacific	1.12	1.12	0.30	0.34	0.23	0.21
COUNTY TYPE						
Large Metro	0.51	0.52	0.17	0.17	0.13	0.11
Small Metro	0.57	0.54	0.18	0.20	0.12	0.14
250K – 1 Mil. Pop.	0.70	0.69	0.24	0.25	0.17	0.19
< 250K Pop.	0.91	0.91	0.29	0.31	0.12	0.21
Nonmetro	0.60	0.69	0.15	0.25	0.09	0.11
Urbanized	1.00	1.24	0.23	0.55	0.18	0.25
Less Urbanized	0.86	0.83	0.24	0.22	0.12	0.10
Completely Rural	1.64	1.12	0.18	0.14	*	0.14

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.72P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.5349		0.5899		0.3150	
GEOGRAPHIC DIVISION						
Northeast	0.6806		0.0203		0.1621	
New England	0.0241		0.1038		0.1917	
Middle Atlantic	0.4179		0.0837		0.3243	
Midwest	0.7840		0.5569		0.3712	
East North Central	0.6089		0.8502		0.4987	
West North Central	0.8191		0.1931		0.5530	
South	0.3758		0.8360		0.8076	
South Atlantic	0.2227		0.5780		0.9045	
East South Central	0.5318		0.2565		0.2402	
West South Central	0.4843		0.8913		0.9186	
West	0.7422		0.3817		0.9543	
Mountain	0.8461		0.3126		0.6658	
Pacific	0.6531		0.7372		0.7512	
COUNTY TYPE						
Large Metro	0.9277		0.2328		0.0436	
Small Metro	0.8506		0.9472		0.1451	
250K – 1 Mil. Pop.	0.9915		0.8208		0.2430	
< 250K Pop.	0.7802		0.7521		0.3964	
Nonmetro	0.1803		0.1692		0.8171	
Urbanized	0.1193		0.1536		0.9553	
Less Urbanized	0.1047		0.7469		0.4522	
Completely Rural	0.0033		0.7173		*	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.73C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	657	660	227	239	152	149
GEOGRAPHIC DIVISION						
Northeast	266	261	106	72	72	50
New England	156	118	56	35	28	17
Middle Atlantic	218	232	90	62	66	47
Midwest	229	242	87	83	54	48
East North Central	174	204	68	76	43	46
West North Central	146	127	54	35	32	18
South	389	370	134	158	90	91
South Atlantic	308	299	112	137	76	77
East South Central	140	139	51	40	35	23
West South Central	175	168	64	63	42	43
West	387	380	113	140	81	92
Mountain	157	173	50	87	43	64
Pacific	351	337	102	110	69	67
COUNTY TYPE						
Large Metro	609	587	193	190	134	117
Small Metro	332	377	107	125	66	85
250K – 1 Mil. Pop.	274	334	93	106	62	74
< 250K Pop.	195	211	58	64	27	42
Nonmetro	228	261	59	87	33	39
Urbanized	148	202	33	74	25	33
Less Urbanized	167	159	48	44	22	18
Completely Rural	86	54	12	11	0	8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 1.73D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.30	0.30	0.10	0.11	0.07	0.07
GEOGRAPHIC DIVISION						
Northeast	0.64	0.63	0.26	0.17	0.17	0.12
New England	1.43	1.09	0.51	0.32	0.26	0.16
Middle Atlantic	0.71	0.76	0.30	0.20	0.22	0.15
Midwest	0.47	0.49	0.18	0.17	0.11	0.10
East North Central	0.51	0.59	0.20	0.22	0.13	0.13
West North Central	0.99	0.85	0.37	0.24	0.22	0.12
South	0.49	0.46	0.17	0.19	0.11	0.11
South Atlantic	0.73	0.70	0.26	0.32	0.18	0.18
East South Central	1.06	1.05	0.39	0.30	0.27	0.17
West South Central	0.72	0.68	0.26	0.25	0.17	0.17
West	0.77	0.74	0.22	0.27	0.16	0.18
Mountain	1.04	1.12	0.33	0.56	0.28	0.41
Pacific	0.99	0.94	0.29	0.31	0.20	0.19
COUNTY TYPE						
Large Metro	0.45	0.44	0.16	0.16	0.11	0.10
Small Metro	0.49	0.46	0.17	0.18	0.11	0.13
250K – 1 Mil. Pop.	0.61	0.59	0.22	0.23	0.15	0.16
< 250K Pop.	0.79	0.80	0.27	0.29	0.13	0.19
Nonmetro	0.52	0.62	0.15	0.23	0.09	0.10
Urbanized	0.87	1.08	0.22	0.46	0.17	0.22
Less Urbanized	0.76	0.75	0.24	0.23	0.11	0.10
Completely Rural	1.46	1.11	0.29	0.24	0.01	0.17

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 1.73P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.7029		0.2788		0.0789	
GEOGRAPHIC DIVISION						
Northeast	0.7010		0.0181		0.0882	
New England	0.0317		0.1005		0.0674	
Middle Atlantic	0.4069		0.0793		0.2817	
Midwest	0.7399		0.4724		0.2132	
East North Central	0.5754		0.9851		0.3399	
West North Central	0.8324		0.1724		0.4197	
South	0.6044		0.7145		0.2858	
South Atlantic	0.2924		0.6865		1.0000	
East South Central	0.6008		0.1930		0.0739	
West South Central	0.2715		0.4575		0.3391	
West	0.8407		0.5029		0.9501	
Mountain	0.7458		0.2521		0.7811	
Pacific	0.7113		0.9836		0.8738	
COUNTY TYPE						
Large Metro	0.8522		0.0951		0.0111	
Small Metro	0.9585		0.7888		0.3440	
250K – 1 Mil. Pop.	0.9189		0.8648		0.2930	
< 250K Pop.	0.9084		0.4014		0.9789	
Nonmetro	0.1367		0.1690		0.6364	
Urbanized	0.0899		0.1248		0.6499	
Less Urbanized	0.1098		0.7475		0.3667	
Completely Rural	0.0099		0.6949		0.0195	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.