

**Table 2.17A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:  
Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	173,921	172,366	85,999	84,836	72,873	70,939
<b>AGE</b>						
12-17	7,552 <sup>b</sup>	7,012	5,282 <sup>a</sup>	4,992	3,275	3,128
18-25	23,514 <sup>a</sup>	23,006	17,683 <sup>a</sup>	17,133	14,384 <sup>b</sup>	13,694
26 or Older	142,854	142,347	63,034	62,711	55,215	54,118
<b>GENDER</b>						
Male	93,500	92,802	51,249	50,742	43,389	42,369
Female	80,422	79,564	34,751	34,094	29,484	28,570
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	154,833	153,544	75,921	74,883	64,727	63,168
White	129,333	128,856	62,281	61,685	52,884	51,971
Black or African American	17,522	16,983	9,566	9,117	8,477	7,836
American Indian or Alaska Native	971	944	602	607	521	530
Native Hawaiian or Other Pacific Islander	*	490	*	*	*	*
Asian	4,567	4,384	2,126	2,136	1,649	1,633
Two or More Races	1,839	1,888	1,006	1,083	901	964
Hispanic or Latino	19,088	18,822	10,079	9,953	8,145	7,772

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.17B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	70.7 <sup>a</sup>	69.5	35.0	34.2	29.6 <sup>a</sup>	28.6
<b>AGE</b>						
12-17	29.7 <sup>b</sup>	27.8	20.8 <sup>a</sup>	19.8	12.9	12.4
18-25	71.8 <sup>a</sup>	70.3	54.0 <sup>a</sup>	52.3	43.9 <sup>b</sup>	41.8
26 or Older	76.0	75.0	33.5	33.0	29.4	28.5
<b>GENDER</b>						
Male	78.3 <sup>a</sup>	77.2	42.9	42.2	36.4	35.2
Female	63.5	62.4	27.4	26.7	23.3	22.4
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	72.8	71.9	35.7	35.1	30.4	29.6
White	76.8	76.2	37.0	36.5	31.4	30.7
Black or African American	60.2	58.1	32.9	31.2	29.1	26.8
American Indian or Alaska Native	78.8	74.5	48.9	47.9	42.3	41.8
Native Hawaiian or Other Pacific Islander	*	69.1	*	*	*	*
Asian	44.4	41.4	20.7	20.2	16.0	15.4
Two or More Races	69.8	69.0	38.2	39.6	34.2	35.2
Hispanic or Latino	57.1	55.0	30.2	29.1	24.4	22.7

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.18A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	7,552 <sup>b</sup>	7,012	5,282 <sup>a</sup>	4,992	3,275	3,128
<b>GENDER</b>						
Male	4,069	3,932	2,877	2,882	1,810	1,816
Female	3,483 <sup>b</sup>	3,081	2,405 <sup>b</sup>	2,110	1,464 <sup>a</sup>	1,312
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	6,317 <sup>b</sup>	5,894	4,472	4,249	2,829	2,737
White	5,047 <sup>a</sup>	4,748	3,685	3,578	2,379	2,328
Black or African American	899	818	519	477	301	289
American Indian or Alaska Native	58	54	*	39	32	28
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	169	151	123	80	54	44
Two or More Races	126	106	94 <sup>a</sup>	64	60	41
Hispanic or Latino	1,235	1,118	811	743	445	391
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	2,731	2,661	2,046	2,054	1,332	1,321
Female, White, Not Hispanic	2,316 <sup>a</sup>	2,087	1,639	1,524	1,047	1,008
Male, Black, Not Hispanic	474	424	272	264	159	169
Female, Black, Not Hispanic	425	394	247	214	142	121
Male, Hispanic	674	661	424	443	246	246
Female, Hispanic	561 <sup>a</sup>	457	386 <sup>a</sup>	301	199	144

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.18B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	29.7 <sup>b</sup>	27.8	20.8 <sup>a</sup>	19.8	12.9	12.4
<b>GENDER</b>						
Male	31.4	30.5	22.2	22.4	14.0	14.1
Female	28.0 <sup>b</sup>	24.9	19.4 <sup>b</sup>	17.1	11.8 <sup>a</sup>	10.6
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	30.3 <sup>b</sup>	28.6	21.5	20.7	13.6	13.3
White	33.1 <sup>a</sup>	31.5	24.2	23.8	15.6	15.5
Black or African American	23.1	21.3	13.3	12.4	7.7	7.5
American Indian or Alaska Native	43.0	32.5	*	23.3	23.2	16.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	16.4	14.8	12.0	7.9	5.2	4.3
Two or More Races	30.4	25.4	22.6 <sup>a</sup>	15.4	14.5	9.9
Hispanic or Latino	27.1 <sup>a</sup>	24.0	17.8	15.9	9.8	8.4
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	35.1	34.5	26.3	26.6	17.1	17.1
Female, White, Not Hispanic	31.1 <sup>b</sup>	28.4	22.0	20.8	14.0	13.7
Male, Black, Not Hispanic	23.7	21.8	13.6	13.6	7.9	8.7
Female, Black, Not Hispanic	22.5	20.7	13.1	11.2	7.5	6.3
Male, Hispanic	29.0	27.8	18.2	18.6	10.6	10.3
Female, Hispanic	25.2 <sup>b</sup>	20.0	17.3 <sup>b</sup>	13.2	8.9 <sup>a</sup>	6.3

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.19A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	23,514 <sup>a</sup>	23,006	17,683 <sup>a</sup>	17,133	14,384 <sup>b</sup>	13,694
<b>GENDER</b>						
Male	12,652	12,543	10,140	9,970	8,409	8,238
Female	10,863 <sup>b</sup>	10,463	7,543 <sup>a</sup>	7,163	5,974 <sup>b</sup>	5,456
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	19,878 <sup>b</sup>	19,357	15,268 <sup>b</sup>	14,638	12,562 <sup>b</sup>	11,800
White	15,988	15,462	12,457	11,951	10,303 <sup>b</sup>	9,620
Black or African American	2,554	2,527	1,794	1,720	1,490	1,421
American Indian or Alaska Native	164	148	134	119	101	108
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	773	802	570	532	403	392
Two or More Races	264	331	211	257	182	210
Hispanic or Latino	3,636	3,649	2,415	2,494	1,822	1,894
<b>EDUCATION</b>						
< High School	4,581	4,331	3,758	3,594	3,273	3,134
High School Graduate	8,169	7,809	6,383	6,027	5,349	5,028
Some College	7,634	7,742	5,537	5,534	4,285	4,222
College Graduate	3,130	3,124	2,005	1,978	1,476	1,311
<b>CURRENT EMPLOYMENT</b>						
Full-Time	12,044	11,543	8,969	8,545	7,495 <sup>a</sup>	7,028
Part-Time	5,659	5,616	4,172	4,131	3,196	3,129
Unemployed	1,862	1,927	1,541	1,594	1,386	1,381
Other <sup>1</sup>	3,949	3,921	3,000	2,862	2,308	2,156

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.19B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	71.8 <sup>a</sup>	70.3	54.0 <sup>a</sup>	52.3	43.9 <sup>b</sup>	41.8
<b>GENDER</b>						
Male	76.7	76.1	61.5	60.5	51.0	50.0
Female	66.9 <sup>b</sup>	64.4	46.4 <sup>a</sup>	44.1	36.8 <sup>b</sup>	33.6
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	73.9 <sup>b</sup>	71.8	56.7 <sup>b</sup>	54.3	46.7 <sup>b</sup>	43.8
White	79.2 <sup>b</sup>	76.4	61.7 <sup>b</sup>	59.1	51.0 <sup>b</sup>	47.5
Black or African American	56.9	55.9	40.0	38.1	33.2	31.4
American Indian or Alaska Native	90.6	87.7	73.9	70.8	56.1	64.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	50.5	55.5	37.2	36.8	26.3	27.1
Two or More Races	75.9	75.0	60.9	58.1	52.4	47.5
Hispanic or Latino	62.4	63.0	41.4	43.1	31.3	32.7
<b>EDUCATION</b>						
< High School	70.3	69.7	57.6	57.8	50.2	50.4
High School Graduate	72.5 <sup>a</sup>	70.1	56.6 <sup>a</sup>	54.1	47.5 <sup>a</sup>	45.1
Some College	71.9	70.6	52.1	50.5	40.4	38.5
College Graduate	72.3	70.7	46.3	44.8	34.1 <sup>b</sup>	29.7
<b>CURRENT EMPLOYMENT</b>						
Full-Time	76.3	75.3	56.8	55.7	47.5	45.8
Part-Time	68.4	66.7	50.4	49.0	38.6	37.1
Unemployed	74.6	73.8	61.8	61.0	55.6	52.9
Other <sup>1</sup>	63.8	61.6	48.5 <sup>a</sup>	45.0	37.3 <sup>a</sup>	33.9

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.20A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:**  
**Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	142,854	142,347	63,034	62,711	55,215	54,118
<b>GENDER</b>						
Male	76,779	76,327	38,231	37,890	33,169	32,315
Female	66,076	66,020	24,803	24,821	22,045	21,802
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	128,638	128,293	56,181	55,996	49,336	48,631
White	108,298	108,646	46,139	46,156	40,202	40,023
Black or African American	14,069	13,638	7,253	6,920	6,686	6,125
American Indian or Alaska Native	*	743	*	*	389	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3,626	3,431	1,432	1,524	1,193	1,197
Two or More Races	1,449	1,450	701	762	659	713
Hispanic or Latino	14,216	14,054	6,853	6,715	5,879	5,487
<b>EDUCATION</b>						
< High School	21,208	20,366	12,517 <sup>a</sup>	11,140	11,613 <sup>b</sup>	10,086
High School Graduate	43,921	43,019	21,734	21,878	19,866	19,964
Some College	35,642	36,558	15,883	16,129	13,915	13,845
College Graduate	42,084	42,404	12,901	13,564	9,821	10,223
<b>CURRENT EMPLOYMENT</b>						
Full-Time	83,010	82,406	40,653	39,684	34,935	33,571
Part-Time	15,661	15,770	5,865	5,874	5,172	5,015
Unemployed	3,580	3,399	2,479	2,373	2,297	2,172
Other <sup>1</sup>	40,603	40,771	14,036	14,780	12,810	13,360

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.20B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	76.0	75.0	33.5	33.0	29.4	28.5
<b>GENDER</b>						
Male	85.4 <sup>a</sup>	84.0	42.5	41.7	36.9	35.6
Female	67.4	66.7	25.3	25.1	22.5	22.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	78.0	77.2	34.1	33.7	29.9	29.3
White	81.5	81.2	34.7	34.5	30.2	29.9
Black or African American	67.9	65.4	35.0	33.2	32.3	29.4
American Indian or Alaska Native	*	79.6	*	*	42.4	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	46.9	42.2	18.5	18.7	15.4	14.7
Two or More Races	77.3	77.3	37.4	40.6	35.2	38.0
Hispanic or Latino	61.7	59.1	29.7	28.2	25.5	23.1
<b>EDUCATION</b>						
< High School	70.4	67.6	41.5 <sup>b</sup>	37.0	38.5 <sup>b</sup>	33.5
High School Graduate	75.9	75.5	37.6	38.4	34.4	35.0
Some College	79.8	78.6	35.6	34.7	31.2	29.8
College Graduate	76.1	75.4	23.3	24.1	17.8	18.2
<b>CURRENT EMPLOYMENT</b>						
Full-Time	78.5	77.6	38.4	37.4	33.0	31.6
Part-Time	76.0	74.8	28.5	27.9	25.1	23.8
Unemployed	78.5	75.7	54.4	52.9	50.4	48.4
Other <sup>1</sup>	71.3	70.1	24.7	25.4	22.5	23.0

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 2.21A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:**  
**Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	166,369	165,353	80,717	79,844	69,598	67,812
<b>GENDER</b>						
Male	89,431	88,870	48,371	47,859	41,578	40,553
Female	76,938	76,484	32,346	31,985	28,020	27,258
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	148,516	147,650	71,449	70,634	61,898	60,431
White	124,286	124,108	58,596	58,107	50,505	49,642
Black or African American	16,623	16,165	9,047	8,640	8,176	7,546
American Indian or Alaska Native	912	890	558	569	490	502
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4,398	4,233	2,003	2,056	1,595	1,589
Two or More Races	1,713	1,782	912	1,018	841	922
Hispanic or Latino	17,853	17,703	9,268	9,210	7,700	7,381
<b>EDUCATION</b>						
< High School	25,789	24,696	16,275 <sup>a</sup>	14,734	14,887 <sup>b</sup>	13,219
High School Graduate	52,090	50,829	28,117	27,905	25,215	24,992
Some College	43,276	44,300	21,420	21,662	18,199	18,067
College Graduate	45,214	45,528	14,905	15,542	11,297	11,534
<b>CURRENT EMPLOYMENT</b>						
Full-Time	95,054	93,948	49,623	48,230	42,430	40,599
Part-Time	21,320	21,386	10,037	10,004	8,368	8,144
Unemployed	5,442	5,326	4,021	3,967	3,683	3,553
Other <sup>1</sup>	44,552	44,693	17,036	17,643	15,118	15,516

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.21B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	75.4 <sup>a</sup>	74.3	36.6	35.9	31.5 <sup>a</sup>	30.5
<b>GENDER</b>						
Male	84.1 <sup>a</sup>	82.8	45.5	44.6	39.1	37.8
Female	67.3	66.4	28.3	27.8	24.5	23.7
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	77.4	76.5	37.3	36.6	32.3	31.3
White	81.2	80.6	38.3	37.7	33.0	32.2
Black or African American	65.9	63.7	35.9	34.0	32.4	29.7
American Indian or Alaska Native	83.2	80.8	50.9	51.6	44.7	45.6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	47.5	44.2	21.6	21.5	17.2	16.6
Two or More Races	77.1	76.9	41.1	43.9	37.9	39.8
Hispanic or Latino	61.8	59.8	32.1	31.1	26.7	24.9
<b>EDUCATION</b>						
< High School	70.4	68.0	44.4 <sup>b</sup>	40.6	40.6 <sup>b</sup>	36.4
High School Graduate	75.4	74.6	40.7	40.9	36.5	36.7
Some College	78.3	77.1	38.8	37.7	32.9	31.4
College Graduate	75.8	75.1	25.0	25.6	18.9	19.0
<b>CURRENT EMPLOYMENT</b>						
Full-Time	78.2	77.3	40.8	39.7	34.9 <sup>a</sup>	33.4
Part-Time	73.8	72.5	34.7	33.9	29.0	27.6
Unemployed	77.1	75.0	57.0	55.9	52.2	50.0
Other <sup>1</sup>	70.6	69.3	27.0	27.3	24.0	24.0

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.