

Table 2.52A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	162,951	161,831	71,694	70,718	61,568	60,183
GEOGRAPHIC DIVISION						
Northeast	30,158 ^a	29,178	12,473	11,982	10,557	10,244
New England	8,217	7,996	3,131	2,965	2,647	2,467
Middle Atlantic	21,941	21,181	9,341	9,017	7,910	7,777
Midwest	37,429	38,088	17,431	17,327	15,010	14,909
East North Central	25,869	26,374	12,303	11,992	10,552	10,362
West North Central	11,560	11,714	5,127	5,335	4,458	4,547
South	59,489	59,475	27,363	26,785	24,012	22,978
South Atlantic	31,613	31,890	13,411	13,847	11,738	11,887
East South Central	10,333	10,096	5,126	4,649	4,537	4,145
West South Central	17,543	17,489	8,826	8,290	7,736 ^a	6,946
West	35,875	35,089	14,428	14,624	11,990	12,052
Mountain	11,304	10,973	4,762	4,876	4,020	4,185
Pacific	24,571	24,116	9,666	9,748	7,970	7,867
COUNTY TYPE						
Large Metro	86,058	83,604	36,574	35,791	31,079	30,072
Small Metro	47,562	49,718	21,542	21,609	18,570	18,497
250K – 1 Mil. Pop.	31,027	32,953	14,006	14,150	12,011	12,104
< 250K Pop.	16,535	16,765	7,536	7,458	6,559	6,392
Nonmetro	29,331	28,508	13,578	13,318	11,919	11,614
Urbanized	11,148	11,617	5,015	5,494	4,355	4,724
Less Urbanized	15,095	13,785	7,030	6,563	6,182	5,807
Completely Rural	3,088	3,106	1,533	1,261	1,381	1,083

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.52B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	66.2	65.3	29.1	28.5	25.0	24.3
GEOGRAPHIC DIVISION						
Northeast	65.8 ^a	63.6	27.2	26.1	23.0	22.3
New England	68.3	66.5	26.0	24.7	22.0	20.5
Middle Atlantic	64.9	62.6	27.6	26.6	23.4	23.0
Midwest	68.4	69.5	31.9	31.6	27.4	27.2
East North Central	67.6	68.9	32.2	31.3	27.6	27.1
West North Central	70.3	71.0	31.2	32.3	27.1	27.6
South	66.8	66.1	30.7	29.8	27.0	25.5
South Atlantic	67.2	67.0	28.5	29.1	24.9	25.0
East South Central	70.7	68.5	35.1 ^a	31.6	31.0	28.1
West South Central	64.2	63.3	32.3	30.0	28.3 ^a	25.1
West	63.5	61.3	25.5	25.6	21.2	21.1
Mountain	67.0 ^a	63.5	28.2	28.2	23.8	24.2
Pacific	62.0	60.4	24.4	24.4	20.1	19.7
COUNTY TYPE						
Large Metro	64.6 ^a	63.0	27.4	27.0	23.3	22.7
Small Metro	67.3	67.1	30.5	29.2	26.3	25.0
250K – 1 Mil. Pop.	66.9	66.5	30.2	28.6	25.9	24.4
< 250K Pop.	68.3	68.3	31.1	30.4	27.1	26.0
Nonmetro	69.6	69.4	32.2	32.4	28.3	28.3
Urbanized	68.0	69.1	30.6	32.7	26.6	28.1
Less Urbanized	71.4	70.1	33.2	33.4	29.2	29.5
Completely Rural	67.2	67.6	33.3	27.4	30.0 ^a	23.6

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.53A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	6,565 ^b	5,987	4,325 ^b	3,973	2,642	2,495
GEOGRAPHIC DIVISION						
Northeast	1,089 ^b	925	762 ^b	639	482 ^a	407
New England	274	253	183	173	124	119
Middle Atlantic	815 ^b	671	579 ^b	466	358 ^a	289
Midwest	1,516	1,451	991	987	650	627
East North Central	1,048	1,040	673	703	440	456
West North Central	468	411	318	284	210	171
South	2,538	2,388	1,641	1,555	961	990
South Atlantic	1,203	1,163	783	750	449	488
East South Central	519	473	323	289	200	189
West South Central	816	753	534	516	313	314
West	1,422 ^a	1,222	932 ^a	791	549	471
Mountain	484 ^a	415	320	281	193	176
Pacific	939	807	612	510	356	295
COUNTY TYPE						
Large Metro	3,243 ^b	2,832	2,171 ^b	1,890	1,329 ^b	1,142
Small Metro	1,992	1,878	1,319	1,227	824	769
250K – 1 Mil. Pop.	1,269	1,229	833	806	515	515
< 250K Pop.	723	650	486	421	309	254
Nonmetro	1,330	1,276	835	856	489 ^a	584
Urbanized	500	523	320	354	188 ^a	243
Less Urbanized	676	635	422	431	246	302
Completely Rural	154	118	93	71	56	39

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.53B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	25.9 ^b	23.7	17.0 ^b	15.7	10.4	9.9
GEOGRAPHIC DIVISION						
Northeast	24.1 ^b	20.7	16.9 ^b	14.3	10.7	9.1
New England	23.5	21.9	15.7	15.0	10.7	10.3
Middle Atlantic	24.3 ^b	20.3	17.3 ^b	14.1	10.7 ^a	8.7
Midwest	26.7	25.8	17.5	17.6	11.5	11.2
East North Central	26.3	26.4	16.9	17.8	11.1	11.6
West North Central	27.7	24.6	18.8	17.0	12.4	10.2
South	27.7	26.2	17.9	17.0	10.5	10.8
South Atlantic	25.9	25.1	16.8	16.2	9.6	10.5
East South Central	34.9	31.9	21.8	19.5	13.5	12.7
West South Central	27.1	25.0	17.7	17.2	10.4	10.4
West	23.5 ^a	20.2	15.4 ^a	13.1	9.1	7.8
Mountain	27.0 ^a	23.0	17.8	15.6	10.7	9.7
Pacific	22.0	19.1	14.3	12.1	8.4	7.0
COUNTY TYPE						
Large Metro	23.7 ^b	20.7	15.8 ^b	13.8	9.7 ^b	8.3
Small Metro	26.4	25.5	17.5	16.6	10.9	10.4
250K – 1 Mil. Pop.	25.0	24.7	16.4	16.2	10.1	10.3
< 250K Pop.	29.1	27.1	19.6	17.6	12.5	10.6
Nonmetro	32.2	30.6	20.2	20.5	11.9 ^a	14.0
Urbanized	29.9	30.4	19.1	20.6	11.2 ^a	14.2
Less Urbanized	34.0	31.4	21.3	21.3	12.4	14.9
Completely Rural	32.9	27.6	19.8	16.6	11.9	9.2

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.54A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	21,808 ^b	21,206	15,403 ^b	14,787	12,595 ^b	11,845
GEOGRAPHIC DIVISION						
Northeast	3,880 ^a	3,664	2,759 ^b	2,505	2,281 ^b	2,019
New England	1,056	987	769 ^b	659	644 ^b	527
Middle Atlantic	2,824	2,677	1,990	1,846	1,637	1,492
Midwest	5,167	5,054	3,821 ^a	3,648	3,227 ^b	2,984
East North Central	3,599	3,491	2,655	2,560	2,232 ^a	2,094
West North Central	1,568	1,563	1,166	1,088	995 ^a	889
South	7,858 ^a	7,572	5,530	5,301	4,580	4,357
South Atlantic	3,937	3,860	2,692	2,671	2,249	2,185
East South Central	1,354 ^a	1,232	1,034 ^a	904	870	775
West South Central	2,567	2,480	1,804	1,726	1,461	1,397
West	4,903	4,916	3,294	3,333	2,507	2,486
Mountain	1,561	1,511	1,070	1,089	866	865
Pacific	3,342	3,405	2,224	2,244	1,641	1,621
COUNTY TYPE						
Large Metro	11,311	10,825	7,811	7,383	6,323 ^a	5,857
Small Metro	6,835	6,754	4,857	4,782	3,960	3,833
250K – 1 Mil. Pop.	4,491	4,377	3,173	3,102	2,592	2,502
< 250K Pop.	2,343	2,377	1,684	1,681	1,368	1,331
Nonmetro	3,662	3,627	2,736	2,621	2,312	2,155
Urbanized	1,513	1,575	1,119	1,125	934	925
Less Urbanized	1,796	1,769	1,341	1,286	1,129	1,059
Completely Rural	353	282	277	211	249	170

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.54B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	66.6 ^b	64.8	47.0 ^b	45.2	38.5 ^b	36.2
GEOGRAPHIC DIVISION						
Northeast	66.2 ^b	62.1	47.1 ^b	42.4	38.9 ^b	34.2
New England	69.2	64.6	50.4 ^b	43.2	42.2 ^b	34.5
Middle Atlantic	65.1 ^a	61.2	45.9 ^a	42.2	37.7	34.1
Midwest	70.0	69.3	51.8	50.1	43.7 ^a	40.9
East North Central	70.5	69.5	52.0	50.9	43.7	41.7
West North Central	68.7	69.1	51.1	48.1	43.6	39.3
South	67.3 ^a	64.8	47.3	45.4	39.2	37.3
South Atlantic	67.0	65.4	45.8	45.2	38.3	37.0
East South Central	71.5 ^a	65.9	54.6 ^a	48.4	45.9	41.5
West South Central	65.6	63.4	46.1	44.1	37.3	35.7
West	62.8	62.6	42.2	42.4	32.1	31.7
Mountain	66.3	64.1	45.4	46.2	36.8	36.7
Pacific	61.3	61.9	40.8	40.8	30.1	29.5
COUNTY TYPE						
Large Metro	64.5	62.5	44.5	42.7	36.0 ^a	33.8
Small Metro	67.5	65.4	48.0	46.3	39.1	37.1
250K – 1 Mil. Pop.	67.3 ^a	64.7	47.5	45.8	38.8	37.0
< 250K Pop.	67.9	66.9	48.8	47.3	39.6	37.5
Nonmetro	72.3	71.1	54.0	51.4	45.7 ^a	42.3
Urbanized	70.7	69.1	52.3	49.4	43.7	40.6
Less Urbanized	74.3	72.3	55.5	52.5	46.7	43.3
Completely Rural	69.6	75.9	54.5	56.8	49.1	45.9

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.55A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	134,578	134,638	51,965	51,958	46,331	45,843
GEOGRAPHIC DIVISION						
Northeast	25,189	24,589	8,952	8,838	7,794	7,818
New England	6,887	6,756	2,180	2,133	1,879	1,822
Middle Atlantic	18,302	17,833	6,772	6,705	5,915	5,996
Midwest	30,746	31,583	12,619	12,692	11,133	11,298
East North Central	21,222	21,843	8,975	8,729	7,880	7,812
West North Central	9,524	9,740	3,644	3,963	3,253	3,487
South	49,094	49,516	20,192	19,929	18,470	17,631
South Atlantic	26,474	26,867	9,936	10,425	9,041	9,214
East South Central	8,459	8,392	3,768	3,456	3,467	3,181
West South Central	14,160	14,257	6,488	6,047	5,963 ^a	5,236
West	29,550	28,951	10,202	10,500	8,934	9,096
Mountain	9,260	9,046	3,372	3,507	2,961	3,145
Pacific	20,290	19,904	6,831	6,994	5,973	5,951
COUNTY TYPE						
Large Metro	71,504	69,947	26,592	26,518	23,427	23,073
Small Metro	38,735	41,086	15,366	15,600	13,786	13,895
250K – 1 Mil. Pop.	25,267	27,348	10,000	10,243	8,904	9,088
< 250K Pop.	13,469	13,738	5,366	5,357	4,882	4,807
Nonmetro	24,339	23,606	10,007	9,841	9,118	8,875
Urbanized	9,135	9,519	3,577	4,015	3,234	3,555
Less Urbanized	12,623	11,381	5,267	4,847	4,807	4,446
Completely Rural	2,580	2,706	1,163	979	1,077	874

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.55B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	71.6	70.9	27.7	27.4	24.7	24.1
GEOGRAPHIC DIVISION						
Northeast	71.0	69.2	25.2	24.9	22.0	22.0
New England	73.8	72.3	23.4	22.8	20.1	19.5
Middle Atlantic	70.0	68.1	25.9	25.6	22.6	22.9
Midwest	73.8	75.4	30.3	30.3	26.7	27.0
East North Central	72.7	74.5	30.8	29.8	27.0	26.6
West North Central	76.4	77.5	29.2	31.5	26.1	27.8
South	72.0	71.6	29.6	28.8	27.1	25.5
South Atlantic	72.5	72.6	27.2	28.2	24.8	24.9
East South Central	75.3	73.7	33.5	30.4	30.9	28.0
West South Central	69.4	68.8	31.8	29.2	29.2 ^a	25.3
West	69.3	66.8	23.9	24.2	21.0	21.0
Mountain	72.7	69.0	26.5	26.7	23.3	24.0
Pacific	67.9	65.9	22.9	23.1	20.0	19.7
COUNTY TYPE						
Large Metro	70.1	68.8	26.1	26.1	23.0	22.7
Small Metro	73.2	72.9	29.0	27.7	26.0	24.6
250K – 1 Mil. Pop.	72.9	72.3	28.9	27.1	25.7	24.0
< 250K Pop.	73.6	73.9	29.3	28.8	26.7	25.9
Nonmetro	73.8	74.2	30.4	30.9	27.7	27.9
Urbanized	72.6	74.3	28.4	31.3	25.7	27.8
Less Urbanized	75.4	74.9	31.4	31.9	28.7	29.3
Completely Rural	71.3	71.2	32.1	25.8	29.7	23.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.56A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	156,386	155,844	67,368	66,745	58,926	57,688
GEOGRAPHIC DIVISION						
Northeast	29,069	28,253	11,711	11,343	10,075	9,837
New England	7,943	7,743	2,949	2,792	2,523	2,349
Middle Atlantic	21,126	20,510	8,762	8,551	7,552	7,488
Midwest	35,913	36,637	16,440	16,340	14,360	14,282
East North Central	24,821	25,334	11,631	11,289	10,112	9,906
West North Central	11,092	11,303	4,809	5,051	4,248	4,376
South	56,951	57,087	25,722	25,230	23,050	21,988
South Atlantic	30,411	30,727	12,627	13,096	11,290	11,399
East South Central	9,814	9,624	4,802	4,360	4,337	3,956
West South Central	16,727	16,737	8,292	7,773	7,424 ^a	6,632
West	34,453	33,867	13,496	13,833	11,441	11,581
Mountain	10,821	10,557	4,442	4,595	3,827	4,009
Pacific	23,632	23,309	9,054	9,238	7,614	7,572
COUNTY TYPE						
Large Metro	82,815	80,772	34,402	33,901	29,750	28,930
Small Metro	45,570	47,840	20,223	20,382	17,746	17,728
250K – 1 Mil. Pop.	29,758	31,724	13,173	13,344	11,497	11,589
< 250K Pop.	15,812	16,115	7,049	7,038	6,249	6,139
Nonmetro	28,001	27,233	12,743	12,462	11,430	11,030
Urbanized	10,648	11,095	4,695	5,140	4,168	4,480
Less Urbanized	14,420	13,150	6,608	6,132	5,936	5,505
Completely Rural	2,934	2,988	1,440	1,190	1,325	1,044

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.56B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	70.9	70.0	30.5	30.0	26.7	25.9
GEOGRAPHIC DIVISION						
Northeast	70.3	68.2	28.3	27.4	24.4	23.7
New England	73.2	71.2	27.2	25.7	23.2	21.6
Middle Atlantic	69.3	67.1	28.7	28.0	24.8	24.5
Midwest	73.2	74.5	33.5	33.2	29.3	29.0
East North Central	72.4	73.7	33.9	32.9	29.5	28.8
West North Central	75.2	76.2	32.6	34.1	28.8	29.5
South	71.3	70.6	32.2	31.2	28.9	27.2
South Atlantic	71.7	71.6	29.8	30.5	26.6	26.5
East South Central	74.8	72.6	36.6	32.9	33.0	29.9
West South Central	68.8	68.0	34.1	31.6	30.5 ^a	26.9
West	68.3	66.2	26.8	27.0	22.7	22.6
Mountain	71.7 ^a	68.3	29.4	29.7	25.4	25.9
Pacific	66.9	65.3	25.6	25.9	21.5	21.2
COUNTY TYPE						
Large Metro	69.3	67.9	28.8	28.5	24.9	24.3
Small Metro	72.3	71.7	32.1	30.5	28.1	26.6
250K – 1 Mil. Pop.	72.0	71.2	31.9	29.9	27.8	26.0
< 250K Pop.	72.7	72.8	32.4	31.8	28.7	27.7
Nonmetro	73.6	73.8	33.5	33.8	30.1	29.9
Urbanized	72.3	73.5	31.9	34.1	28.3	29.7
Less Urbanized	75.2	74.5	34.5	34.8	31.0	31.2
Completely Rural	71.1	71.6	34.9	28.5	32.1 ^a	25.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.