

Table 2.57A (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	45,798	45,057	11,302	11,047	8,226	8,059
GEOGRAPHIC DIVISION						
Northeast	6,448	6,325	1,260	1,272	814	853
New England	1,719	1,666	316	355	195	221
Middle Atlantic	4,729	4,659	944	917	618	632
Midwest	11,059	11,431	2,881	3,066	2,071	2,190
East North Central	7,138	7,502	1,804	1,923	1,281	1,397
West North Central	3,921	3,930	1,078	1,143	790	792
South	18,441	17,300	4,979	4,479	3,837	3,422
South Atlantic	8,784	8,557	2,150	2,009	1,660	1,471
East South Central	3,792	3,478	1,113	974	899	775
West South Central	5,865 ^a	5,264	1,716	1,496	1,279	1,175
West	9,850	10,002	2,181	2,230	1,504	1,595
Mountain	3,744	3,806	982	957	672	710
Pacific	6,106	6,195	1,199	1,273	832	885
COUNTY TYPE						
Large Metro	20,082	19,293	3,988	3,865	2,615	2,714
Small Metro	14,206	14,483	3,631	3,733	2,621	2,579
250K – 1 Mil. Pop.	8,719	8,607	2,076	2,137	1,501	1,478
< 250K Pop.	5,487	5,876	1,555	1,596	1,120	1,101
Nonmetro	11,510	11,282	3,683	3,449	2,990	2,766
Urbanized	4,083	4,485	1,139	1,377	894	1,093
Less Urbanized	6,025	5,505	2,004	1,679	1,637	1,349
Completely Rural	1,402	1,293	540	393	458	323

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.57B (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	18.6	18.2	4.6	4.5	3.3	3.3
GEOGRAPHIC DIVISION						
Northeast	14.1	13.8	2.7	2.8	1.8	1.9
New England	14.3	13.9	2.6	3.0	1.6	1.8
Middle Atlantic	14.0	13.8	2.8	2.7	1.8	1.9
Midwest	20.2	20.9	5.3	5.6	3.8	4.0
East North Central	18.7	19.6	4.7	5.0	3.3	3.6
West North Central	23.9	23.8	6.6	6.9	4.8	4.8
South	20.7 ^a	19.2	5.6	5.0	4.3	3.8
South Atlantic	18.7	18.0	4.6	4.2	3.5	3.1
East South Central	25.9	23.6	7.6	6.6	6.2	5.3
West South Central	21.5 ^a	19.0	6.3	5.4	4.7	4.3
West	17.4	17.5	3.9	3.9	2.7	2.8
Mountain	22.2	22.0	5.8	5.5	4.0	4.1
Pacific	15.4	15.5	3.0	3.2	2.1	2.2
COUNTY TYPE						
Large Metro	15.1	14.5	3.0	2.9	2.0	2.0
Small Metro	20.1	19.5	5.1	5.0	3.7	3.5
250K – 1 Mil. Pop.	18.8	17.4	4.5	4.3	3.2	3.0
< 250K Pop.	22.6	23.9	6.4	6.5	4.6	4.5
Nonmetro	27.3	27.5	8.7	8.4	7.1	6.7
Urbanized	24.9	26.7	6.9	8.2	5.5	6.5
Less Urbanized	28.5	28.0	9.5	8.5	7.7	6.9
Completely Rural	30.5	28.1	11.7	8.6	10.0	7.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.58A (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	1,816	1,961	1,219	1,306	601	620
GEOGRAPHIC DIVISION						
Northeast	260	247	197	175	82	81
New England	59	64	52	43	22	17
Middle Atlantic	201	183	145	132	59	64
Midwest	403 ^a	484	265 ^a	323	133	149
East North Central	244 ^b	321	165 ^a	218	80	99
West North Central	159	162	100	105	52	50
South	820	897	509	589	275	303
South Atlantic	306 ^b	421	179 ^b	271	90 ^a	142
East South Central	233	222	149	152	91	84
West South Central	281	254	181	167	94	77
West	333	333	248	218	112	87
Mountain	146	133	108	84	40	37
Pacific	188	200	140	135	72	50
COUNTY TYPE						
Large Metro	664	714	457	492	200	196
Small Metro	599	596	399	384	184	166
250K – 1 Mil. Pop.	350	349	240	228	113	91
< 250K Pop.	249	247	159	157	71	76
Nonmetro	553 ^a	651	362	430	216	257
Urbanized	184 ^a	244	132	166	73	93
Less Urbanized	294	337	185	218	119	138
Completely Rural	75	70	45	45	25	26

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.58B (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	7.2 ^a	7.8	4.8	5.2	2.4	2.5
GEOGRAPHIC DIVISION						
Northeast	5.8	5.5	4.4	3.9	1.8	1.8
New England	5.1	5.6	4.4	3.7	1.9	1.5
Middle Atlantic	6.0	5.5	4.3	4.0	1.8	1.9
Midwest	7.1 ^a	8.6	4.7 ^a	5.8	2.3	2.6
East North Central	6.1 ^b	8.1	4.1 ^a	5.5	2.0	2.5
West North Central	9.4	9.7	5.9	6.3	3.1	3.0
South	9.0	9.8	5.6	6.5	3.0	3.3
South Atlantic	6.6 ^b	9.1	3.9 ^b	5.8	1.9 ^a	3.1
East South Central	15.7	15.0	10.0	10.2	6.1	5.6
West South Central	9.3	8.4	6.0	5.5	3.1	2.6
West	5.5	5.5	4.1	3.6	1.8	1.4
Mountain	8.1	7.4	6.0	4.6	2.2	2.0
Pacific	4.4	4.7	3.3	3.2	1.7	1.2
COUNTY TYPE						
Large Metro	4.8	5.2	3.3	3.6	1.5	1.4
Small Metro	7.9	8.1	5.3	5.2	2.4	2.3
250K – 1 Mil. Pop.	6.9	7.0	4.7	4.6	2.2	1.8
< 250K Pop.	10.0	10.3	6.4	6.5	2.9	3.2
Nonmetro	13.4 ^a	15.6	8.8	10.3	5.2	6.2
Urbanized	11.0 ^a	14.2	7.9	9.7	4.4	5.4
Less Urbanized	14.8	16.6	9.3	10.8	6.0	6.8
Completely Rural	16.1	16.5	9.6	10.6	5.2	6.1

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.59A (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	6,617	6,562	2,859	2,932	1,715	1,718
GEOGRAPHIC DIVISION						
Northeast	981	1,012	452	398	273	235
New England	300	291	131	111	81	54
Middle Atlantic	681	721	321	287	191	181
Midwest	1,784	1,857	800	850	474	488
East North Central	1,138	1,196	494	547	276	311
West North Central	646	661	307	303	199	177
South	2,437	2,302	983	1,048	636	653
South Atlantic	1,127	1,101	461	477	284	271
East South Central	509	460	220	232	153	161
West South Central	801	741	302	338	199	221
West	1,415	1,391	623	636	332	343
Mountain	576	528	272	228	150	137
Pacific	839	863	351	408	182	205
COUNTY TYPE						
Large Metro	2,854	2,722	1,093	1,095	557	596
Small Metro	2,235	2,259	1,000	1,043	636	608
250K – 1 Mil. Pop.	1,373	1,408	576	646	341	386
< 250K Pop.	862	851	423	397	295	222
Nonmetro	1,528	1,581	766	794	522	514
Urbanized	576	668	288	324	181	202
Less Urbanized	746	773	383	390	266	266
Completely Rural	206 ^a	140	94	81	75	46

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.59B (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	20.2	20.0	8.7	9.0	5.2	5.2
GEOGRAPHIC DIVISION						
Northeast	16.7	17.2	7.7	6.7	4.7	4.0
New England	19.6	19.0	8.6	7.3	5.3	3.5
Middle Atlantic	15.7	16.5	7.4	6.6	4.4	4.1
Midwest	24.2	25.5	10.8	11.7	6.4	6.7
East North Central	22.3	23.8	9.7	10.9	5.4	6.2
West North Central	28.3	29.2	13.4	13.4	8.7	7.8
South	20.9	19.7	8.4	9.0	5.4	5.6
South Atlantic	19.2	18.6	7.9	8.1	4.8	4.6
East South Central	26.9	24.6	11.6	12.4	8.1	8.6
West South Central	20.5	18.9	7.7	8.6	5.1	5.7
West	18.1	17.7	8.0	8.1	4.2	4.4
Mountain	24.5	22.4	11.5	9.7	6.4	5.8
Pacific	15.4	15.7	6.4	7.4	3.3	3.7
COUNTY TYPE						
Large Metro	16.3	15.7	6.2	6.3	3.2	3.4
Small Metro	22.1	21.9	9.9	10.1	6.3	5.9
250K – 1 Mil. Pop.	20.6	20.8	8.6	9.5	5.1	5.7
< 250K Pop.	25.0	24.0	12.3	11.2	8.5 ^a	6.3
Nonmetro	30.2	31.0	15.1	15.6	10.3	10.1
Urbanized	26.9	29.3	13.5	14.2	8.4	8.9
Less Urbanized	30.9	31.6	15.9	15.9	11.0	10.9
Completely Rural	40.6	37.6	18.6	21.7	14.8	12.4

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.60A (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	37,364	36,534	7,224	6,810	5,910	5,722
GEOGRAPHIC DIVISION						
Northeast	5,207	5,065	611	699	459	538
New England	1,360	1,310	133	201	92	151
Middle Atlantic	3,847	3,755	478	498	367	387
Midwest	8,873	9,091	1,816	1,893	1,464	1,553
East North Central	5,756	5,985	1,145	1,158	925	987
West North Central	3,117	3,106	671	735	539	566
South	15,184	14,101	3,487 ^a	2,842	2,926	2,466
South Atlantic	7,351	7,035	1,509	1,261	1,286	1,058
East South Central	3,049	2,796	743	590	655	531
West South Central	4,784	4,269	1,234	991	986	877
West	8,101	8,277	1,310	1,375	1,060	1,165
Mountain	3,022	3,145	602	645	482	536
Pacific	5,079	5,132	708	730	578	629
COUNTY TYPE						
Large Metro	16,563	15,856	2,438	2,279	1,857	1,923
Small Metro	11,372	11,628	2,232	2,305	1,801	1,805
250K – 1 Mil. Pop.	6,996	6,850	1,259	1,263	1,047	1,002
< 250K Pop.	4,376	4,777	972	1,042	754	803
Nonmetro	9,429	9,050	2,555	2,226	2,252	1,994
Urbanized	3,323	3,573	718	887	641	799
Less Urbanized	4,985	4,394	1,436	1,071	1,253	945
Completely Rural	1,121	1,082	400	267	358	251

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.60B (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	19.9	19.2	3.8	3.6	3.1	3.0
GEOGRAPHIC DIVISION						
Northeast	14.7	14.3	1.7	2.0	1.3	1.5
New England	14.6	14.0	1.4	2.2	1.0	1.6
Middle Atlantic	14.7	14.3	1.8	1.9	1.4	1.5
Midwest	21.3	21.7	4.4	4.5	3.5	3.7
East North Central	19.7	20.4	3.9	3.9	3.2	3.4
West North Central	25.0	24.7	5.4	5.9	4.3	4.5
South	22.3 ^a	20.4	5.1 ^a	4.1	4.3	3.6
South Atlantic	20.1	19.0	4.1	3.4	3.5	2.9
East South Central	27.1	24.6	6.6	5.2	5.8	4.7
West South Central	23.5 ^a	20.6	6.0	4.8	4.8	4.2
West	19.0	19.1	3.1	3.2	2.5	2.7
Mountain	23.7	24.0	4.7	4.9	3.8	4.1
Pacific	17.0	17.0	2.4	2.4	1.9	2.1
COUNTY TYPE						
Large Metro	16.2	15.6	2.4	2.2	1.8	1.9
Small Metro	21.5	20.6	4.2	4.1	3.4	3.2
250K – 1 Mil. Pop.	20.2 ^a	18.1	3.6	3.3	3.0	2.7
< 250K Pop.	23.9	25.7	5.3	5.6	4.1	4.3
Nonmetro	28.6	28.5	7.8	7.0	6.8	6.3
Urbanized	26.4	27.9	5.7	6.9	5.1	6.2
Less Urbanized	29.8	28.9	8.6	7.1	7.5	6.2
Completely Rural	31.0	28.5	11.1	7.0	9.9	6.6

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.61A (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	43,982	43,096	10,083	9,742	7,625	7,440
GEOGRAPHIC DIVISION						
Northeast	6,188	6,078	1,063	1,098	732	773
New England	1,660	1,601	264	312	173	204
Middle Atlantic	4,528	4,476	799	785	559	568
Midwest	10,656	10,948	2,617	2,743	1,938	2,041
East North Central	6,894	7,181	1,639	1,705	1,200	1,298
West North Central	3,762	3,767	978	1,038	738	743
South	17,621	16,403	4,470	3,890	3,562	3,119
South Atlantic	8,478	8,136	1,971	1,738	1,569	1,329
East South Central	3,559	3,256	964	822	808	692
West South Central	5,584 ^a	5,010	1,535	1,329	1,185	1,098
West	9,516	9,668	1,933	2,012	1,392	1,508
Mountain	3,598	3,673	874	873	632	673
Pacific	5,918	5,995	1,059	1,138	760	834
COUNTY TYPE						
Large Metro	19,418	18,578	3,531	3,374	2,415	2,518
Small Metro	13,607	13,887	3,232	3,348	2,436	2,413
250K – 1 Mil. Pop.	8,369	8,258	1,836	1,909	1,388	1,388
< 250K Pop.	5,238	5,629	1,396	1,440	1,048	1,025
Nonmetro	10,957	10,631	3,321	3,020	2,774	2,509
Urbanized	3,899	4,241	1,007	1,211	821	1,001
Less Urbanized	5,731	5,168	1,819	1,461	1,519	1,211
Completely Rural	1,327	1,222	495	348	434	297

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.61B (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	19.9	19.4	4.6	4.4	3.5	3.3
GEOGRAPHIC DIVISION						
Northeast	15.0	14.7	2.6	2.6	1.8	1.9
New England	15.3	14.7	2.4	2.9	1.6	1.9
Middle Atlantic	14.9	14.7	2.6	2.6	1.8	1.9
Midwest	21.7	22.3	5.3	5.6	4.0	4.1
East North Central	20.1	20.9	4.8	5.0	3.5	3.8
West North Central	25.5	25.4	6.6	7.0	5.0	5.0
South	22.1 ^a	20.3	5.6 ^a	4.8	4.5	3.9
South Atlantic	20.0	19.0	4.6	4.0	3.7	3.1
East South Central	27.1	24.6	7.3	6.2	6.2	5.2
West South Central	23.0 ^a	20.3	6.3	5.4	4.9	4.5
West	18.9	18.9	3.8	3.9	2.8	2.9
Mountain	23.9	23.7	5.8	5.6	4.2	4.4
Pacific	16.7	16.8	3.0	3.2	2.2	2.3
COUNTY TYPE						
Large Metro	16.2	15.6	3.0	2.8	2.0	2.1
Small Metro	21.6	20.8	5.1	5.0	3.9	3.6
250K – 1 Mil. Pop.	20.3 ^a	18.5	4.4	4.3	3.4	3.1
< 250K Pop.	24.1	25.4	6.4	6.5	4.8	4.6
Nonmetro	28.8	28.8	8.7	8.2	7.3	6.8
Urbanized	26.5	28.1	6.8	8.0	5.6	6.6
Less Urbanized	29.9	29.3	9.5	8.3	7.9	6.9
Completely Rural	32.1	29.3	12.0	8.3	10.5	7.1

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.