

Table 2.62A (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	88,660	88,522	26,857	26,649	13,701	13,300
GEOGRAPHIC DIVISION						
Northeast	15,634	15,373	4,832	4,541	2,415	2,227
New England	4,702	4,442	1,324	1,310	640	593
Middle Atlantic	10,931	10,931	3,508	3,231	1,775	1,634
Midwest	21,389	21,508	6,836	6,453	3,578 ^a	3,166
East North Central	14,533	14,874	4,907	4,563	2,596	2,290
West North Central	6,855	6,634	1,929	1,890	981	875
South	31,193	30,851	9,463	9,717	4,922	5,138
South Atlantic	16,420	16,308	4,757	5,142	2,207 ^a	2,823
East South Central	5,485	5,129	1,711	1,564	996	865
West South Central	9,288	9,414	2,995	3,011	1,719	1,451
West	20,445	20,790	5,726	5,938	2,787	2,769
Mountain	6,499	6,927	1,985	2,088	936	1,030
Pacific	13,946	13,862	3,742	3,850	1,851	1,739
COUNTY TYPE						
Large Metro	46,638	45,674	14,538	14,344	7,548	6,853
Small Metro	26,148	27,583	8,020	8,287	3,978	4,290
250K – 1 Mil. Pop.	16,772 ^a	18,152	5,164	5,622	2,558	2,998
< 250K Pop.	9,375	9,431	2,857	2,665	1,419	1,292
Nonmetro	15,874	15,265	4,299	4,018	2,175	2,157
Urbanized	6,189	6,652	1,786	1,767	843	955
Less Urbanized	7,926	7,086	2,038	1,920	1,093	1,052
Completely Rural	1,759	1,527	475	331	239	150

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.62B (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	36.0	35.7	10.9	10.8	5.6	5.4
GEOGRAPHIC DIVISION						
Northeast	34.1	33.5	10.5	9.9	5.3	4.9
New England	39.1	36.9	11.0	10.9	5.3	4.9
Middle Atlantic	32.3	32.3	10.4	9.5	5.2	4.8
Midwest	39.1	39.2	12.5	11.8	6.5 ^a	5.8
East North Central	38.0	38.8	12.8	11.9	6.8	6.0
West North Central	41.7	40.2	11.7	11.5	6.0	5.3
South	35.1	34.3	10.6	10.8	5.5	5.7
South Atlantic	34.9	34.3	10.1	10.8	4.7 ^a	5.9
East South Central	37.5	34.8	11.7	10.6	6.8	5.9
West South Central	34.0	34.1	11.0	10.9	6.3	5.3
West	36.2	36.3	10.1	10.4	4.9	4.8
Mountain	38.5	40.1	11.8	12.1	5.5	6.0
Pacific	35.2	34.7	9.4	9.6	4.7	4.4
COUNTY TYPE						
Large Metro	35.0	34.4	10.9	10.8	5.7	5.2
Small Metro	37.0	37.2	11.4	11.2	5.6	5.8
250K – 1 Mil. Pop.	36.2	36.6	11.1	11.3	5.5	6.0
< 250K Pop.	38.7	38.4	11.8	10.9	5.9	5.3
Nonmetro	37.7	37.2	10.2	9.8	5.2	5.3
Urbanized	37.7	39.6	10.9	10.5	5.1	5.7
Less Urbanized	37.5	36.0	9.6	9.8	5.2	5.3
Completely Rural	38.3	33.2	10.3	7.2	5.2	3.3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.63A (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	3,479	3,290	2,382	2,373	1,049	1,073
GEOGRAPHIC DIVISION						
Northeast	643 ^a	542	467 ^a	394	199	185
New England	166	173	123	130	59	53
Middle Atlantic	477 ^b	369	344 ^b	264	140	131
Midwest	821	796	576	599	285	271
East North Central	547	580	389	434	183	211
West North Central	274 ^a	217	187	165	102 ^b	60
South	1,257	1,232	809	870	357	403
South Atlantic	624	574	405	419	171	196
East South Central	232	253	142	168	72	77
West South Central	401	405	262	283	113	130
West	756	720	530	510	209	214
Mountain	283	257	208	173	81	82
Pacific	473	463	322	337	127	132
COUNTY TYPE						
Large Metro	1,759	1,606	1,213	1,146	540	516
Small Metro	1,067	1,023	745	740	319	323
250K – 1 Mil. Pop.	701	659	481	475	209	206
< 250K Pop.	366	364	264	265	110	117
Nonmetro	653	661	424	486	190	234
Urbanized	237	273	155 ^a	204	61 ^b	101
Less Urbanized	337	334	217	252	106	123
Completely Rural	79	53	52 ^a	30	23	11

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.63B (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	13.7	13.0	9.4	9.4	4.1	4.3
GEOGRAPHIC DIVISION						
Northeast	14.3 ^a	12.2	10.3	8.8	4.4	4.1
New England	14.3	15.0	10.6	11.3	5.1	4.6
Middle Atlantic	14.3 ^b	11.2	10.3 ^a	8.0	4.2	4.0
Midwest	14.5	14.2	10.2	10.7	5.0	4.8
East North Central	13.8	14.7	9.8	11.0	4.6	5.4
West North Central	16.2 ^a	12.9	11.0	9.8	6.0 ^b	3.6
South	13.7	13.5	8.8	9.5	3.9	4.4
South Atlantic	13.4	12.4	8.7	9.0	3.7	4.2
East South Central	15.6	17.1	9.6	11.3	4.9	5.2
West South Central	13.3	13.5	8.7	9.4	3.8	4.3
West	12.5	11.9	8.8	8.4	3.4	3.5
Mountain	15.8	14.2	11.6	9.6	4.5	4.5
Pacific	11.1	10.9	7.6	8.0	3.0	3.1
COUNTY TYPE						
Large Metro	12.8	11.7	8.8	8.4	3.9	3.8
Small Metro	14.1	13.9	9.9	10.0	4.2	4.4
250K – 1 Mil. Pop.	13.8	13.2	9.5	9.5	4.1	4.1
< 250K Pop.	14.7	15.2	10.6	11.1	4.4	4.9
Nonmetro	15.8	15.9	10.3	11.7	4.6	5.6
Urbanized	14.2	15.9	9.3 ^a	11.9	3.7 ^b	5.9
Less Urbanized	16.9	16.5	10.9	12.4	5.4	6.1
Completely Rural	16.9	12.5	11.0	7.1	4.9	2.5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.64A (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	14,132	13,887	7,931	7,756	3,972	3,887
GEOGRAPHIC DIVISION						
Northeast	2,458	2,380	1,378	1,348	609	626
New England	712	710	408	428	168	196
Middle Atlantic	1,746	1,670	970	920	441	429
Midwest	3,644	3,511	2,067	1,980	1,062	1,002
East North Central	2,510	2,401	1,430	1,369	743	706
West North Central	1,134	1,109	637	611	319	297
South	4,707	4,704	2,666	2,593	1,426	1,400
South Atlantic	2,375	2,425	1,313	1,349	697	697
East South Central	868 ^a	764	485	445	273	260
West South Central	1,465	1,515	869	799	457	443
West	3,323	3,293	1,819	1,836	875	859
Mountain	1,096	1,069	582	611	280	284
Pacific	2,227	2,224	1,237	1,225	595	575
COUNTY TYPE						
Large Metro	7,186	6,975	3,940	3,867	2,072	1,971
Small Metro	4,611	4,576	2,621	2,539	1,243	1,221
250K – 1 Mil. Pop.	3,019	2,955	1,704	1,624	779	799
< 250K Pop.	1,592	1,621	918	915	464	422
Nonmetro	2,335	2,337	1,370	1,350	657	695
Urbanized	989	1,111	597	676	272 ^a	351
Less Urbanized	1,114	1,068	654	594	329	304
Completely Rural	232 ^a	157	119	81	57	40

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.64B (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	43.2	42.4	24.2	23.7	12.1	11.9
GEOGRAPHIC DIVISION						
Northeast	41.9	40.3	23.5	22.8	10.4	10.6
New England	46.7	46.5	26.7	28.0	11.0	12.9
Middle Atlantic	40.3	38.2	22.4	21.0	10.2	9.8
Midwest	49.4	48.2	28.0	27.2	14.4	13.8
East North Central	49.2	47.8	28.0	27.2	14.6	14.0
West North Central	49.7	49.0	27.9	27.0	14.0	13.1
South	40.3	40.2	22.8	22.2	12.2	12.0
South Atlantic	40.4	41.1	22.4	22.8	11.9	11.8
East South Central	45.8 ^a	40.9	25.6	23.8	14.4	13.9
West South Central	37.4	38.7	22.2	20.4	11.7	11.3
West	42.5	41.9	23.3	23.4	11.2	10.9
Mountain	46.5	45.4	24.7	25.9	11.9	12.1
Pacific	40.8	40.5	22.7	22.3	10.9	10.5
COUNTY TYPE						
Large Metro	40.9	40.3	22.4	22.3	11.8	11.4
Small Metro	45.5	44.3	25.9	24.6	12.3	11.8
250K – 1 Mil. Pop.	45.2	43.6	25.5	24.0	11.7	11.8
< 250K Pop.	46.1	45.6	26.6	25.7	13.4	11.9
Nonmetro	46.1	45.8	27.1	26.5	13.0	13.6
Urbanized	46.2	48.7	27.9	29.7	12.7	15.4
Less Urbanized	46.1	43.7	27.1	24.3	13.6	12.4
Completely Rural	45.7	42.3	23.4	21.7	11.1	10.8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.65A (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	71,049	71,345	16,544	16,519	8,680	8,340
GEOGRAPHIC DIVISION						
Northeast	12,532	12,450	2,987	2,799	1,607	1,417
New England	3,825	3,558	792	752	413	343
Middle Atlantic	8,707	8,892	2,194	2,048	1,194	1,074
Midwest	16,924	17,201	4,192	3,874	2,231	1,892
East North Central	11,476	11,892	3,087	2,760	1,671	1,374
West North Central	5,447	5,309	1,105	1,114	560	518
South	25,228	24,916	5,987	6,254	3,139	3,335
South Atlantic	13,422	13,310	3,040	3,374	1,339 ^a	1,930
East South Central	4,384	4,111	1,084	951	651	527
West South Central	7,422	7,495	1,863	1,929	1,149	877
West	16,365	16,777	3,377	3,592	1,703	1,696
Mountain	5,120	5,602	1,195	1,303	574	664
Pacific	11,246	11,175	2,182	2,289	1,129	1,032
COUNTY TYPE						
Large Metro	37,692	37,093	9,385	9,331	4,936	4,367
Small Metro	20,470	21,984	4,653	5,007	2,416	2,746
250K – 1 Mil. Pop.	13,053 ^a	14,538	2,979	3,523	1,570	1,993
< 250K Pop.	7,417	7,446	1,675	1,484	846	753
Nonmetro	12,886	12,268	2,506	2,181	1,327	1,227
Urbanized	4,963	5,267	1,034	887	510	503
Less Urbanized	6,475	5,684	1,167	1,074	657	625
Completely Rural	1,448	1,316	305	220	160	99

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.65B (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	37.8	37.6	8.8	8.7	4.6	4.4
GEOGRAPHIC DIVISION						
Northeast	35.3	35.1	8.4	7.9	4.5	4.0
New England	41.0	38.1	8.5	8.0	4.4	3.7
Middle Atlantic	33.3	34.0	8.4	7.8	4.6	4.1
Midwest	40.6	41.1	10.1	9.2	5.4	4.5
East North Central	39.3	40.5	10.6	9.4	5.7	4.7
West North Central	43.7	42.3	8.9	8.9	4.5	4.1
South	37.0	36.0	8.8	9.0	4.6	4.8
South Atlantic	36.7	35.9	8.3	9.1	3.7 ^a	5.2
East South Central	39.0	36.1	9.6	8.4	5.8	4.6
West South Central	36.4	36.2	9.1	9.3	5.6	4.2
West	38.4	38.7	7.9	8.3	4.0	3.9
Mountain	40.2	42.7	9.4	9.9	4.5	5.1
Pacific	37.6	37.0	7.3	7.6	3.8	3.4
COUNTY TYPE						
Large Metro	37.0	36.5	9.2	9.2	4.8	4.3
Small Metro	38.7	39.0	8.8	8.9	4.6	4.9
250K – 1 Mil. Pop.	37.7	38.5	8.6	9.3	4.5	5.3
< 250K Pop.	40.5	40.0	9.2	8.0	4.6	4.1
Nonmetro	39.1	38.6	7.6	6.9	4.0	3.9
Urbanized	39.4	41.1	8.2	6.9	4.1	3.9
Less Urbanized	38.7	37.4	7.0	7.1	3.9	4.1
Completely Rural	40.0	34.6	8.4	5.8	4.4	2.6

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.66A (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	85,181	85,231	24,475	24,276	12,652	12,227
GEOGRAPHIC DIVISION						
Northeast	14,990	14,830	4,365	4,147	2,216	2,043
New England	4,536	4,269	1,201	1,180	581	540
Middle Atlantic	10,454	10,562	3,165	2,967	1,635	1,503
Midwest	20,567	20,711	6,260	5,854	3,293	2,895
East North Central	13,986	14,294	4,517	4,128	2,414	2,079
West North Central	6,581	6,418	1,742	1,725	879	815
South	29,935	29,620	8,654	8,847	4,565	4,735
South Atlantic	15,796	15,735	4,353	4,723	2,036 ^a	2,627
East South Central	5,252	4,875	1,568	1,396	924	787
West South Central	8,887	9,010	2,732	2,728	1,606	1,321
West	19,688	20,070	5,196	5,428	2,578	2,555
Mountain	6,216	6,671	1,777	1,915	854	948
Pacific	13,472	13,399	3,420	3,514	1,724	1,607
COUNTY TYPE						
Large Metro	44,879	44,067	13,324	13,198	7,008	6,338
Small Metro	25,081	26,560	7,275	7,547	3,659	3,967
250K – 1 Mil. Pop.	16,072 ^a	17,493	4,682	5,147	2,349	2,792
< 250K Pop.	9,009	9,067	2,592	2,399	1,310	1,175
Nonmetro	15,221	14,604	3,876	3,531	1,984	1,922
Urbanized	5,952	6,379	1,631	1,563	782	854
Less Urbanized	7,590	6,752	1,821	1,667	987	929
Completely Rural	1,680	1,473	424	301	216	139

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.66B (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	38.6	38.3	11.1	10.9	5.7	5.5
GEOGRAPHIC DIVISION						
Northeast	36.3	35.8	10.6	10.0	5.4	4.9
New England	41.8	39.3	11.1	10.9	5.4	5.0
Middle Atlantic	34.3	34.6	10.4	9.7	5.4	4.9
Midwest	41.9	42.1	12.8	11.9	6.7 ^a	5.9
East North Central	40.8	41.6	13.2	12.0	7.0 ^a	6.1
West North Central	44.6	43.3	11.8	11.6	6.0	5.5
South	37.5	36.7	10.8	10.9	5.7	5.9
South Atlantic	37.3	36.6	10.3	11.0	4.8 ^a	6.1
East South Central	40.0	36.8	11.9	10.5	7.0	5.9
West South Central	36.6	36.6	11.2	11.1	6.6	5.4
West	39.0	39.2	10.3	10.6	5.1	5.0
Mountain	41.2	43.1	11.8	12.4	5.7	6.1
Pacific	38.1	37.5	9.7	9.8	4.9	4.5
COUNTY TYPE						
Large Metro	37.5	37.0	11.1	11.1	5.9	5.3
Small Metro	39.8	39.8	11.5	11.3	5.8	5.9
250K – 1 Mil. Pop.	38.9	39.2	11.3	11.5	5.7	6.3
< 250K Pop.	41.4	40.9	11.9	10.8	6.0	5.3
Nonmetro	40.0	39.6	10.2	9.6	5.2	5.2
Urbanized	40.4	42.3	11.1	10.4	5.3	5.7
Less Urbanized	39.6	38.3	9.5	9.5	5.1	5.3
Completely Rural	40.7	35.3	10.3	7.2	5.2	3.3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.