

Table 2.52C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	863	880	842	849	807	809
GEOGRAPHIC DIVISION						
Northeast	350	367	328	330	316	325
New England	169	179	152	154	148	138
Middle Atlantic	305	319	290	291	278	294
Midwest	319	305	346	353	327	332
East North Central	272	260	278	283	265	267
West North Central	159	159	202	207	187	192
South	524	554	535	534	511	499
South Atlantic	389	427	406	420	393	394
East South Central	186	176	196	187	197	179
West South Central	290	295	273	271	266	255
West	444	477	409	410	382	388
Mountain	162	216	164	211	165	197
Pacific	409	426	376	355	345	337
COUNTY TYPE						
Large Metro	1,431	1,415	768	790	703	715
Small Metro	1,012	1,130	573	604	531	547
250K – 1 Mil. Pop.	781	966	442	527	400	483
< 250K Pop.	682	681	358	333	340	293
Nonmetro	842	809	454	461	423	418
Urbanized	517	550	273	318	250	283
Less Urbanized	698	628	364	341	338	313
Completely Rural	316	346	183	186	171	167

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.52D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.35	0.36	0.34	0.34	0.33	0.33
GEOGRAPHIC DIVISION						
Northeast	0.76	0.80	0.72	0.72	0.69	0.71
New England	1.41	1.49	1.26	1.28	1.23	1.15
Middle Atlantic	0.90	0.94	0.86	0.86	0.82	0.87
Midwest	0.58	0.56	0.63	0.64	0.60	0.61
East North Central	0.71	0.68	0.73	0.74	0.69	0.70
West North Central	0.97	0.97	1.23	1.25	1.14	1.16
South	0.59	0.62	0.60	0.59	0.57	0.56
South Atlantic	0.83	0.90	0.86	0.88	0.84	0.83
East South Central	1.28	1.20	1.34	1.27	1.35	1.22
West South Central	1.06	1.07	1.00	0.98	0.97	0.92
West	0.79	0.83	0.72	0.72	0.68	0.68
Mountain	0.96	1.25	0.97	1.22	0.98	1.14
Pacific	1.03	1.07	0.95	0.89	0.87	0.84
COUNTY TYPE						
Large Metro	0.52	0.51	0.47	0.48	0.45	0.46
Small Metro	0.58	0.64	0.63	0.61	0.59	0.58
250K – 1 Mil. Pop.	0.71	0.78	0.76	0.75	0.70	0.71
< 250K Pop.	1.00	1.13	1.07	1.08	1.06	0.98
Nonmetro	0.76	0.76	0.79	0.79	0.77	0.74
Urbanized	1.30	1.13	1.22	1.14	1.22	1.09
Less Urbanized	0.98	1.04	1.07	1.25	1.04	1.16
Completely Rural	2.44	2.48	2.33	2.43	2.30	2.25

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.52P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0502		0.1943		0.0940	
GEOGRAPHIC DIVISION						
Northeast	0.0389		0.2596		0.4555	
New England	0.3325		0.4409		0.3599	
Middle Atlantic	0.0668		0.3864		0.7127	
Midwest	0.1964		0.7818		0.7783	
East North Central	0.2219		0.4268		0.6021	
West North Central	0.6294		0.4958		0.7720	
South	0.3727		0.2407		0.0624	
South Atlantic	0.8911		0.6161		0.9730	
East South Central	0.1921		0.0434		0.0961	
West South Central	0.5296		0.0839		0.0111	
West	0.0508		0.9925		0.8507	
Mountain	0.0303		0.9919		0.7914	
Pacific	0.2460		0.9929		0.6945	
COUNTY TYPE						
Large Metro	0.0201		0.4617		0.2781	
Small Metro	0.7759		0.1128		0.0892	
250K – 1 Mil. Pop.	0.7233		0.1154		0.1210	
< 250K Pop.	0.9712		0.6246		0.4626	
Nonmetro	0.8577		0.8438		1.0000	
Urbanized	0.4658		0.1928		0.3352	
Less Urbanized	0.3468		0.9335		0.8374	
Completely Rural	0.9143		0.0695		0.0333	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.53C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	103	102	88	87	66	67
GEOGRAPHIC DIVISION						
Northeast	36	37	33	32	28	25
New England	15	18	13	16	11	14
Middle Atlantic	32	32	30	28	26	21
Midwest	40	42	32	37	28	29
East North Central	32	33	26	30	22	24
West North Central	24	24	20	20	16	15
South	68	62	58	56	41	45
South Atlantic	48	45	41	41	29	34
East South Central	27	24	21	19	17	16
West South Central	34	37	31	31	22	25
West	54	54	45	43	34	32
Mountain	27	23	24	21	18	17
Pacific	46	49	38	38	30	27
COUNTY TYPE						
Large Metro	91	93	72	72	54	50
Small Metro	68	70	54	55	39	42
250K – 1 Mil. Pop.	53	55	42	43	29	33
< 250K Pop.	43	44	34	33	26	24
Nonmetro	54	52	39	42	28	32
Urbanized	33	35	25	26	17	20
Less Urbanized	42	38	30	32	22	25
Completely Rural	19	17	13	12	9	7

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.53D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.41	0.40	0.35	0.34	0.26	0.27
GEOGRAPHIC DIVISION						
Northeast	0.80	0.83	0.72	0.72	0.62	0.57
New England	1.30	1.59	1.14	1.37	0.98	1.24
Middle Atlantic	0.97	0.97	0.89	0.84	0.76	0.63
Midwest	0.71	0.74	0.57	0.65	0.49	0.51
East North Central	0.80	0.85	0.65	0.76	0.56	0.60
West North Central	1.42	1.42	1.19	1.21	0.97	0.93
South	0.74	0.68	0.63	0.61	0.45	0.50
South Atlantic	1.04	0.96	0.89	0.88	0.63	0.74
East South Central	1.79	1.65	1.44	1.26	1.15	1.08
West South Central	1.14	1.23	1.03	1.04	0.75	0.82
West	0.89	0.90	0.75	0.72	0.57	0.53
Mountain	1.53	1.30	1.33	1.18	1.00	0.93
Pacific	1.09	1.15	0.90	0.89	0.69	0.64
COUNTY TYPE						
Large Metro	0.57	0.54	0.48	0.45	0.37	0.33
Small Metro	0.71	0.77	0.62	0.64	0.46	0.52
250K – 1 Mil. Pop.	0.85	0.93	0.74	0.78	0.54	0.62
< 250K Pop.	1.16	1.30	1.04	1.08	0.87	0.87
Nonmetro	0.84	0.90	0.74	0.81	0.61	0.67
Urbanized	1.28	1.33	1.21	1.16	0.90	0.98
Less Urbanized	1.35	1.25	1.12	1.16	0.93	0.99
Completely Rural	2.46	2.99	2.18	2.42	1.82	1.69

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.53P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0002		0.0079		0.1531	
GEOGRAPHIC DIVISION						
Northeast	0.0023		0.0091		0.0622	
New England	0.4558		0.6810		0.7931	
Middle Atlantic	0.0019		0.0061		0.0457	
Midwest	0.3596		0.8989		0.6655	
East North Central	0.9531		0.3393		0.5235	
West North Central	0.0945		0.2400		0.1004	
South	0.1169		0.3012		0.6028	
South Atlantic	0.5593		0.5775		0.3605	
East South Central	0.2189		0.2362		0.6433	
West South Central	0.2368		0.7106		0.9534	
West	0.0116		0.0367		0.1079	
Mountain	0.0397		0.2173		0.4786	
Pacific	0.0682		0.0823		0.1399	
COUNTY TYPE						
Large Metro	0.0001		0.0019		0.0059	
Small Metro	0.3854		0.3680		0.4880	
250K – 1 Mil. Pop.	0.7808		0.8264		0.8061	
< 250K Pop.	0.2236		0.1866		0.1376	
Nonmetro	0.1850		0.7963		0.0221	
Urbanized	0.7852		0.3996		0.0357	
Less Urbanized	0.1641		0.9932		0.0653	
Completely Rural	0.1499		0.2977		0.2845	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.54C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	159	151	158	161	156	159
GEOGRAPHIC DIVISION						
Northeast	65	64	65	69	67	67
New England	30	30	29	30	29	27
Middle Atlantic	58	56	58	62	60	61
Midwest	59	60	62	63	63	63
East North Central	49	45	51	47	51	47
West North Central	33	40	36	40	38	41
South	91	92	95	102	97	98
South Atlantic	69	64	70	69	71	70
East South Central	32	38	34	42	38	42
West South Central	47	55	53	60	53	55
West	94	93	91	87	85	86
Mountain	36	47	39	44	37	39
Pacific	86	79	82	75	75	76
COUNTY TYPE						
Large Metro	256	250	192	195	163	168
Small Metro	180	189	143	150	128	122
250K – 1 Mil. Pop.	145	151	114	118	101	100
< 250K Pop.	108	121	87	97	77	75
Nonmetro	130	136	103	104	92	86
Urbanized	96	85	72	62	61	53
Less Urbanized	98	106	77	81	70	65
Completely Rural	37	41	32	36	31	31

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.54D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.48	0.46	0.48	0.49	0.48	0.49
GEOGRAPHIC DIVISION						
Northeast	1.11	1.09	1.12	1.17	1.14	1.14
New England	1.95	1.97	1.88	1.97	1.90	1.75
Middle Atlantic	1.33	1.29	1.34	1.41	1.38	1.40
Midwest	0.80	0.83	0.83	0.86	0.85	0.87
East North Central	0.97	0.89	0.99	0.94	0.99	0.93
West North Central	1.47	1.77	1.59	1.77	1.65	1.83
South	0.78	0.79	0.81	0.87	0.83	0.84
South Atlantic	1.17	1.09	1.20	1.17	1.21	1.19
East South Central	1.67	2.02	1.81	2.25	2.00	2.27
West South Central	1.20	1.41	1.35	1.52	1.36	1.41
West	1.20	1.18	1.17	1.11	1.09	1.10
Mountain	1.54	2.01	1.64	1.88	1.59	1.67
Pacific	1.57	1.45	1.50	1.36	1.38	1.38
COUNTY TYPE						
Large Metro	0.74	0.67	0.71	0.69	0.68	0.70
Small Metro	0.78	0.86	0.81	0.89	0.83	0.87
250K – 1 Mil. Pop.	0.92	1.08	0.97	1.09	0.97	1.05
< 250K Pop.	1.46	1.41	1.42	1.53	1.46	1.50
Nonmetro	0.92	1.10	1.05	1.16	1.08	1.22
Urbanized	1.39	1.79	1.59	1.83	1.59	1.87
Less Urbanized	1.42	1.42	1.46	1.62	1.54	1.78
Completely Rural	2.87	2.73	3.34	3.94	3.39	4.22

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.54P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0044		0.0050		0.0005	
GEOGRAPHIC DIVISION						
Northeast	0.0069		0.0029		0.0025	
New England	0.0780		0.0039		0.0015	
Middle Atlantic	0.0309		0.0491		0.0547	
Midwest	0.5583		0.1370		0.0169	
East North Central	0.3909		0.4061		0.1247	
West North Central	0.8677		0.1714		0.0538	
South	0.0216		0.0904		0.0963	
South Atlantic	0.2796		0.7112		0.4502	
East South Central	0.0329		0.0356		0.1425	
West South Central	0.2037		0.2921		0.3543	
West	0.9139		0.8594		0.7650	
Mountain	0.3495		0.7535		0.9729	
Pacific	0.7294		0.9698		0.7542	
COUNTY TYPE						
Large Metro	0.0504		0.0628		0.0229	
Small Metro	0.0563		0.1579		0.0882	
250K – 1 Mil. Pop.	0.0452		0.2027		0.1580	
< 250K Pop.	0.5984		0.4762		0.2958	
Nonmetro	0.3471		0.0615		0.0230	
Urbanized	0.4138		0.1542		0.1324	
Less Urbanized	0.2204		0.1372		0.1353	
Completely Rural	0.1067		0.6350		0.5242	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.55C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	799	838	790	802	760	763
GEOGRAPHIC DIVISION						
Northeast	324	349	309	314	295	309
New England	148	172	139	149	137	134
Middle Atlantic	287	303	275	276	260	278
Midwest	297	287	324	337	307	317
East North Central	253	249	262	271	251	254
West North Central	150	148	187	198	174	183
South	494	526	506	509	488	476
South Atlantic	365	403	381	398	372	375
East South Central	185	169	191	179	190	172
West South Central	273	278	261	257	257	240
West	410	451	392	390	365	368
Mountain	148	200	155	191	153	181
Pacific	375	406	360	341	330	322
COUNTY TYPE						
Large Metro	1,353	1,343	696	722	648	655
Small Metro	945	1,056	521	542	486	496
250K – 1 Mil. Pop.	729	897	402	471	366	437
< 250K Pop.	627	634	320	298	309	267
Nonmetro	771	749	408	408	386	376
Urbanized	467	496	235	285	222	255
Less Urbanized	624	580	319	290	302	274
Completely Rural	288	309	161	154	153	143

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.55D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.43	0.44	0.42	0.42	0.40	0.40
GEOGRAPHIC DIVISION						
Northeast	0.91	0.98	0.87	0.88	0.83	0.87
New England	1.59	1.84	1.49	1.59	1.47	1.44
Middle Atlantic	1.10	1.16	1.05	1.05	1.00	1.06
Midwest	0.71	0.69	0.78	0.81	0.74	0.76
East North Central	0.87	0.85	0.90	0.92	0.86	0.87
West North Central	1.20	1.17	1.50	1.57	1.39	1.46
South	0.72	0.76	0.74	0.74	0.72	0.69
South Atlantic	1.00	1.09	1.04	1.08	1.02	1.01
East South Central	1.64	1.49	1.70	1.58	1.69	1.51
West South Central	1.34	1.34	1.28	1.24	1.26	1.16
West	0.96	1.04	0.92	0.90	0.86	0.85
Mountain	1.16	1.53	1.22	1.46	1.21	1.38
Pacific	1.25	1.34	1.20	1.13	1.10	1.06
COUNTY TYPE						
Large Metro	0.63	0.63	0.58	0.59	0.55	0.56
Small Metro	0.72	0.78	0.80	0.76	0.75	0.72
250K – 1 Mil. Pop.	0.87	0.93	0.98	0.93	0.89	0.89
< 250K Pop.	1.25	1.41	1.34	1.33	1.34	1.25
Nonmetro	0.95	0.95	0.97	0.98	0.94	0.91
Urbanized	1.63	1.44	1.49	1.47	1.49	1.37
Less Urbanized	1.20	1.26	1.34	1.49	1.30	1.44
Completely Rural	3.08	3.08	2.85	2.78	2.79	2.64

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.55P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.2317		0.6202		0.3523	
GEOGRAPHIC DIVISION						
Northeast	0.1726		0.7688		0.9701	
New England	0.5215		0.8153		0.7610	
Middle Atlantic	0.2254		0.8365		0.8374	
Midwest	0.1306		0.9951		0.8199	
East North Central	0.1724		0.4464		0.7631	
West North Central	0.5018		0.2587		0.3659	
South	0.6920		0.4451		0.1010	
South Atlantic	0.9537		0.5203		0.9245	
East South Central	0.4613		0.1502		0.1840	
West South Central	0.7433		0.1306		0.0158	
West	0.0729		0.8165		0.9842	
Mountain	0.0546		0.8967		0.7047	
Pacific	0.2638		0.8578		0.8352	
COUNTY TYPE						
Large Metro	0.1184		0.9896		0.7099	
Small Metro	0.7656		0.2083		0.1626	
250K – 1 Mil. Pop.	0.6484		0.1860		0.1720	
< 250K Pop.	0.8939		0.7724		0.6372	
Nonmetro	0.7693		0.6639		0.8476	
Urbanized	0.3787		0.1548		0.3034	
Less Urbanized	0.7672		0.8156		0.7586	
Completely Rural	0.9952		0.1110		0.0745	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.56C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	828	854	833	840	799	803
GEOGRAPHIC DIVISION						
Northeast	340	358	325	327	313	321
New England	156	177	148	150	146	134
Middle Atlantic	301	310	288	289	276	291
Midwest	308	298	344	350	325	328
East North Central	262	257	276	282	264	264
West North Central	156	155	200	205	184	188
South	507	536	530	530	508	496
South Atlantic	377	414	401	418	390	393
East South Central	188	177	197	188	196	181
West South Central	279	284	268	267	264	250
West	428	459	408	407	380	388
Mountain	156	207	161	205	163	194
Pacific	392	411	375	354	343	338
COUNTY TYPE						
Large Metro	1,411	1,393	754	781	695	710
Small Metro	987	1,106	558	588	519	536
250K – 1 Mil. Pop.	764	947	433	513	393	475
< 250K Pop.	662	662	346	323	331	285
Nonmetro	820	790	443	451	416	412
Urbanized	500	537	264	311	245	277
Less Urbanized	678	610	353	329	331	304
Completely Rural	306	335	177	179	168	164

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.56D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.38	0.38	0.38	0.38	0.36	0.36
GEOGRAPHIC DIVISION						
Northeast	0.82	0.86	0.79	0.79	0.76	0.77
New England	1.44	1.63	1.36	1.38	1.34	1.24
Middle Atlantic	0.99	1.01	0.95	0.95	0.90	0.95
Midwest	0.63	0.61	0.70	0.71	0.66	0.67
East North Central	0.76	0.75	0.80	0.82	0.77	0.77
West North Central	1.06	1.05	1.36	1.38	1.25	1.27
South	0.64	0.66	0.66	0.66	0.64	0.61
South Atlantic	0.89	0.96	0.95	0.97	0.92	0.92
East South Central	1.43	1.34	1.50	1.42	1.49	1.36
West South Central	1.15	1.15	1.10	1.09	1.08	1.02
West	0.85	0.90	0.81	0.79	0.75	0.76
Mountain	1.03	1.34	1.07	1.33	1.08	1.26
Pacific	1.11	1.15	1.06	0.99	0.97	0.94
COUNTY TYPE						
Large Metro	0.56	0.55	0.52	0.53	0.50	0.51
Small Metro	0.62	0.67	0.69	0.67	0.65	0.63
250K – 1 Mil. Pop.	0.74	0.81	0.84	0.82	0.77	0.78
< 250K Pop.	1.09	1.23	1.18	1.19	1.17	1.08
Nonmetro	0.84	0.84	0.88	0.89	0.85	0.83
Urbanized	1.42	1.27	1.36	1.27	1.36	1.21
Less Urbanized	1.08	1.11	1.19	1.39	1.15	1.29
Completely Rural	2.75	2.82	2.60	2.75	2.56	2.61

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.56P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.0928		0.2891		0.1065	
GEOGRAPHIC DIVISION						
Northeast	0.0662		0.3724		0.5434	
New England	0.3446		0.4556		0.3678	
Middle Atlantic	0.1120		0.5426		0.8278	
Midwest	0.1723		0.7549		0.7854	
East North Central	0.2374		0.3644		0.5511	
West North Central	0.4856		0.4286		0.6651	
South	0.4301		0.2779		0.0524	
South Atlantic	0.9006		0.5879		0.9514	
East South Central	0.2581		0.0594		0.1047	
West South Central	0.5926		0.0877		0.0100	
West	0.0765		0.8100		0.9476	
Mountain	0.0420		0.8805		0.7482	
Pacific	0.3030		0.8595		0.7802	
COUNTY TYPE						
Large Metro	0.0562		0.6859		0.3932	
Small Metro	0.5470		0.1047		0.0718	
250K – 1 Mil. Pop.	0.4492		0.0904		0.0830	
< 250K Pop.	0.9810		0.6901		0.5067	
Nonmetro	0.8935		0.8321		0.8778	
Urbanized	0.4726		0.2226		0.4281	
Less Urbanized	0.6275		0.8738		0.8879	
Completely Rural	0.8875		0.0855		0.0426	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.