

Table 2.62C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	874	873	470	485	352	337
GEOGRAPHIC DIVISION						
Northeast	382	378	205	183	148	133
New England	196	196	98	81	70	63
Middle Atlantic	327	322	180	161	130	116
Midwest	339	327	207	211	147	137
East North Central	269	276	177	175	123	116
West North Central	210	174	113	109	83	71
South	493	510	294	296	227	221
South Atlantic	377	383	222	217	162	174
East South Central	179	191	117	112	95	90
West South Central	255	269	155	174	124	101
West	448	477	237	259	176	176
Mountain	197	196	106	118	81	94
Pacific	397	434	212	230	156	149
COUNTY TYPE						
Large Metro	966	939	416	415	301	266
Small Metro	649	698	275	279	188	201
250K – 1 Mil. Pop.	491	571	205	244	143	178
< 250K Pop.	438	450	185	167	114	121
Nonmetro	500	510	192	179	127	128
Urbanized	300	377	122	109	78	72
Less Urbanized	410	362	144	136	98	103
Completely Rural	213	186	79	60	50	35

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.62D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.36	0.35	0.19	0.20	0.14	0.14
GEOGRAPHIC DIVISION						
Northeast	0.83	0.82	0.45	0.40	0.32	0.29
New England	1.63	1.63	0.82	0.68	0.58	0.53
Middle Atlantic	0.97	0.95	0.53	0.48	0.39	0.34
Midwest	0.62	0.60	0.38	0.38	0.27	0.25
East North Central	0.70	0.72	0.46	0.46	0.32	0.30
West North Central	1.28	1.05	0.69	0.66	0.51	0.43
South	0.55	0.57	0.33	0.33	0.25	0.25
South Atlantic	0.80	0.80	0.47	0.46	0.34	0.37
East South Central	1.23	1.30	0.80	0.76	0.65	0.61
West South Central	0.93	0.97	0.57	0.63	0.45	0.36
West	0.79	0.83	0.42	0.45	0.31	0.31
Mountain	1.17	1.13	0.63	0.68	0.48	0.54
Pacific	1.00	1.09	0.53	0.58	0.39	0.37
COUNTY TYPE						
Large Metro	0.51	0.51	0.29	0.29	0.22	0.19
Small Metro	0.58	0.62	0.34	0.34	0.24	0.25
250K – 1 Mil. Pop.	0.70	0.77	0.39	0.43	0.29	0.32
< 250K Pop.	0.99	1.04	0.63	0.62	0.41	0.47
Nonmetro	0.75	0.74	0.41	0.40	0.28	0.30
Urbanized	1.06	1.27	0.65	0.60	0.44	0.42
Less Urbanized	1.12	0.96	0.56	0.60	0.41	0.47
Completely Rural	2.46	2.43	1.41	1.09	0.99	0.69

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.62P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.5251		0.5406		0.3113	
GEOGRAPHIC DIVISION						
Northeast	0.6114		0.2867		0.3537	
New England	0.2860		0.9194		0.6387	
Middle Atlantic	0.9863		0.2416		0.4266	
Midwest	0.8684		0.1896		0.0421	
East North Central	0.4018		0.1712		0.0718	
West North Central	0.3742		0.7646		0.3340	
South	0.3380		0.7142		0.6093	
South Atlantic	0.5784		0.2864		0.0143	
East South Central	0.1199		0.3284		0.3050	
West South Central	0.9519		0.9436		0.0777	
West	0.9106		0.6974		0.8279	
Mountain	0.3260		0.7090		0.5514	
Pacific	0.7258		0.8112		0.5613	
COUNTY TYPE						
Large Metro	0.4265		0.8062		0.0930	
Small Metro	0.8166		0.7100		0.6525	
250K – 1 Mil. Pop.	0.6430		0.7034		0.2180	
< 250K Pop.	0.8551		0.2901		0.3363	
Nonmetro	0.6356		0.4621		0.8336	
Urbanized	0.2529		0.6618		0.3697	
Less Urbanized	0.3089		0.8831		0.7829	
Completely Rural	0.1516		0.0797		0.1186	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.63C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	74	75	63	66	41	45
GEOGRAPHIC DIVISION						
Northeast	32	27	28	23	19	16
New England	15	15	14	12	9	8
Middle Atlantic	28	23	24	19	16	14
Midwest	31	31	24	27	18	18
East North Central	23	26	18	23	13	16
West North Central	20	17	15	14	12	8
South	47	48	40	42	26	28
South Atlantic	33	33	28	30	18	20
East South Central	18	19	14	16	10	11
West South Central	27	28	21	23	14	16
West	40	42	34	37	21	25
Mountain	19	21	17	17	11	12
Pacific	35	36	29	33	18	23
COUNTY TYPE						
Large Metro	65	63	52	52	34	35
Small Metro	45	49	37	40	22	24
250K – 1 Mil. Pop.	37	38	28	31	18	20
< 250K Pop.	26	30	23	25	13	14
Nonmetro	33	34	27	28	18	19
Urbanized	20	22	16	19	9	13
Less Urbanized	26	25	21	21	14	14
Completely Rural	12	9	9	6	6	3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.63D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.29	0.30	0.25	0.26	0.16	0.18
GEOGRAPHIC DIVISION						
Northeast	0.72	0.61	0.61	0.51	0.42	0.36
New England	1.32	1.31	1.20	1.06	0.79	0.69
Middle Atlantic	0.85	0.68	0.71	0.58	0.49	0.42
Midwest	0.54	0.55	0.43	0.48	0.32	0.33
East North Central	0.58	0.66	0.46	0.59	0.33	0.41
West North Central	1.19	0.99	0.91	0.82	0.71	0.50
South	0.51	0.52	0.43	0.46	0.29	0.30
South Atlantic	0.71	0.72	0.61	0.65	0.39	0.42
East South Central	1.24	1.31	0.95	1.11	0.70	0.74
West South Central	0.88	0.93	0.70	0.75	0.47	0.54
West	0.66	0.69	0.56	0.61	0.34	0.42
Mountain	1.04	1.15	0.95	0.96	0.61	0.64
Pacific	0.83	0.85	0.68	0.77	0.41	0.53
COUNTY TYPE						
Large Metro	0.43	0.39	0.36	0.34	0.24	0.24
Small Metro	0.51	0.60	0.43	0.51	0.28	0.32
250K – 1 Mil. Pop.	0.65	0.69	0.51	0.58	0.34	0.40
< 250K Pop.	0.84	1.11	0.80	0.94	0.50	0.55
Nonmetro	0.65	0.71	0.57	0.62	0.40	0.45
Urbanized	0.99	1.05	0.83	0.93	0.51	0.69
Less Urbanized	0.97	1.04	0.87	0.91	0.65	0.65
Completely Rural	1.95	2.12	1.61	1.43	1.19	0.75

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.63P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.1136		0.9556		0.6110	
GEOGRAPHIC DIVISION						
Northeast	0.0241		0.0562		0.6400	
New England	0.6910		0.6680		0.6793	
Middle Atlantic	0.0046		0.0125		0.7600	
Midwest	0.6972		0.4342		0.6737	
East North Central	0.2793		0.0946		0.1446	
West North Central	0.0440		0.3617		0.0061	
South	0.7339		0.2661		0.2074	
South Atlantic	0.2812		0.7082		0.3307	
East South Central	0.4075		0.2102		0.7438	
West South Central	0.8985		0.4724		0.4005	
West	0.5560		0.7129		0.8583	
Mountain	0.3065		0.1482		0.9934	
Pacific	0.8995		0.6999		0.8410	
COUNTY TYPE						
Large Metro	0.0633		0.3319		0.6140	
Small Metro	0.7502		0.7931		0.6810	
250K – 1 Mil. Pop.	0.5278		0.9478		0.9621	
< 250K Pop.	0.7421		0.7148		0.5197	
Nonmetro	0.9819		0.0956		0.1005	
Urbanized	0.1953		0.0331		0.0091	
Less Urbanized	0.7451		0.2229		0.4415	
Completely Rural	0.1082		0.0608		0.1010	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.64C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	158	157	131	124	94	92
GEOGRAPHIC DIVISION						
Northeast	63	68	54	55	39	38
New England	31	33	26	30	18	21
Middle Atlantic	56	59	48	46	34	31
Midwest	63	58	57	50	41	37
East North Central	51	45	45	41	35	30
West North Central	36	38	35	31	22	22
South	98	97	80	78	58	62
South Atlantic	77	72	62	60	42	44
East South Central	33	31	27	28	22	24
West South Central	54	56	46	42	34	35
West	83	85	76	66	51	51
Mountain	37	43	32	34	27	25
Pacific	74	72	68	57	44	45
COUNTY TYPE						
Large Metro	191	189	130	129	88	83
Small Metro	141	147	100	99	57	63
250K – 1 Mil. Pop.	114	119	78	80	43	47
< 250K Pop.	85	92	64	61	38	41
Nonmetro	99	99	72	67	41	42
Urbanized	73	67	50	48	26	29
Less Urbanized	73	75	53	46	30	29
Completely Rural	28	25	17	16	13	12

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.64D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.48	0.48	0.40	0.38	0.29	0.28
GEOGRAPHIC DIVISION						
Northeast	1.08	1.15	0.92	0.93	0.66	0.65
New England	2.02	2.13	1.69	1.95	1.19	1.39
Middle Atlantic	1.28	1.35	1.10	1.04	0.79	0.72
Midwest	0.85	0.80	0.77	0.69	0.56	0.51
East North Central	0.99	0.90	0.88	0.81	0.68	0.61
West North Central	1.56	1.66	1.51	1.36	0.97	0.97
South	0.84	0.83	0.68	0.67	0.50	0.53
South Atlantic	1.30	1.21	1.05	1.01	0.71	0.74
East South Central	1.73	1.64	1.42	1.50	1.18	1.27
West South Central	1.37	1.44	1.18	1.08	0.87	0.90
West	1.07	1.08	0.97	0.84	0.66	0.65
Mountain	1.59	1.84	1.38	1.43	1.14	1.07
Pacific	1.35	1.32	1.25	1.05	0.80	0.82
COUNTY TYPE						
Large Metro	0.68	0.70	0.56	0.55	0.42	0.41
Small Metro	0.84	0.82	0.72	0.70	0.49	0.52
250K – 1 Mil. Pop.	1.02	1.03	0.88	0.85	0.57	0.59
< 250K Pop.	1.49	1.31	1.27	1.19	0.86	1.00
Nonmetro	1.09	1.00	0.97	0.81	0.65	0.65
Urbanized	1.49	1.57	1.32	1.29	0.93	1.05
Less Urbanized	1.62	1.46	1.41	1.14	0.93	0.91
Completely Rural	3.19	3.02	2.95	2.71	2.26	2.50

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.64P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.2638		0.3320		0.5259	
GEOGRAPHIC DIVISION						
Northeast	0.2872		0.6026		0.8114	
New England	0.9558		0.6248		0.2944	
Middle Atlantic	0.2335		0.3654		0.7437	
Midwest	0.3131		0.4176		0.4261	
East North Central	0.2889		0.4967		0.5794	
West North Central	0.7689		0.6622		0.5385	
South	0.9653		0.4735		0.7499	
South Atlantic	0.7159		0.7181		0.9447	
East South Central	0.0431		0.3792		0.7767	
West South Central	0.4778		0.2596		0.7805	
West	0.6828		0.9412		0.7691	
Mountain	0.5924		0.4780		0.9175	
Pacific	0.8518		0.8068		0.6847	
COUNTY TYPE						
Large Metro	0.4997		0.8883		0.4730	
Small Metro	0.2852		0.1868		0.5266	
250K – 1 Mil. Pop.	0.2587		0.1875		0.8656	
< 250K Pop.	0.7830		0.6256		0.2370	
Nonmetro	0.8495		0.6499		0.5029	
Urbanized	0.2462		0.3387		0.0632	
Less Urbanized	0.2055		0.1008		0.3588	
Completely Rural	0.3990		0.6743		0.9129	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.65C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	826	837	432	448	332	312
GEOGRAPHIC DIVISION						
Northeast	364	365	190	170	143	126
New England	193	197	92	75	66	55
Middle Atlantic	308	305	166	151	128	113
Midwest	324	315	185	192	136	128
East North Central	255	269	162	164	114	110
West North Central	204	169	100	96	76	66
South	477	488	271	276	214	207
South Atlantic	369	366	206	198	152	164
East South Central	179	188	109	107	90	85
West South Central	240	263	142	163	118	92
West	430	462	222	243	167	163
Mountain	189	189	96	111	75	90
Pacific	380	421	200	217	148	137
COUNTY TYPE						
Large Metro	914	897	382	379	278	242
Small Metro	600	658	246	256	178	187
250K – 1 Mil. Pop.	450	534	179	227	137	169
< 250K Pop.	402	419	165	145	104	108
Nonmetro	469	469	162	152	115	116
Urbanized	277	338	97	83	69	60
Less Urbanized	373	330	116	117	87	95
Completely Rural	195	171	70	54	46	32

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.65D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.44	0.44	0.23	0.24	0.18	0.16
GEOGRAPHIC DIVISION						
Northeast	1.02	1.03	0.53	0.48	0.40	0.36
New England	2.06	2.11	0.98	0.80	0.71	0.59
Middle Atlantic	1.18	1.17	0.64	0.58	0.49	0.43
Midwest	0.78	0.75	0.44	0.46	0.33	0.31
East North Central	0.87	0.92	0.55	0.56	0.39	0.37
West North Central	1.64	1.34	0.80	0.76	0.61	0.52
South	0.70	0.71	0.40	0.40	0.31	0.30
South Atlantic	1.01	0.99	0.56	0.53	0.42	0.44
East South Central	1.59	1.65	0.97	0.94	0.80	0.74
West South Central	1.18	1.27	0.69	0.79	0.58	0.45
West	1.01	1.07	0.52	0.56	0.39	0.38
Mountain	1.48	1.44	0.75	0.85	0.59	0.69
Pacific	1.27	1.39	0.67	0.72	0.50	0.45
COUNTY TYPE						
Large Metro	0.63	0.64	0.35	0.35	0.26	0.23
Small Metro	0.73	0.79	0.42	0.42	0.31	0.31
250K – 1 Mil. Pop.	0.88	0.97	0.48	0.54	0.38	0.42
< 250K Pop.	1.26	1.31	0.80	0.72	0.52	0.56
Nonmetro	0.94	0.91	0.46	0.46	0.34	0.36
Urbanized	1.39	1.58	0.71	0.66	0.52	0.48
Less Urbanized	1.38	1.18	0.62	0.71	0.48	0.59
Completely Rural	2.92	2.91	1.69	1.33	1.17	0.82

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.65P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.7056		0.7455		0.3567	
GEOGRAPHIC DIVISION						
Northeast	0.8520		0.4507		0.3250	
New England	0.2921		0.7510		0.4573	
Middle Atlantic	0.6950		0.4914		0.4795	
Midwest	0.7079		0.2031		0.0632	
East North Central	0.3425		0.1424		0.0546	
West North Central	0.5018		1.0000		0.6577	
South	0.3258		0.6449		0.6214	
South Atlantic	0.5687		0.3143		0.0133	
East South Central	0.1923		0.3473		0.3103	
West South Central	0.9059		0.8701		0.0602	
West	0.8365		0.6343		0.8831	
Mountain	0.2172		0.6018		0.5292	
Pacific	0.7303		0.7867		0.6053	
COUNTY TYPE						
Large Metro	0.6044		0.9618		0.1355	
Small Metro	0.7792		0.8801		0.4949	
250K – 1 Mil. Pop.	0.5579		0.3170		0.1871	
< 250K Pop.	0.7913		0.2919		0.4627	
Nonmetro	0.6871		0.2691		0.7467	
Urbanized	0.4072		0.1880		0.8581	
Less Urbanized	0.4722		0.9234		0.8140	
Completely Rural	0.2056		0.2289		0.2234	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.66C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	862	861	462	477	348	331
GEOGRAPHIC DIVISION						
Northeast	380	376	202	180	146	131
New England	196	197	96	79	68	62
Middle Atlantic	324	318	177	160	129	116
Midwest	335	322	204	211	146	138
East North Central	264	274	175	177	123	117
West North Central	208	170	111	108	81	70
South	487	501	292	291	225	218
South Atlantic	373	378	222	213	160	173
East South Central	179	192	116	112	93	90
West South Central	250	265	154	170	125	98
West	444	467	234	252	175	171
Mountain	195	187	103	116	80	92
Pacific	393	427	209	224	155	144
COUNTY TYPE						
Large Metro	955	926	407	404	297	260
Small Metro	634	690	267	275	185	200
250K – 1 Mil. Pop.	480	564	199	241	142	177
< 250K Pop.	427	442	180	163	111	121
Nonmetro	493	500	187	172	125	125
Urbanized	295	369	118	104	77	69
Less Urbanized	402	353	139	129	96	101
Completely Rural	207	182	76	58	49	36

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.66D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.39	0.39	0.21	0.21	0.16	0.15
GEOGRAPHIC DIVISION						
Northeast	0.92	0.91	0.49	0.44	0.35	0.32
New England	1.81	1.82	0.89	0.73	0.63	0.57
Middle Atlantic	1.06	1.04	0.58	0.52	0.42	0.38
Midwest	0.68	0.65	0.42	0.43	0.30	0.28
East North Central	0.77	0.80	0.51	0.52	0.36	0.34
West North Central	1.41	1.14	0.75	0.73	0.55	0.47
South	0.61	0.62	0.37	0.36	0.28	0.27
South Atlantic	0.88	0.88	0.52	0.50	0.38	0.40
East South Central	1.36	1.45	0.89	0.85	0.71	0.68
West South Central	1.03	1.07	0.63	0.69	0.51	0.40
West	0.88	0.91	0.46	0.49	0.35	0.33
Mountain	1.29	1.21	0.68	0.75	0.53	0.60
Pacific	1.11	1.19	0.59	0.63	0.44	0.40
COUNTY TYPE						
Large Metro	0.56	0.56	0.32	0.31	0.24	0.21
Small Metro	0.64	0.68	0.37	0.38	0.27	0.28
250K – 1 Mil. Pop.	0.76	0.83	0.43	0.48	0.32	0.36
< 250K Pop.	1.10	1.15	0.70	0.68	0.46	0.52
Nonmetro	0.83	0.80	0.45	0.43	0.31	0.32
Urbanized	1.20	1.37	0.71	0.65	0.49	0.45
Less Urbanized	1.23	1.06	0.61	0.65	0.45	0.52
Completely Rural	2.63	2.65	1.56	1.20	1.08	0.77

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.66P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.5650		0.5217		0.2714	
GEOGRAPHIC DIVISION						
Northeast	0.7216		0.4015		0.3774	
New England	0.2765		0.8705		0.6661	
Middle Atlantic	0.8574		0.3829		0.4449	
Midwest	0.8682		0.1552		0.0457	
East North Central	0.4715		0.1165		0.0469	
West North Central	0.4602		0.8618		0.5396	
South	0.3253		0.8310		0.7174	
South Atlantic	0.6160		0.3025		0.0174	
East South Central	0.1020		0.2563		0.2797	
West South Central	0.9839		0.8655		0.0586	
West	0.8996		0.6531		0.8039	
Mountain	0.2756		0.5247		0.5504	
Pacific	0.7071		0.8535		0.5363	
COUNTY TYPE						
Large Metro	0.5265		0.9023		0.1002	
Small Metro	0.9683		0.6646		0.7123	
250K – 1 Mil. Pop.	0.7552		0.7294		0.2333	
< 250K Pop.	0.7635		0.2713		0.3013	
Nonmetro	0.6905		0.3179		0.9835	
Urbanized	0.2897		0.4474		0.5919	
Less Urbanized	0.3900		0.9528		0.8702	
Completely Rural	0.1586		0.1291		0.1638	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.