

Table 2.77C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	282	312	260	292	208	230
GENDER						
Male	185	191	171	178	138	141
Female	169	190	156	181	125	140
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	264	280	243	268	194	211
White	228	250	214	237	169	187
Black or African American	92	100	76	82	53	60
American Indian or Alaska Native	21	22	16	22	12	16
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	74	49	68	43	53	34
Two or More Races	24	25	21	22	18	17
Hispanic or Latino	113	121	102	104	81	77
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	141	155	134	147	111	119
Female, White, Not Hispanic	136	148	129	142	101	111
Male, Black, Not Hispanic	65	65	54	55	38	39
Female, Black, Not Hispanic	57	59	48	49	34	38
Male, Hispanic	82	79	76	72	62	53
Female, Hispanic	69	75	62	66	47	49

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.77D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.42	0.45	0.43	0.47	0.42	0.45
GENDER						
Male	0.53	0.59	0.56	0.59	0.53	0.56
Female	0.58	0.61	0.58	0.63	0.56	0.59
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.46	0.50	0.47	0.53	0.46	0.50
White	0.50	0.53	0.52	0.56	0.52	0.56
Black or African American	0.97	1.07	0.92	1.00	0.78	0.89
American Indian or Alaska Native	4.32	4.45	3.51	4.73	3.49	5.42
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.83	2.20	2.86	2.07	2.63	1.83
Two or More Races	3.18	2.81	2.98	2.80	2.85	2.41
Hispanic or Latino	0.98	1.01	1.01	0.98	0.96	0.89
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.65	0.71	0.68	0.72	0.67	0.71
Female, White, Not Hispanic	0.68	0.73	0.71	0.76	0.70	0.73
Male, Black, Not Hispanic	1.35	1.46	1.33	1.42	1.09	1.17
Female, Black, Not Hispanic	1.41	1.47	1.29	1.37	1.09	1.23
Male, Hispanic	1.38	1.32	1.48	1.28	1.45	1.20
Female, Hispanic	1.40	1.50	1.34	1.45	1.23	1.24

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.77P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.1082		0.1063		0.4156	
GENDER						
Male	0.1920		0.2447		0.3113	
Female	0.2914		0.2157		0.8769	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1928		0.1272		0.5162	
White	0.3810		0.2138		0.6057	
Black or African American	0.5686		0.5459		0.8221	
American Indian or Alaska Native	0.1235		0.8165		0.6403	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0906		0.0527		0.3717	
Two or More Races	0.7829		0.9056		0.7412	
Hispanic or Latino	0.3219		0.6039		0.6306	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.6279		0.3844		0.6149	
Female, White, Not Hispanic	0.4278		0.3295		0.7902	
Male, Black, Not Hispanic	0.8972		0.9402		0.3376	
Female, Black, Not Hispanic	0.5035		0.4252		0.5114	
Male, Hispanic	0.2640		0.6497		0.6368	
Female, Hispanic	0.7922		0.8102		0.8794	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.78C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	1,899	2,047	1,631	1,781	1,448	1,550
GENDER						
Male	1,263	1,313	1,070	1,157	986	1,038
Female	1,135	1,253	983	1,078	851	927
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,808	1,909	1,556	1,643	1,377	1,429
White	1,676	1,828	1,462	1,563	1,284	1,360
Black or African American	630	720	498	541	417	449
American Indian or Alaska Native	*	128	*	*	*	92
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	408	337	340	304	259	243
Two or More Races	149	154	140	130	125	107
Hispanic or Latino	629	677	522	567	435	498
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	1,054	1,143	910	989	845	898
Female, White, Not Hispanic	1,032	1,077	896	936	773	809
Male, Black, Not Hispanic	400	436	328	339	308	299
Female, Black, Not Hispanic	415	468	321	355	239	273
Male, Hispanic	474	450	426	400	370	359
Female, Hispanic	361	418	287	346	234	292

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.78D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.30	0.33	0.43	0.45	0.45	0.48
GENDER						
Male	0.31	0.36	0.56	0.58	0.59	0.65
Female	0.47	0.50	0.57	0.61	0.59	0.61
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.31	0.32	0.46	0.47	0.48	0.50
White	0.28	0.30	0.47	0.50	0.52	0.54
Black or African American	1.02	1.03	1.33	1.40	1.31	1.32
American Indian or Alaska Native	*	3.53	*	*	*	5.90
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.24	2.31	2.61	2.39	2.30	2.16
Two or More Races	3.71	2.36	4.01	3.72	4.17	3.89
Hispanic or Latino	1.04	1.19	1.16	1.22	1.18	1.28
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.29	0.33	0.62	0.63	0.67	0.73
Female, White, Not Hispanic	0.45	0.47	0.62	0.69	0.67	0.70
Male, Black, Not Hispanic	1.12	1.33	1.99	2.04	2.00	2.03
Female, Black, Not Hispanic	1.51	1.52	1.75	1.76	1.55	1.56
Male, Hispanic	1.18	1.36	1.65	1.69	1.76	1.79
Female, Hispanic	1.60	1.92	1.55	1.85	1.48	1.80

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.78P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.5509		0.7676		0.5921	
GENDER						
Male	0.3491		0.8314		0.6937	
Female	0.8869		0.8096		0.2455	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7179		0.8972		0.6183	
White	0.5408		0.7431		0.5220	
Black or African American	0.5389		0.6942		0.6118	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0797		0.3234		0.9926	
Two or More Races	0.2234		0.9918		0.7804	
Hispanic or Latino	0.6082		0.6766		0.7267	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.2358		0.9501		0.8475	
Female, White, Not Hispanic	0.1245		0.6808		0.2523	
Male, Black, Not Hispanic	0.9549		0.5980		0.1147	
Female, Black, Not Hispanic	0.4059		0.9235		0.4756	
Male, Hispanic	0.9657		0.6765		0.7792	
Female, Hispanic	0.5060		0.8443		0.8658	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.79C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	208	230	163	181	93	92
GENDER						
Male	138	141	117	122	73	72
Female	125	140	92	103	46	49
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	194	211	151	167	84	87
White	169	187	137	154	81	81
Black or African American	53	60	32	38	12	16
American Indian or Alaska Native	12	16	10	*	3	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	3
Asian	53	34	34	23	7	11
Two or More Races	18	17	16	13	10	8
Hispanic or Latino	81	77	62	64	36	30
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	111	119	96	104	60	65
Female, White, Not Hispanic	101	111	78	86	42	41
Male, Black, Not Hispanic	38	39	26	29	11	15
Female, Black, Not Hispanic	34	38	20	21	6	5
Male, Hispanic	62	53	49	47	33	25
Female, Hispanic	47	49	34	36	16	15

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.79D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	0.42	0.45	0.36	0.39	0.23	0.22
GENDER						
Male	0.53	0.56	0.49	0.51	0.35	0.34
Female	0.56	0.59	0.45	0.48	0.24	0.25
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.46	0.50	0.40	0.43	0.25	0.25
White	0.52	0.56	0.47	0.51	0.32	0.31
Black or African American	0.78	0.89	0.53	0.60	0.21	0.28
American Indian or Alaska Native	3.49	5.42	3.50	*	1.20	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	2.49
Asian	2.63	1.83	1.83	1.35	0.44	0.67
Two or More Races	2.85	2.41	2.46	2.01	1.76	1.33
Hispanic or Latino	0.96	0.89	0.80	0.80	0.52	0.40
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.67	0.71	0.63	0.67	0.46	0.47
Female, White, Not Hispanic	0.70	0.73	0.60	0.63	0.36	0.34
Male, Black, Not Hispanic	1.09	1.17	0.81	0.93	0.36	0.51
Female, Black, Not Hispanic	1.09	1.23	0.71	0.70	0.23	0.17
Male, Hispanic	1.45	1.20	1.23	1.13	0.90	0.66
Female, Hispanic	1.23	1.24	0.97	0.99	0.48	0.44

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.79P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	0.4156		0.5202		0.5658	
GENDER						
Male	0.3113		0.7624		0.7315	
Female	0.8769		0.5263		0.6541	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5162		0.4316		0.8726	
White	0.6057		0.6280		0.6100	
Black or African American	0.8221		0.7077		0.5007	
American Indian or Alaska Native	0.6403		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3717		0.3510		0.4043	
Two or More Races	0.7412		0.1763		0.5445	
Hispanic or Latino	0.6306		0.8244		0.3329	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.6149		0.8845		0.8766	
Female, White, Not Hispanic	0.7902		0.5320		0.4754	
Male, Black, Not Hispanic	0.3376		1.0000		0.1689	
Female, Black, Not Hispanic	0.5114		0.5935		0.1541	
Male, Hispanic	0.6368		0.8875		0.3704	
Female, Hispanic	0.8794		0.5291		0.8364	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.80C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	1,448	1,550	805	853	418	438
GENDER						
Male	986	1,038	666	681	369	388
Female	851	927	389	412	157	167
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,377	1,429	744	777	384	403
White	1,284	1,360	697	734	355	381
Black or African American	417	449	269	272	128	111
American Indian or Alaska Native	*	92	*	53	25	36
Native Hawaiian or Other Pacific Islander	*	*	37	*	27	*
Asian	259	243	131	130	57	56
Two or More Races	125	107	78	65	29	39
Hispanic or Latino	435	498	315	325	160	147
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	845	898	557	581	307	343
Female, White, Not Hispanic	773	809	334	348	141	134
Male, Black, Not Hispanic	308	299	217	229	121	93
Female, Black, Not Hispanic	239	273	130	132	44	57
Male, Hispanic	370	359	296	262	156	117
Female, Hispanic	234	292	121	155	36	79

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.80D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	0.45	0.48	0.35	0.35	0.20	0.20
GENDER						
Male	0.59	0.65	0.55	0.57	0.35	0.36
Female	0.59	0.61	0.35	0.35	0.15	0.15
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.48	0.50	0.37	0.37	0.21	0.21
White	0.52	0.54	0.41	0.43	0.24	0.25
Black or African American	1.31	1.32	1.05	0.98	0.54	0.46
American Indian or Alaska Native	*	5.90	*	4.57	2.60	3.23
Native Hawaiian or Other Pacific Islander	*	*	5.16	*	3.56	*
Asian	2.30	2.16	1.43	1.36	0.66	0.62
Two or More Races	4.17	3.89	3.37	2.90	1.41	1.79
Hispanic or Latino	1.18	1.28	1.00	0.99	0.58	0.52
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.67	0.73	0.64	0.68	0.41	0.45
Female, White, Not Hispanic	0.67	0.70	0.42	0.43	0.19	0.18
Male, Black, Not Hispanic	2.00	2.03	1.81	1.78	1.13	0.88
Female, Black, Not Hispanic	1.55	1.56	0.98	0.97	0.33	0.44
Male, Hispanic	1.76	1.79	1.66	1.59	1.07	0.82
Female, Hispanic	1.48	1.80	0.89	1.08	0.27	0.58

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.80P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	0.5921		0.3885		0.9968	
GENDER						
Male	0.6937		0.4765		0.9099	
Female	0.2455		0.5705		0.8241	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.6183		0.2634		0.9436	
White	0.5220		0.2676		0.7336	
Black or African American	0.6118		0.9788		0.3906	
American Indian or Alaska Native	*		*		0.5811	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9926		0.5307		0.9202	
Two or More Races	0.7804		0.6839		0.4439	
Hispanic or Latino	0.7267		0.6415		0.8867	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.8475		0.2052		0.5442	
Female, White, Not Hispanic	0.2523		0.7803		0.6344	
Male, Black, Not Hispanic	0.1147		0.7927		0.0801	
Female, Black, Not Hispanic	0.4756		0.7572		0.1639	
Male, Hispanic	0.7792		0.3307		0.4724	
Female, Hispanic	0.8658		0.5250		0.2284	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.81C (REVISED) Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	282	312	259	293	208	231
GEOGRAPHIC DIVISION						
Northeast	110	126	103	121	82	95
New England	46	65	44	62	35	56
Middle Atlantic	100	108	94	104	75	77
Midwest	123	117	116	109	90	88
East North Central	103	91	98	85	75	67
West North Central	66	84	63	75	51	62
South	172	198	157	183	123	139
South Atlantic	140	165	129	154	103	119
East South Central	59	53	54	47	41	33
West South Central	85	98	74	86	57	66
West	149	163	139	149	113	118
Mountain	62	60	56	56	46	44
Pacific	135	150	128	137	104	109
COUNTY TYPE						
Large Metro	223	239	203	220	159	165
Small Metro	160	173	148	161	118	132
250K – 1 Mil. Pop.	124	139	115	129	90	104
< 250K Pop.	104	107	96	98	78	80
Nonmetro	128	136	116	123	87	95
Urbanized	92	100	83	89	60	67
Less Urbanized	95	92	85	85	62	66
Completely Rural	42	46	36	35	27	24

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.81D (REVISED) Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.42	0.45	0.43	0.47	0.42	0.46
GEOGRAPHIC DIVISION						
Northeast	0.90	0.98	0.92	1.03	0.93	1.00
New England	1.76	1.79	1.84	1.88	1.83	2.17
Middle Atlantic	1.05	1.17	1.07	1.23	1.09	1.10
Midwest	0.77	0.77	0.79	0.77	0.80	0.77
East North Central	0.90	0.85	0.95	0.86	0.93	0.85
West North Central	1.56	1.73	1.49	1.65	1.54	1.68
South	0.73	0.77	0.76	0.81	0.70	0.75
South Atlantic	1.16	1.22	1.18	1.31	1.11	1.25
East South Central	1.58	1.52	1.61	1.50	1.46	1.16
West South Central	1.14	1.24	1.20	1.24	1.09	1.15
West	1.00	1.06	1.01	1.07	0.95	0.99
Mountain	1.38	1.47	1.38	1.50	1.35	1.33
Pacific	1.29	1.37	1.31	1.36	1.24	1.27
COUNTY TYPE						
Large Metro	0.62	0.64	0.63	0.67	0.59	0.62
Small Metro	0.79	0.82	0.82	0.82	0.80	0.81
250K – 1 Mil. Pop.	1.00	1.07	1.01	1.04	0.96	1.00
< 250K Pop.	1.23	1.15	1.31	1.26	1.38	1.38
Nonmetro	0.88	1.09	0.91	1.11	0.88	1.03
Urbanized	1.47	1.79	1.46	1.83	1.37	1.62
Less Urbanized	1.29	1.40	1.35	1.48	1.25	1.52
Completely Rural	2.41	3.67	2.53	2.74	2.65	2.48

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.81P (REVISED) Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.1180		0.1133		0.4628	
GEOGRAPHIC DIVISION						
Northeast	0.0227		0.0332		0.8024	
New England	0.8487		0.8789		0.2205	
Middle Atlantic	0.0125		0.0192		0.2916	
Midwest	0.6593		0.4217		0.6040	
East North Central	0.8014		0.6518		0.7105	
West North Central	0.2758		0.0340		0.1308	
South	0.9821		0.7972		0.9048	
South Atlantic	0.5248		0.8232		0.6586	
East South Central	0.4990		0.4035		0.1399	
West South Central	0.6421		0.8102		0.9592	
West	0.4288		0.6406		0.4970	
Mountain	0.0483		0.2014		0.1051	
Pacific	0.9820		0.9272		0.9861	
COUNTY TYPE						
Large Metro	0.0606		0.0728		0.2379	
Small Metro	0.8937		0.9884		0.7444	
250K – 1 Mil. Pop.	0.8035		0.9606		0.8316	
< 250K Pop.	0.8973		0.9402		0.7805	
Nonmetro	0.6666		0.6819		0.9975	
Urbanized	0.8894		0.8549		0.6428	
Less Urbanized	0.5804		0.9946		0.9523	
Completely Rural	0.6061		0.1693		0.2896	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.82C (REVISED) Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	1,902	2,053	1,632	1,784	1,448	1,553
GEOGRAPHIC DIVISION						
Northeast	797	885	725	776	645	680
New England	407	437	379	386	311	355
Middle Atlantic	688	774	619	678	567	584
Midwest	795	802	670	697	589	599
East North Central	664	663	565	557	484	483
West North Central	418	425	356	387	326	348
South	1,239	1,333	1,068	1,139	950	961
South Atlantic	946	1,064	828	893	746	762
East South Central	391	391	322	327	256	276
West South Central	650	706	567	605	493	489
West	939	1,057	811	902	738	815
Mountain	389	466	345	398	335	363
Pacific	863	955	739	810	654	729
COUNTY TYPE						
Large Metro	1,596	1,673	1,402	1,449	1,208	1,269
Small Metro	1,103	1,278	913	1,058	765	895
250K – 1 Mil. Pop.	863	1,067	742	879	627	754
< 250K Pop.	730	770	565	632	470	523
Nonmetro	876	832	682	623	586	523
Urbanized	558	573	425	448	348	360
Less Urbanized	697	620	539	470	460	394
Completely Rural	378	379	295	264	249	227

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 2.82D (REVISED) Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.30	0.33	0.43	0.45	0.45	0.48
GEOGRAPHIC DIVISION						
Northeast	0.63	0.75	0.88	0.94	0.98	1.05
New England	0.84	1.14	1.52	1.67	1.75	1.85
Middle Atlantic	0.80	0.92	1.06	1.12	1.18	1.25
Midwest	0.46	0.47	0.71	0.76	0.78	0.80
East North Central	0.54	0.53	0.81	0.89	0.87	0.95
West North Central	0.88	0.89	1.43	1.38	1.58	1.46
South	0.54	0.59	0.79	0.83	0.85	0.81
South Atlantic	0.72	0.81	1.15	1.19	1.24	1.21
East South Central	1.36	1.26	1.70	1.66	1.61	1.65
West South Central	0.98	1.07	1.31	1.44	1.35	1.29
West	0.71	0.75	0.95	0.92	1.02	1.03
Mountain	0.91	1.05	1.40	1.32	1.56	1.37
Pacific	0.93	0.99	1.21	1.19	1.28	1.36
COUNTY TYPE						
Large Metro	0.42	0.46	0.59	0.61	0.62	0.68
Small Metro	0.52	0.55	0.78	0.75	0.83	0.77
250K – 1 Mil. Pop.	0.61	0.65	0.86	0.90	0.92	0.93
< 250K Pop.	1.00	1.00	1.51	1.35	1.59	1.33
Nonmetro	0.73	0.71	0.99	1.00	0.99	0.98
Urbanized	1.09	1.01	1.59	1.72	1.55	1.62
Less Urbanized	1.13	1.08	1.48	1.37	1.48	1.43
Completely Rural	2.19	2.59	2.96	3.34	3.18	3.11

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.82P (REVISED) Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2006	2007	2006	2007	2006	2007
TOTAL	0.4943		0.8016		0.5755	
GEOGRAPHIC DIVISION						
Northeast	0.7212		0.3663		0.9338	
New England	0.5382		0.4214		0.5872	
Middle Atlantic	0.8729		0.5321		0.7050	
Midwest	0.0949		0.1745		0.1827	
East North Central	0.0703		0.3229		0.3913	
West North Central	0.6815		0.3154		0.2585	
South	0.4548		0.4469		0.8439	
South Atlantic	0.4406		0.4826		0.1915	
East South Central	0.2017		0.2423		0.4772	
West South Central	0.1767		0.1240		0.0687	
West	0.2434		0.7734		0.6359	
Mountain	0.3847		0.7008		0.2924	
Pacific	0.3804		0.8770		0.9491	
COUNTY TYPE						
Large Metro	0.8627		0.9481		0.7989	
Small Metro	0.7510		0.8050		0.2461	
250K – 1 Mil. Pop.	0.7605		0.5226		0.8302	
< 250K Pop.	0.9082		0.2618		0.1276	
Nonmetro	0.2717		0.3401		0.4467	
Urbanized	0.4131		0.4093		0.1753	
Less Urbanized	0.1189		0.1374		0.0732	
Completely Rural	0.1231		0.1661		0.3062	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.83C (REVISED) Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	208	231	163	182	93	93
GEOGRAPHIC DIVISION						
Northeast	82	95	64	76	36	40
New England	35	56	31	45	18	27
Middle Atlantic	75	77	56	61	31	29
Midwest	90	88	74	70	43	36
East North Central	75	67	63	55	37	30
West North Central	51	62	41	48	22	23
South	123	139	98	109	54	49
South Atlantic	103	119	82	91	45	40
East South Central	41	33	31	29	19	13
West South Central	57	66	44	54	24	24
West	113	118	85	95	51	57
Mountain	46	44	36	32	19	17
Pacific	104	109	77	89	47	54
COUNTY TYPE						
Large Metro	159	165	122	133	66	66
Small Metro	118	132	94	102	55	54
250K – 1 Mil. Pop.	90	104	73	83	41	46
< 250K Pop.	78	80	62	59	37	29
Nonmetro	87	95	66	76	38	36
Urbanized	60	67	46	52	24	25
Less Urbanized	62	66	46	54	24	25
Completely Rural	27	24	21	19	10	13

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.83D (REVISED) Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	0.42	0.46	0.36	0.39	0.23	0.22
GEOGRAPHIC DIVISION						
Northeast	0.93	1.00	0.80	0.90	0.51	0.53
New England	1.83	2.17	1.65	1.94	0.99	1.35
Middle Atlantic	1.09	1.10	0.93	0.99	0.59	0.52
Midwest	0.80	0.77	0.72	0.65	0.46	0.38
East North Central	0.93	0.85	0.87	0.74	0.56	0.46
West North Central	1.54	1.68	1.32	1.38	0.77	0.78
South	0.70	0.75	0.60	0.65	0.37	0.33
South Atlantic	1.11	1.25	0.95	1.05	0.57	0.52
East South Central	1.46	1.16	1.19	1.17	0.78	0.57
West South Central	1.09	1.15	0.93	1.00	0.54	0.49
West	0.95	0.99	0.82	0.88	0.54	0.57
Mountain	1.35	1.33	1.15	1.00	0.69	0.61
Pacific	1.24	1.27	1.06	1.17	0.71	0.76
COUNTY TYPE						
Large Metro	0.59	0.62	0.51	0.54	0.31	0.30
Small Metro	0.80	0.81	0.69	0.72	0.44	0.42
250K – 1 Mil. Pop.	0.96	1.00	0.84	0.91	0.51	0.53
< 250K Pop.	1.38	1.38	1.20	1.13	0.83	0.68
Nonmetro	0.88	1.03	0.74	0.89	0.50	0.50
Urbanized	1.37	1.62	1.24	1.33	0.78	0.78
Less Urbanized	1.25	1.52	1.02	1.34	0.65	0.71
Completely Rural	2.65	2.48	2.14	2.30	1.31	1.90

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.83P (REVISED) Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	0.4628		0.5914		0.6082	
GEOGRAPHIC DIVISION						
Northeast	0.8024		0.5616		0.8022	
New England	0.2205		0.4511		0.1086	
Middle Atlantic	0.2916		0.2455		0.3878	
Midwest	0.6040		0.9286		0.5872	
East North Central	0.7105		0.5787		0.6171	
West North Central	0.1308		0.3037		0.8264	
South	0.9048		0.7989		0.0945	
South Atlantic	0.6586		0.9338		0.1516	
East South Central	0.1399		0.4861		0.0384	
West South Central	0.9592		0.4480		0.7049	
West	0.4970		0.4469		0.9109	
Mountain	0.1051		0.0989		0.4261	
Pacific	0.9861		0.9035		0.6442	
COUNTY TYPE						
Large Metro	0.2379		0.4474		0.5935	
Small Metro	0.7444		0.9407		0.7783	
250K – 1 Mil. Pop.	0.8316		0.7263		0.9943	
< 250K Pop.	0.7805		0.5763		0.6629	
Nonmetro	0.9975		0.8061		0.8924	
Urbanized	0.6428		0.5674		0.9550	
Less Urbanized	0.9523		0.7795		0.9871	
Completely Rural	0.2896		0.1722		0.9104	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.84C (REVISED) Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	1,448	1,553	805	856	417	438
GEOGRAPHIC DIVISION						
Northeast	645	680	336	361	175	172
New England	311	355	165	185	78	87
Middle Atlantic	567	584	294	310	158	148
Midwest	589	599	346	367	194	178
East North Central	484	483	283	284	144	152
West North Central	326	348	200	220	131	95
South	950	961	520	532	237	273
South Atlantic	746	762	401	429	190	216
East South Central	256	276	158	154	82	84
West South Central	493	489	284	285	148	135
West	738	815	411	436	213	228
Mountain	335	363	190	204	95	132
Pacific	654	729	361	381	190	185
COUNTY TYPE						
Large Metro	1,208	1,269	681	653	329	331
Small Metro	765	895	404	495	211	250
250K – 1 Mil. Pop.	627	754	330	415	176	220
< 250K Pop.	470	523	253	280	126	124
Nonmetro	586	523	332	335	172	159
Urbanized	348	360	173	246	91	125
Less Urbanized	460	394	280	237	138	98
Completely Rural	249	227	129	118	57	31

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.84D (REVISED) Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	0.45	0.48	0.35	0.36	0.20	0.20
GEOGRAPHIC DIVISION						
Northeast	0.98	1.05	0.75	0.79	0.43	0.43
New England	1.75	1.85	1.25	1.48	0.75	0.84
Middle Atlantic	1.18	1.25	0.91	0.93	0.52	0.50
Midwest	0.78	0.80	0.66	0.69	0.40	0.37
East North Central	0.87	0.95	0.76	0.77	0.42	0.45
West North Central	1.58	1.46	1.26	1.30	0.91	0.64
South	0.85	0.81	0.62	0.59	0.32	0.34
South Atlantic	1.24	1.21	0.90	0.87	0.48	0.50
East South Central	1.61	1.65	1.23	1.10	0.67	0.66
West South Central	1.35	1.29	1.10	1.06	0.63	0.56
West	1.02	1.03	0.77	0.78	0.43	0.45
Mountain	1.56	1.37	1.18	1.16	0.66	0.84
Pacific	1.28	1.36	0.97	0.99	0.54	0.53
COUNTY TYPE						
Large Metro	0.62	0.68	0.51	0.50	0.28	0.29
Small Metro	0.83	0.77	0.61	0.62	0.35	0.36
250K – 1 Mil. Pop.	0.92	0.93	0.73	0.72	0.44	0.46
< 250K Pop.	1.59	1.33	1.11	1.11	0.60	0.56
Nonmetro	0.99	0.98	0.76	0.79	0.45	0.42
Urbanized	1.55	1.62	1.08	1.24	0.62	0.77
Less Urbanized	1.48	1.43	1.13	1.14	0.67	0.55
Completely Rural	3.18	3.11	2.63	2.23	1.36	0.73

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 2.84P (REVISED) Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2006	2007	2006	2007	2006	2007
TOTAL	0.5755		0.4150		0.9948	
GEOGRAPHIC DIVISION						
Northeast	0.9338		0.6677		0.0830	
New England	0.5872		0.6913		0.3890	
Middle Atlantic	0.7050		0.7821		0.1346	
Midwest	0.1827		0.2896		0.9649	
East North Central	0.3913		0.6289		0.6052	
West North Central	0.2585		0.2444		0.4297	
South	0.8439		0.6494		0.6645	
South Atlantic	0.1915		0.2187		0.2772	
East South Central	0.4772		0.9024		0.1314	
West South Central	0.0687		0.3236		0.1062	
West	0.6359		0.5898		0.3988	
Mountain	0.2924		0.4500		0.3523	
Pacific	0.9491		0.8303		0.6690	
COUNTY TYPE						
Large Metro	0.7989		0.9619		0.6063	
Small Metro	0.2461		0.3552		0.3946	
250K – 1 Mil. Pop.	0.8302		0.6180		0.2247	
< 250K Pop.	0.1276		0.3889		0.7054	
Nonmetro	0.4467		0.3121		0.8728	
Urbanized	0.1753		0.0045		0.0294	
Less Urbanized	0.0732		0.6955		0.2049	
Completely Rural	0.3062		0.2410		0.0189	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.