

**Table 3.2C Perceived Great Risk of Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2006	2007	2006	2007	2006	2007
TOTAL	105	108	109	108	108	112
AGE						
12-13	109	116	111	118	84	91
14-15	115	119	113	112	86	84
16-17	111	118	105	116	84	84
GENDER						
Male	78	80	77	77	76	76
Female	70	69	73	74	72	83
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	94	97	96	95	95	98
White	178	184	172	176	115	116
Black or African American	94	101	96	100	77	78
American Indian or Alaska Native	9	19	10	*	9	11
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	56	57	55	57	43	38
Two or More Races	21	21	28	23	16	19
Hispanic or Latino	46	47	48	48	51	53
COUNTY TYPE						
Large Metro	180	209	178	207	128	147
Small Metro	137	138	137	131	93	90
Nonmetro	83	88	81	81	59	56

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 3.2D Perceived Great Risk of Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2006	2007	2006	2007	2006	2007
TOTAL	0.42	0.43	0.43	0.43	0.43	0.45
AGE						
12-13	0.72	0.72	0.72	0.71	0.76	0.78
14-15	0.68	0.74	0.72	0.75	0.72	0.71
16-17	0.70	0.68	0.70	0.70	0.75	0.74
GENDER						
Male	0.60	0.63	0.60	0.61	0.59	0.60
Female	0.57	0.57	0.59	0.60	0.58	0.68
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.46	0.48	0.47	0.46	0.46	0.48
White	0.49	0.52	0.53	0.55	0.50	0.53
Black or African American	1.14	1.08	1.07	1.01	1.16	1.15
American Indian or Alaska Native	5.49	5.25	4.53	*	4.28	5.89
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.42	2.42	2.93	2.37	2.73	2.64
Two or More Races	4.00	2.53	2.72	2.64	2.84	2.98
Hispanic or Latino	1.03	1.03	1.06	1.04	1.13	1.16
COUNTY TYPE						
Large Metro	0.58	0.60	0.62	0.61	0.62	0.67
Small Metro	0.75	0.77	0.75	0.77	0.77	0.76
Nonmetro	0.89	0.98	0.92	0.91	0.91	0.91

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 3.2P Perceived Great Risk of Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL	
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day	Have Five or More Drinks Once or Twice a Week
	2006	2007	2006	2007
TOTAL	0.8531		0.3148	0.8880
AGE				
12-13	0.6074		0.3856	0.3804
14-15	0.9700		0.9513	0.8673
16-17	0.8727		0.3114	0.3937
GENDER				
Male	0.8450		0.5369	0.9709
Female	0.9507		0.4118	0.8745
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6234		0.3710	0.8484
White	0.3228		0.7377	0.9915
Black or African American	0.5229		0.1843	0.7782
American Indian or Alaska Native	0.0682		*	0.6416
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.1131		0.3273	0.8123
Two or More Races	0.0462		0.0802	0.4419
Hispanic or Latino	0.5797		0.6195	0.9316
COUNTY TYPE				
Large Metro	0.3939		0.0318	0.5439
Small Metro	0.5843		0.6276	0.3902
Nonmetro	0.0452		0.3096	0.0262

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 3.3C Perceived Great Risk of Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	109	107	113	117	107	109	90	95
AGE								
12-13	82	84	108	112	79	83	110	121
14-15	78	80	101	103	95	96	125	127
16-17	66	69	88	90	96	105	124	129
GENDER								
Male	73	73	79	81	75	74	62	63
Female	76	76	77	81	78	80	61	64
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	94	95	99	102	94	98	76	81
White	109	110	156	157	131	141	196	202
Black or African American	60	63	73	78	77	83	100	105
American Indian or Alaska Native	9	*	8	17	10	18	12	20
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	33	37	48	50	42	38	60	59
Two or More Races	11	13	17	18	17	19	28	26
Hispanic or Latino	56	47	54	52	53	52	47	44
COUNTY TYPE								
Large Metro	118	119	157	167	135	157	193	223
Small Metro	85	81	117	113	111	105	157	147
Nonmetro	57	62	75	82	67	75	96	102

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 3.3D Perceived Great Risk of Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.44	0.43	0.45	0.47	0.43	0.44	0.36	0.38
AGE								
12-13	0.79	0.78	0.80	0.73	0.75	0.74	0.73	0.70
14-15	0.69	0.72	0.76	0.79	0.73	0.75	0.58	0.68
16-17	0.64	0.68	0.75	0.74	0.73	0.77	0.53	0.53
GENDER								
Male	0.57	0.57	0.62	0.63	0.59	0.59	0.49	0.50
Female	0.62	0.62	0.62	0.66	0.63	0.66	0.50	0.53
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.46	0.47	0.48	0.50	0.46	0.49	0.37	0.40
White	0.50	0.52	0.53	0.56	0.52	0.56	0.39	0.42
Black or African American	1.11	1.18	1.16	1.25	1.16	1.17	1.01	1.16
American Indian or Alaska Native	4.46	*	4.08	5.92	4.72	5.40	4.47	4.81
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2.51	2.74	2.64	2.68	2.57	2.95	2.33	2.17
Two or More Races	2.79	2.64	3.80	2.93	2.88	2.67	2.44	2.19
Hispanic or Latino	1.24	1.02	1.20	1.13	1.19	1.15	1.06	0.97
COUNTY TYPE								
Large Metro	0.62	0.61	0.67	0.67	0.61	0.63	0.52	0.56
Small Metro	0.73	0.73	0.75	0.77	0.82	0.83	0.61	0.62
Nonmetro	0.91	0.91	0.95	0.94	0.91	0.99	0.77	0.80

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 3.3P Perceived Great Risk of Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.7806		0.4754		0.2755		0.6303	
AGE								
12-13	0.1595		0.4490		0.7509		0.5680	
14-15	0.1121		0.8523		0.6287		0.5978	
16-17	0.4373		0.4957		0.2607		0.3172	
GENDER								
Male	0.6825		0.9471		0.3826		0.5708	
Female	0.4376		0.3296		0.4950		0.8980	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9266		0.0971		0.1878		0.6296	
White	0.5094		0.6599		0.4325		0.9449	
Black or African American	0.8124		0.4664		0.4448		0.8404	
American Indian or Alaska Native	*		0.0508		0.0350		0.3601	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.1079		0.0025		0.8285		0.0225	
Two or More Races	0.2077		0.6011		0.1071		0.3886	
Hispanic or Latino	0.4536		0.1642		0.9049		0.0856	
COUNTY TYPE								
Large Metro	0.7570		0.7454		0.5434		0.5345	
Small Metro	0.9513		0.7968		0.8111		0.8735	
Nonmetro	0.9198		0.3092		0.0343		0.8711	

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 3.4C Perceived Great Risk of Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	109	114	90	89	106	111	94	96
AGE								
12-13	85	90	110	117	79	84	103	106
14-15	104	103	125	129	96	97	116	120
16-17	111	116	126	135	102	106	119	127
GENDER								
Male	76	79	60	64	73	78	66	67
Female	78	79	61	60	77	77	65	67
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	96	102	76	79	96	97	83	87
White	149	152	199	204	134	137	183	190
Black or African American	88	89	100	104	81	82	94	95
American Indian or Alaska Native	11	*	12	20	10	*	12	21
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	46	43	59	59	45	41	57	49
Two or More Races	25	19	30	23	24	17	27	23
Hispanic or Latino	50	53	45	42	51	49	44	45
COUNTY TYPE								
Large Metro	150	175	193	226	139	163	183	208
Small Metro	124	122	158	153	113	106	144	140
Nonmetro	76	81	96	102	69	77	88	95

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 3.4D Perceived Great Risk of Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.44	0.46	0.36	0.36	0.44	0.47	0.39	0.40
AGE								
12-13	0.78	0.78	0.76	0.71	0.79	0.77	0.74	0.73
14-15	0.71	0.77	0.54	0.66	0.75	0.78	0.65	0.70
16-17	0.74	0.72	0.52	0.45	0.78	0.75	0.60	0.63
GENDER								
Male	0.60	0.64	0.47	0.51	0.60	0.65	0.54	0.55
Female	0.64	0.66	0.50	0.50	0.65	0.66	0.55	0.58
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.47	0.51	0.37	0.39	0.48	0.50	0.42	0.45
White	0.53	0.58	0.38	0.41	0.55	0.56	0.43	0.45
Black or African American	1.16	1.15	1.04	1.02	1.20	1.27	1.14	1.20
American Indian or Alaska Native	5.10	*	4.36	3.85	5.12	*	4.61	3.94
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2.51	2.96	2.25	2.23	2.65	2.90	2.82	2.57
Two or More Races	3.62	2.72	1.76	2.82	4.07	2.77	2.50	2.56
Hispanic or Latino	1.13	1.17	1.02	0.94	1.17	1.14	1.02	1.04
COUNTY TYPE								
Large Metro	0.64	0.64	0.52	0.51	0.67	0.67	0.56	0.58
Small Metro	0.75	0.86	0.59	0.63	0.75	0.82	0.68	0.71
Nonmetro	1.00	0.96	0.80	0.80	1.02	1.01	0.84	0.93

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 3.4P Perceived Great Risk of Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.7449		0.7454		0.4650		0.3358	
AGE								
12-13	0.8445		0.4955		0.3635		0.4422	
14-15	0.1774		0.1223		0.0367		0.2645	
16-17	0.3303		0.7266		0.9953		0.1402	
GENDER								
Male	0.9970		0.6439		0.9464		0.5183	
Female	0.6413		0.3345		0.2807		0.4701	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6916		0.9948		0.4734		0.9003	
White	0.8622		0.6013		0.7200		0.7747	
Black or African American	0.5452		0.9897		0.1105		0.4835	
American Indian or Alaska Native	*		0.3492		*		0.4042	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.9745		0.0408		0.4479		0.0799	
Two or More Races	0.7524		0.0088		0.9572		0.0728	
Hispanic or Latino	0.9579		0.5886		0.8480		0.0849	
COUNTY TYPE								
Large Metro	0.8104		0.6412		0.5908		0.2487	
Small Metro	0.3669		0.8832		0.3058		0.9850	
Nonmetro	0.2919		0.9389		0.5156		0.8948	

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.