

**Table 5.22A Substances for Which Last or Current Treatment Was Received among Persons Who Received Substance Use Treatment in the Past Year, by Age Group: Numbers in Thousands, 2006 and 2007**

| Substance for Which Last or Current Treatment Was Received <sup>1</sup> | Total              |       | AGE GROUP |      |                  |      |                  |       |
|---|--------------------|-------|-----------|------|------------------|------|------------------|-------|
|   |                    |       | 12-17     |      | 18-25            |      | 26 or Older      |       |
|   | 2006               | 2007  | 2006      | 2007 | 2006             | 2007 | 2006             | 2007  |
| Marijuana   | 1,229 <sup>a</sup> | 936   | 188       | 172  | 378 <sup>a</sup> | 279  | 663              | 485   |
| Cocaine   | 928                | 809   | 48        | 34   | 166              | 132  | 714              | 643   |
| Heroin  | 466                | 335   | 5         | 8    | 66               | 73   | 396              | 254   |
| Hallucinogens   | 442                | 303   | 46        | 30   | 113              | 99   | 282              | 175   |
| Inhalants   | 253                | 184   | 20        | 12   | 60               | 59   | 173              | 113   |
| Pain Relievers  | 547                | 558   | 57        | 41   | 158              | 130  | 332              | 388   |
| Tranquilizers   | 385                | 267   | 35        | 24   | 106              | 76   | 245              | 166   |
| Stimulants <sup>2</sup>   | 535 <sup>a</sup>   | 311   | 44        | 22   | 121              | 102  | 370 <sup>a</sup> | 187   |
| Sedatives   | 189 <sup>a</sup>   | 60    | 10        | 5    | 27               | 21   | 152 <sup>a</sup> | 33    |
| Alcohol   | 2,546              | 2,462 | 148       | 162  | 554              | 565  | 1,844            | 1,734 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Estimates for stimulants do not include data from methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.22B Substances for Which Last or Current Treatment Was Received among Persons Who Received Substance Use Treatment in the Past Year, by Age Group: Percentages, 2006 and 2007**

| Substance for Which Last or Current Treatment Was Received <sup>1</sup> | Total             |      | AGE GROUP         |      |                   |      |                   |      |
|---|-------------------|------|-------------------|------|-------------------|------|-------------------|------|
|   |                   |      | 12-17             |      | 18-25             |      | 26 or Older       |      |
|   | 2006              | 2007 | 2006              | 2007 | 2006              | 2007 | 2006              | 2007 |
| Marijuana   | 30.5 <sup>a</sup> | 23.9 | 53.6              | 50.4 | 43.3 <sup>b</sup> | 32.6 | 23.6              | 17.9 |
| Cocaine   | 23.0              | 20.7 | 13.7              | 10.1 | 19.1              | 15.4 | 25.4              | 23.7 |
| Heroin  | 11.6              | 8.6  | 1.3               | 2.4  | 7.5               | 8.5  | 14.1              | 9.3  |
| Hallucinogens   | 11.0              | 7.8  | 13.3              | 8.8  | 13.0              | 11.5 | 10.0              | 6.4  |
| Inhalants   | 6.3               | 4.7  | 5.7               | 3.5  | 6.9               | 6.9  | 6.2               | 4.2  |
| Pain Relievers  | 13.6              | 14.3 | 16.3              | 12.0 | 18.1              | 15.1 | 11.8              | 14.3 |
| Tranquilizers   | 9.6               | 6.8  | 9.8               | 7.1  | 12.1              | 8.9  | 8.7               | 6.1  |
| Stimulants <sup>2</sup>   | 13.3 <sup>a</sup> | 8.0  | 12.5 <sup>a</sup> | 6.5  | 13.9              | 11.9 | 13.2 <sup>a</sup> | 6.9  |
| Sedatives   | 4.7 <sup>a</sup>  | 1.5  | 2.9               | 1.6  | 3.1               | 2.5  | 5.4 <sup>a</sup>  | 1.2  |
| Alcohol   | 63.2              | 62.9 | 42.2              | 47.6 | 63.5              | 66.1 | 65.7              | 63.9 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Estimates for stimulants do not include data from methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.