

Table 5.15A Received Substance Use Treatment in the Past Year, by Detailed Age Category: Numbers in Thousands, 2006 and 2007

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	2,457	2,163	2,764	2,733	1,566	1,406	4,031	3,913
12	5	3	4	1	4	0	7	4
13	10	6	8	4	2	4	17	21
14	20	24	21	17	16	9	36	37
15	46	54	35	45	31	40	54	79
16	79	73	55	66	40	48	108	107
17	96	70	73	57	58	50	128	92
18	103 ^a	59	106	75	69	42	155 ^a	103
19	65	60	75	89	41	42	113	118
20	63	82	76	102	39	44	105	147
21	69	75	97	79	50	34	123	125
22	71	41	71	59	45	30	113	74
23	50	48	50	73	33	35	74	96
24	73	52	81	76	55	34	100	103
25	56	56	68	68	42	38	89	89
26-29	337 ^a	192	347	232	213 ^a	100	519	354
30-34	269	182	333	208	200	124	436	307
35-39	157	272	218	278	81	148	334	441
40-44	378	263	403	350	231	183	579	448
45-49	238	208	238	341	148	166	349	448
50-54	74	247	87 ^a	290	31	168	135 ^a	371
55-59	98	64	199	182	81	64	236	190
60-64	85	32	59	18	44	2	100	76
65 or Older	14	*	60	22	12	*	122	80

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.15B Received Substance Use Treatment in the Past Year, by Detailed Age Category: Percentages, 2006 and 2007

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1.0	0.9	1.1	1.1	0.6	0.6	1.6	1.6
12	0.1	0.1	0.1	0.0	0.1	0.0	0.2	0.1
13	0.2	0.1	0.2	0.1	0.0	0.1	0.4	0.5
14	0.5	0.6	0.5	0.4	0.4	0.2	0.9	0.9
15	1.0	1.2	0.8	1.0	0.7	0.9	1.2	1.8
16	1.8	1.6	1.3	1.5	0.9	1.1	2.5	2.4
17	2.3	1.7	1.8	1.4	1.4	1.2	3.1	2.2
18	2.3 ^a	1.2	2.3	1.6	1.5	0.9	3.4 ^a	2.2
19	1.6	1.4	1.8	2.0	1.0	1.0	2.7	2.7
20	1.6	2.0	1.9	2.5	1.0	1.1	2.6	3.6
21	1.6	1.8	2.3	1.9	1.2	0.8	2.9	3.1
22	1.8	1.1	1.8	1.5	1.1	0.8	2.9	2.0
23	1.3	1.2	1.3	1.9	0.8	0.9	1.9	2.4
24	1.9	1.3	2.1	1.9	1.4	0.9	2.5	2.6
25	1.5	1.5	1.8	1.8	1.1	1.0	2.3	2.4
26-29	2.0 ^a	1.2	2.1	1.4	1.3 ^a	0.6	3.1	2.2
30-34	1.4	1.0	1.8	1.1	1.1	0.7	2.3	1.6
35-39	0.7	1.3	1.0	1.3	0.4	0.7	1.6	2.1
40-44	1.7	1.2	1.8	1.7	1.0	0.9	2.6	2.1
45-49	1.1	0.9	1.1	1.5	0.7	0.7	1.6	2.0
50-54	0.4	1.1	0.4 ^a	1.3	0.2	0.8	0.6 ^a	1.7
55-59	0.6	0.3	1.1	1.0	0.5	0.3	1.3	1.0
60-64	0.6	0.2	0.4	0.1	0.3	0.0	0.7	0.6
65 or Older	0.0	*	0.2	0.1	0.0	*	0.3	0.2

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.16A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	2,457	2,163	2,764	2,733	1,566	1,406	4,031	3,913
AGE								
12-17	256	230	197	191	151	152	351	341
18-25	551	474	624	621	374	299	872	856
26 or Older	1,650	1,459	1,943	1,921	1,041	955	2,809	2,716
GENDER								
Male	1,619	1,529	1,916	1,979	1,058	1,066	2,707	2,764
Female	838 ^a	634	847	754	508 ^a	340	1,324	1,148
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,897	1,960	2,160	2,489	1,154	1,283	3,231	3,541
White	1,355	1,468	1,695	1,870	804	954	2,458	2,685
Black or African American	446	398	368	506	281	287	603	680
American Indian or Alaska Native	28	18	30	46	20	14	69	59
Native Hawaiian or Other Pacific Islander	6	0	9	*	3	0	15	7
Asian	34	25	26	7	25	5	44	29
Two or More Races	27	50	30	53	21	23	42	81
Hispanic or Latino	560 ^b	203	604 ^b	244	412 ^b	123	800 ^b	372

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.16B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1.0	0.9	1.1	1.1	0.6	0.6	1.6	1.6
AGE								
12-17	1.0	0.9	0.8	0.8	0.6	0.6	1.4	1.4
18-25	1.7	1.4	1.9	1.9	1.1	0.9	2.7	2.6
26 or Older	0.9	0.8	1.0	1.0	0.6	0.5	1.5	1.4
GENDER								
Male	1.4	1.3	1.6	1.6	0.9	0.9	2.3	2.3
Female	0.7 ^a	0.5	0.7	0.6	0.4 ^a	0.3	1.0	0.9
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9	0.9	1.0	1.2	0.5	0.6	1.5	1.7
White	0.8	0.9	1.0	1.1	0.5	0.6	1.5	1.6
Black or African American	1.5	1.4	1.3	1.7	1.0	1.0	2.1	2.3
American Indian or Alaska Native	2.3	1.4	2.5	3.6	1.6	1.1	5.6	4.7
Native Hawaiian or Other Pacific Islander	0.7	0.1	1.0	*	0.4	0.0	1.6	1.0
Asian	0.3	0.2	0.3	0.1	0.2	0.0	0.4	0.3
Two or More Races	1.0	1.8	1.1	2.0	0.8	0.9	1.6	2.9
Hispanic or Latino	1.7 ^b	0.6	1.8 ^b	0.7	1.2 ^b	0.4	2.4 ^b	1.1

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.17A Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR						
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}
	2006	2007	2006	2007	2006	2007	2006 2007
TOTAL	256	230	197	191	151	152	351 341
GENDER							
Male	135	144	104	108	70	91	194 205
Female	121	85	92	83	81	61	157 136
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	210	196	159	163	120	128	291 292
White	165	157	126	133	94	102	228 226
Black or African American	15	24	12	18	7	16	27 42
American Indian or Alaska Native	*	3	*	1	*	1	* *
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	* *
Asian	14	4	6	3	5	3	15 4
Two or More Races	8	8	6	7	6	7	11 9
Hispanic or Latino	46	33	38	28	31	24	59 49
GENDER/RACE/HISPANIC ORIGIN							
Male, White, Not Hispanic	81	93	61	70	37	58	122 122
Female, White, Not Hispanic	84	64	64	63	57	44	106 104
Male, Black, Not Hispanic	12	16	11	9	6	8	20 28
Female, Black, Not Hispanic	3	8	2	9	2	8	7 14
Male, Hispanic	24	26	18	22	15	19	32 37
Female, Hispanic	22	7	20	6	16	5	27 12

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.17B Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1.0	0.9	0.8	0.8	0.6	0.6	1.4	1.4
GENDER								
Male	1.0	1.1	0.8	0.8	0.5	0.7	1.5	1.6
Female	1.0	0.7	0.7	0.7	0.6	0.5	1.3	1.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.0	1.0	0.8	0.8	0.6	0.6	1.4	1.4
White	1.1	1.0	0.8	0.9	0.6	0.7	1.5	1.5
Black or African American	0.4	0.6	0.3	0.5	0.2	0.4	0.7	1.1
American Indian or Alaska Native	*	1.9	*	0.7	*	0.5	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	1.3	0.4	0.6	0.3	0.5	0.3	1.4	0.4
Two or More Races	1.8	1.8	1.5	1.7	1.4	1.6	2.8	2.1
Hispanic or Latino	1.0	0.7	0.8	0.6	0.7	0.5	1.3	1.1
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	1.0	1.2	0.8	0.9	0.5	0.7	1.6	1.6
Female, White, Not Hispanic	1.1	0.9	0.9	0.9	0.8	0.6	1.4	1.4
Male, Black, Not Hispanic	0.6	0.8	0.5	0.5	0.3	0.4	1.0	1.5
Female, Black, Not Hispanic	0.2	0.4	0.1	0.5	0.1	0.4	0.4	0.7
Male, Hispanic	1.0	1.1	0.8	0.9	0.6	0.8	1.4	1.6
Female, Hispanic	1.0	0.3	0.9	0.3	0.7	0.2	1.2	0.5

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.18A Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	551	474	624	621	374	299	872	856
GENDER								
Male	312	307	393	440	210	199	547	599
Female	239	167	231	181	164 ^a	100	325	257
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	480	404	544	536	327	254	760	730
White	359	335	442	445	241	210	615	606
Black or African American	86	53	74	67	65	34	103	92
American Indian or Alaska Native	*	3	5	7	2	3	12	9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	15	3	16	3	15	2	16	6
Two or More Races	7	10	7	8	4	5	11	13
Hispanic or Latino	71	70	80	85	47	45	112	126
EDUCATION								
< High School	211	169	185	180	142	116	282	261
High School Graduate	201	195	217	250	136	125	309	341
Some College	132	107	203	169	93	57	254	227
College Graduate	6	3	19	22	2	2	26	27
CURRENT EMPLOYMENT								
Full-Time	239	204	302	314	166	134	416	416
Part-Time	105	79	140	104	78	44	178	149
Unemployed	88	78	81	75	64	54	114	109
Other ³	120	112	101	127	66	66	163	182

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.18B Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1.7	1.4	1.9	1.9	1.1	0.9	2.7	2.6
GENDER								
Male	1.9	1.9	2.4	2.7	1.3	1.2	3.3	3.6
Female	1.5 ^a	1.0	1.4	1.1	1.0 ^a	0.6	2.0	1.6
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.8	1.5	2.0	2.0	1.2	0.9	2.8	2.7
White	1.8	1.7	2.2	2.2	1.2	1.0	3.0	3.0
Black or African American	1.9	1.2	1.7	1.5	1.4	0.8	2.3	2.0
American Indian or Alaska Native	*	1.8	2.8	4.5	1.2	1.8	6.9	5.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	1.0	0.2	1.0	0.2	1.0	0.1	1.0	0.4
Two or More Races	1.9	2.3	1.9	1.7	1.2	1.2	3.1	2.9
Hispanic or Latino	1.2	1.2	1.4	1.5	0.8	0.8	1.9	2.2
EDUCATION								
< High School	3.2	2.7	2.8	2.9	2.2	1.9	4.3	4.2
High School Graduate	1.8	1.7	1.9	2.2	1.2	1.1	2.7	3.1
Some College	1.2	1.0	1.9	1.5	0.9	0.5	2.4	2.1
College Graduate	0.1	0.1	0.4	0.5	0.1	0.0	0.6	0.6
CURRENT EMPLOYMENT								
Full-Time	1.5	1.3	1.9	2.0	1.1	0.9	2.6	2.7
Part-Time	1.3	0.9	1.7	1.2	0.9	0.5	2.2	1.8
Unemployed	3.5	3.0	3.2	2.9	2.6	2.1	4.6	4.2
Other ³	1.9	1.8	1.6	2.0	1.1	1.0	2.6	2.9

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.19A Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1,650	1,459	1,943	1,921	1,041	955	2,809	2,716
GENDER								
Male	1,172	1,078	1,419	1,431	777	776	1,967	1,960
Female	478	382	524	490	264	179	842	756
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,207	1,360	1,458	1,790	707	901	2,179	2,519
White	831	977	1,128	1,292	470	642	1,615	1,853
Black or African American	346	322	282	421	209	237	474	546
American Indian or Alaska Native	9	11	16	38	9	10	*	42
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	5	18	5	1	5	*	13	19
Two or More Races	13	32	17	39	11	12	20	59
Hispanic or Latino	443 ^b	99	486 ^b	130	334 ^b	54	629 ^b	196
EDUCATION								
< High School	607 ^a	357	541	458	362	261	887	683
High School Graduate	490	548	647	727	316	341	923	1,048
Some College	451	350	493	500	279	234	693	639
College Graduate	102	204	262	235	84	119	305	346
CURRENT EMPLOYMENT								
Full-Time	664	623	1,007	937	455	433	1,368	1,264
Part-Time	176	221	191	224	84	169	296	301
Unemployed	182	141	176	121	96	89	276	190
Other ³	627	474	569	638	407	263	868	961

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.19B Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.9	0.8	1.0	1.0	0.6	0.5	1.5	1.4
GENDER								
Male	1.3	1.2	1.6	1.6	0.9	0.9	2.2	2.2
Female	0.5	0.4	0.5	0.5	0.3	0.2	0.9	0.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.7	0.8	0.9	1.1	0.4	0.5	1.3	1.5
White	0.6	0.7	0.8	1.0	0.4	0.5	1.2	1.4
Black or African American	1.7	1.5	1.4	2.0	1.0	1.1	2.3	2.6
American Indian or Alaska Native	1.0	1.2	1.8	4.0	1.0	1.1	*	4.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.1	0.2	0.1	0.0	0.1	*	0.2	0.2
Two or More Races	0.7	1.7	0.9	2.1	0.6	0.6	1.0	3.1
Hispanic or Latino	1.9 ^b	0.4	2.1 ^b	0.5	1.4 ^b	0.2	2.7 ^b	0.8
EDUCATION								
< High School	2.0 ^a	1.2	1.8	1.5	1.2	0.9	2.9	2.3
High School Graduate	0.8	1.0	1.1	1.3	0.5	0.6	1.6	1.8
Some College	1.0	0.8	1.1	1.1	0.6	0.5	1.6	1.4
College Graduate	0.2	0.4	0.5	0.4	0.2	0.2	0.6	0.6
CURRENT EMPLOYMENT								
Full-Time	0.6	0.6	1.0	0.9	0.4	0.4	1.3	1.2
Part-Time	0.9	1.0	0.9	1.1	0.4	0.8	1.4	1.4
Unemployed	4.0	3.1	3.9	2.7	2.1	2.0	6.1	4.2
Other ³	1.1	0.8	1.0	1.1	0.7	0.5	1.5	1.7

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.20A Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	2,201	1,933	2,567	2,542	1,415	1,254	3,680	3,572
GENDER								
Male	1,484	1,384	1,812	1,871	987	974	2,513	2,559
Female	717	549	755	671	428 ^a	280	1,167	1,012
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,687	1,764	2,001	2,326	1,034	1,155	2,939	3,250
White	1,190	1,311	1,570	1,736	710	852	2,230	2,459
Black or African American	431	375	356	488	274	271	577	637
American Indian or Alaska Native	19	15	21	45	12	13	59	51
Native Hawaiian or Other Pacific Islander	6	*	9	*	3	*	14	*
Asian	20	22	21	4	20	2	29	25
Two or More Races	19	42	24	46	15	17	30	72
Hispanic or Latino	514 ^b	169	566 ^b	216	381 ^b	99	741 ^b	322
EDUCATION								
< High School	818 ^a	526	726	638	504	377	1,170	943
High School Graduate	691	743	864	978	452	465	1,232	1,389
Some College	583	458	696	669	372	291	947	866
College Graduate	108	207	281	257	87	121	331	373
CURRENT EMPLOYMENT								
Full-Time	903	828	1,309	1,252	621	568	1,784	1,680
Part-Time	281	300	331	329	163	214	474	450
Unemployed	270	219	257	197	159	144	390	299
Other ³	746	587	670	765	472	329	1,032	1,143

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.20B Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1.0	0.9	1.2	1.1	0.6	0.6	1.7	1.6
GENDER								
Male	1.4	1.3	1.7	1.7	0.9	0.9	2.4	2.4
Female	0.6	0.5	0.7	0.6	0.4 ^a	0.2	1.0	0.9
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9	0.9	1.0	1.2	0.5	0.6	1.5	1.7
White	0.8	0.9	1.0	1.1	0.5	0.6	1.5	1.6
Black or African American	1.7	1.5	1.4	1.9	1.1	1.1	2.3	2.5
American Indian or Alaska Native	1.7	1.3	1.9	4.1	1.1	1.2	5.4	4.6
Native Hawaiian or Other Pacific Islander	0.8	*	1.1	*	0.4	*	1.7	*
Asian	0.2	0.2	0.2	0.0	0.2	0.0	0.3	0.3
Two or More Races	0.9	1.8	1.1	2.0	0.7	0.7	1.4	3.1
Hispanic or Latino	1.8 ^b	0.6	2.0 ^b	0.7	1.3 ^b	0.3	2.6 ^b	1.1
EDUCATION								
< High School	2.2 ^a	1.4	2.0	1.8	1.4	1.0	3.2	2.6
High School Graduate	1.0	1.1	1.3	1.4	0.7	0.7	1.8	2.0
Some College	1.1	0.8	1.3	1.2	0.7	0.5	1.7	1.5
College Graduate	0.2	0.3	0.5	0.4	0.1	0.2	0.6	0.6
CURRENT EMPLOYMENT								
Full-Time	0.7	0.7	1.1	1.0	0.5	0.5	1.5	1.4
Part-Time	1.0	1.0	1.1	1.1	0.6	0.7	1.6	1.5
Unemployed	3.8	3.1	3.6	2.8	2.3	2.0	5.5	4.2
Other ³	1.2	0.9	1.1	1.2	0.7	0.5	1.6	1.8

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.21A (REVISED) Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2006 and 2007

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	2,460	2,182	2,764	2,744	1,571	1,416	4,031	3,927
GEOGRAPHIC DIVISION								
Northeast	540	375	595 ^a	376	387 ^a	193	774	618
New England	87	96	139	122	60	55	174	170
Middle Atlantic	453	279	456 ^a	255	327 ^a	138	600	448
Midwest	454	389	672	782	314	278	897	1,058
East North Central	334	307	514	613	244	225	665	788
West North Central	120	82	159	169	69	53	232	270
South	761	817	760	892	420	551	1,218	1,285
South Atlantic	398	387	418	526	188	281	698	684
East South Central	159	201	140	175	92	131	221	255
West South Central	204	229	202	191	140	140	299	346
West	706	601	737	693	450	393	1,142	966
Mountain	185	152	148	206	81	90	327	303
Pacific	521	449	589	487	369	303	815	663
COUNTY TYPE								
Large Metro	1,404	1,197	1,506	1,449	918	762	2,223	2,088
Small Metro	672	589	786	757	437	408	1,103	1,079
250K – 1 Mil. Pop.	430	422	499	494	267	274	721	710
< 250K Pop.	242	168	288	263	169	134	382	369
Nonmetro	385	396	471	537	216	246	705	760
Urbanized	150	156	203	229	90	112	307	294
Less Urbanized	209	216	245	265	117	117	354	415
Completely Rural	26	24	24	43	9	18	44	51

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.21B (REVISED) Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2006 and 2007

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1.0	0.9	1.1	1.1	0.6	0.6	1.6	1.6
GEOGRAPHIC DIVISION								
Northeast	1.2	0.8	1.3 ^a	0.8	0.8 ^a	0.4	1.7	1.3
New England	0.7	0.8	1.2	1.0	0.5	0.5	1.4	1.4
Middle Atlantic	1.3	0.8	1.3 ^a	0.8	1.0 ^a	0.4	1.8	1.3
Midwest	0.8	0.7	1.2	1.4	0.6	0.5	1.6	1.9
East North Central	0.9	0.8	1.3	1.6	0.6	0.6	1.7	2.1
West North Central	0.7	0.5	1.0	1.0	0.4	0.3	1.4	1.6
South	0.9	0.9	0.9	1.0	0.5	0.6	1.4	1.4
South Atlantic	0.8	0.8	0.9	1.1	0.4	0.6	1.5	1.4
East South Central	1.1	1.4	1.0	1.2	0.6	0.9	1.5	1.7
West South Central	0.7	0.8	0.7	0.7	0.5	0.5	1.1	1.3
West	1.2	1.1	1.3	1.2	0.8	0.7	2.0	1.7
Mountain	1.1	0.9	0.9	1.2	0.5	0.5	1.9	1.8
Pacific	1.3	1.1	1.5	1.2	0.9	0.8	2.1	1.7
COUNTY TYPE								
Large Metro	1.1	0.9	1.1	1.1	0.7	0.6	1.7	1.6
Small Metro	1.0	0.8	1.1	1.0	0.6	0.6	1.6	1.5
250K – 1 Mil. Pop.	0.9	0.9	1.1	1.0	0.6	0.6	1.6	1.4
< 250K Pop.	1.0	0.7	1.2	1.1	0.7	0.5	1.6	1.5
Nonmetro	0.9	1.0	1.1	1.3	0.5	0.6	1.7	1.8
Urbanized	0.9	0.9	1.2	1.4	0.5	0.7	1.9	1.7
Less Urbanized	1.0	1.1	1.2	1.3	0.6	0.6	1.7	2.1
Completely Rural	0.6	0.5	0.5	0.9	0.2	0.4	1.0	1.1

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.