

**Table 5.23A Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Numbers in Thousands, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	514	387	47	46	99	97	367	244
Rehabilitation Facility - Inpatient	636	636	46	59	154	145	436	432
Rehabilitation Facility - Outpatient	1,045	936	78	83	254	218	713	635
Mental Health Center - Outpatient	681	519	74 <sup>a</sup>	42	133	104	475	373
Emergency Room	229	217	40	28	62	48	126	141
Private Doctor's Office	328	306	37	41	98	70	192	195
Self-Help Group	1,256	1,159	89	111	316 <sup>b</sup>	204	850	843
Prison/Jail	314	194	30	15	55	62	229	117

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.23B Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Percentages, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	20.9	17.9	18.4	19.9	18.1	20.6	22.3	16.7
Rehabilitation Facility - Inpatient	25.9	29.4	18.1	25.6	28.0	30.5	26.4	29.6
Rehabilitation Facility - Outpatient	42.5	43.3	30.5	36.2	46.2	45.9	43.2	43.5
Mental Health Center - Outpatient	27.7	24.0	28.7	18.1	24.1	22.0	28.8	25.5
Emergency Room	9.3	10.1	15.8	12.2	11.3	10.1	7.7	9.7
Private Doctor's Office	13.3	14.2	14.3	17.7	17.9	14.8	11.7	13.4
Self-Help Group	51.1	53.6	34.9 <sup>a</sup>	48.6	57.4 <sup>b</sup>	43.0	51.5	57.8
Prison/Jail	12.8	9.0	11.9	6.5	10.0	13.1	13.9	8.0

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.24A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	476	565	43	29	107	82	327	454
Rehabilitation Facility - Inpatient	629	682	37	35	128	104	464	542
Rehabilitation Facility - Outpatient	957	1,044	63	54	217	205	676	784
Mental Health Center - Outpatient	692	622	47	25	143	98	501	499
Emergency Room	183 <sup>a</sup>	358	28	23	49	54	106 <sup>a</sup>	282
Private Doctor's Office	417	357	27	19	82	83	307	256
Self-Help Group	1,591	1,535	73	77	346	289	1,172	1,169
Prison/Jail	215	233	20	15	66	70	129	148

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.24B Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Percentages, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	17.2	20.7	21.8	15.2	17.1	13.2	16.8	23.6
Rehabilitation Facility - Inpatient	22.8	24.9	18.9	18.3	20.5	16.8	23.9	28.2
Rehabilitation Facility - Outpatient	34.6	38.2	32.1	28.2	34.8	33.1	34.8	40.8
Mental Health Center - Outpatient	25.0	22.8	24.1 <sup>a</sup>	13.3	23.0	15.7	25.8	26.0
Emergency Room	6.6 <sup>a</sup>	13.1	14.1	11.8	7.9	8.6	5.5 <sup>a</sup>	14.7
Private Doctor's Office	15.1	13.1	13.8	9.8	13.2	13.3	15.8	13.3
Self-Help Group	57.6	56.2	37.1	40.4	55.5 <sup>a</sup>	46.6	60.3	60.9
Prison/Jail	7.8	8.5	10.3	7.8	10.5	11.3	6.6	7.7

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.25A Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	816	779	65	59	156	135	595	584
Rehabilitation Facility - Inpatient	934	1,044	54	69	192	188	688	786
Rehabilitation Facility - Outpatient	1,621	1,705	106	112	353	347	1,161	1,246
Mental Health Center - Outpatient	1,104	889	97 <sup>a</sup>	56	215	158	792	674
Emergency Room	397	523	53	45	98	92	246	386
Private Doctor's Office	610	593	53	51	146	133	410	409
Self-Help Group	2,183	2,173	124	151	515 <sup>a</sup>	397	1,544	1,624
Prison/Jail	420	302	36	22	102	107	282	173

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.25B Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Percentages, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	20.2	19.9	18.6	17.4	17.9	15.8	21.2	21.5
Rehabilitation Facility - Inpatient	23.2	26.7	15.3	20.3	22.0	22.0	24.5	28.9
Rehabilitation Facility - Outpatient	40.2	43.6	30.4	32.7	40.5	40.6	41.3	45.9
Mental Health Center - Outpatient	27.4	22.7	27.8 <sup>a</sup>	16.6	24.7	18.5	28.2	24.8
Emergency Room	9.9	13.4	15.0	13.3	11.3	10.8	8.8	14.2
Private Doctor's Office	15.1	15.2	15.2	14.9	16.8	15.6	14.6	15.1
Self-Help Group	54.2	55.5	35.2	44.4	59.1 <sup>b</sup>	46.4	55.0	59.8
Prison/Jail	10.4	7.7	10.2	6.5	11.7	12.4	10.0	6.4

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.