

**Table 5.27A Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Numbers in Thousands, 2006 and 2007**

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	1,576	1,343	1,557	1,567	731	615	2,537	2,412
12	5	*	4	*	4	*	5	0
13	5	2	5	2	0	1	9	5
14	9	14	10	11	5	3	15	22
15	21	20	16	16	13	10	26	28
16	40	37	24	25	14	14	51	50
17	56	37	41	29	25	24	74	45
18	56	33	52	31	32	16	77	55
19	39	42	32	37	21	24	53	57
20	41	47	51	37	23	15	71	73
21	43	55	44	41	22	24	76	72
22	42	24	32	30	20	14	62	43
23	29	32	24	47	16	17	38	63
24	56	34	42	39	32	15	68	61
25	34	35	39	26	18	13	59	57
26-29	223	146	195	142	93	61	344	228
30-34	194	145	210	166	117	98	296	213
35-39	70 <sup>a</sup>	179	106	106	33	48	145	238
40-44	274	143	251	235	107	54	419	325
45-49	142	158	134	232	65	114	267	293
50-54	56	74	49	164	14	44	104	256
55-59	88	56	140	126	46	8	182	174
60-64	41	29	5	9	*	*	46	38
65 or Older	11	*	49	15	9	*	51	15

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.27B Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Percentages, 2006 and 2007**

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.6	0.5	0.6	0.6	0.3	0.2	1.0	1.0
12	0.1	*	0.1	*	0.1	*	0.1	0.0
13	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.1
14	0.2	0.3	0.2	0.3	0.1	0.1	0.4	0.5
15	0.5	0.5	0.4	0.4	0.3	0.2	0.6	0.6
16	0.9	0.8	0.6	0.6	0.3	0.3	1.2	1.1
17	1.3	0.9	1.0	0.7	0.6	0.6	1.8	1.1
18	1.2	0.7	1.1	0.7	0.7	0.3	1.7	1.2
19	0.9	1.0	0.8	0.9	0.5	0.6	1.3	1.3
20	1.0	1.1	1.3	0.9	0.6	0.4	1.8	1.8
21	1.0	1.3	1.0	1.0	0.5	0.6	1.8	1.8
22	1.1	0.6	0.8	0.8	0.5	0.4	1.6	1.1
23	0.7	0.8	0.6	1.2	0.4	0.4	1.0	1.6
24	1.4	0.9	1.1	1.0	0.8	0.4	1.7	1.6
25	0.9	1.0	1.0	0.7	0.5	0.3	1.5	1.5
26-29	1.4	0.9	1.2	0.9	0.6	0.4	2.1	1.4
30-34	1.0	0.8	1.1	0.9	0.6	0.5	1.6	1.1
35-39	0.3 <sup>a</sup>	0.8	0.5	0.5	0.2	0.2	0.7	1.1
40-44	1.2	0.7	1.1	1.1	0.5	0.3	1.9	1.5
45-49	0.6	0.7	0.6	1.0	0.3	0.5	1.2	1.3
50-54	0.3	0.3	0.2	0.8	0.1	0.2	0.5	1.2
55-59	0.5	0.3	0.8	0.7	0.3	0.0	1.0	0.9
60-64	0.3	0.2	0.0	0.1	*	*	0.3	0.3
65 or Older	0.0	*	0.1	0.0	0.0	*	0.1	0.0

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.28A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	1,576	1,343	1,557	1,567	731	615	2,537	2,412
<b>AGE</b>								
12-17	136	111	101	82	62	52	181	150
18-25	340	303	317	289	184	138	503	482
26 or Older	1,100	929	1,139	1,196	484	425	1,853	1,780
<b>GENDER</b>								
Male	979	917	1,023	1,142	460	459	1,625	1,703
Female	597 <sup>a</sup>	427	534	425	271 <sup>a</sup>	156	913	709
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,272	1,253	1,227	1,437	566	564	2,026	2,235
White	919	943	961	1,093	408	449	1,540	1,626
Black or African American	299	245	208	279	124	99	395	494
American Indian or Alaska Native	14	9	18	39	6	7	28	43
Native Hawaiian or Other Pacific Islander	3	*	7	0	3	*	7	0
Asian	16	21	12	*	11	*	28	22
Two or More Races	21	34	22	25	15	10	28	50
Hispanic or Latino	304 <sup>b</sup>	91	330 <sup>a</sup>	130	165 <sup>a</sup>	51	511 <sup>b</sup>	177

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.28B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.6	0.5	0.6	0.6	0.3	0.2	1.0	1.0
<b>AGE</b>								
12-17	0.5	0.4	0.4	0.3	0.2	0.2	0.7	0.6
18-25	1.0	0.9	1.0	0.9	0.6	0.4	1.5	1.5
26 or Older	0.6	0.5	0.6	0.6	0.3	0.2	1.0	0.9
<b>GENDER</b>								
Male	0.8	0.8	0.9	0.9	0.4	0.4	1.4	1.4
Female	0.5 <sup>a</sup>	0.3	0.4	0.3	0.2 <sup>a</sup>	0.1	0.7	0.6
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6	0.6	0.6	0.7	0.3	0.3	1.0	1.0
White	0.5	0.6	0.6	0.6	0.2	0.3	0.9	1.0
Black or African American	1.0	0.8	0.7	1.0	0.4	0.3	1.4	1.7
American Indian or Alaska Native	1.2	0.7	1.4	3.1	0.4	0.5	2.3	3.4
Native Hawaiian or Other Pacific Islander	0.3	*	0.8	0.1	0.3	*	0.8	0.1
Asian	0.2	0.2	0.1	*	0.1	*	0.3	0.2
Two or More Races	0.8	1.3	0.8	0.9	0.6	0.3	1.1	1.8
Hispanic or Latino	0.9 <sup>b</sup>	0.3	1.0 <sup>a</sup>	0.4	0.5 <sup>a</sup>	0.1	1.5 <sup>b</sup>	0.5

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.29A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	136	111	101	82	62	52	181	150
GENDER								
Male	62	67	56	43	30	26	90	89
Female	74	44	45	39	32	26	91	61
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	119	103	83	72	51	49	156	133
White	100	82	65	59	43	40	126	108
Black or African American	3	14	5	9	*	6	9	17
American Indian or Alaska Native	3	2	*	1	2	1	*	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	10	2	*	*	*	*	10	2
Two or More Races	3	3	2	3	2	2	3	4
Hispanic or Latino	18	8	18	10	11	3	25	17
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	47	48	36	28	19	20	64	60
Female, White, Not Hispanic	53	34	29	31	24	21	62	48
Male, Black, Not Hispanic	2	8	5	6	*	3	7	11
Female, Black, Not Hispanic	2	6	0	3	*	3	2	6
Male, Hispanic	4	6	4	8	3	3	5	13
Female, Hispanic	13	2	14	2	8	0	20	4

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.29B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.5	0.4	0.4	0.3	0.2	0.2	0.7	0.6
<b>GENDER</b>								
Male	0.5	0.5	0.4	0.3	0.2	0.2	0.7	0.7
Female	0.6	0.4	0.4	0.3	0.3	0.2	0.7	0.5
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6	0.5	0.4	0.4	0.2	0.2	0.7	0.6
White	0.7	0.5	0.4	0.4	0.3	0.3	0.8	0.7
Black or African American	0.1	0.4	0.1	0.2	*	0.2	0.2	0.4
American Indian or Alaska Native	2.0	1.0	*	0.6	1.3	0.5	*	1.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	1.0	0.2	*	*	*	*	1.0	0.2
Two or More Races	0.7	0.7	0.4	0.7	0.4	0.4	0.7	1.0
Hispanic or Latino	0.4	0.2	0.4	0.2	0.2	0.1	0.5	0.4
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.6	0.6	0.5	0.4	0.2	0.3	0.8	0.8
Female, White, Not Hispanic	0.7	0.5	0.4	0.4	0.3	0.3	0.8	0.7
Male, Black, Not Hispanic	0.1	0.4	0.3	0.3	*	0.2	0.4	0.6
Female, Black, Not Hispanic	0.1	0.3	0.0	0.2	*	0.2	0.1	0.3
Male, Hispanic	0.2	0.2	0.2	0.3	0.2	0.1	0.2	0.5
Female, Hispanic	0.6	0.1	0.7	0.1	0.4	0.0	0.9	0.2

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.30A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	340	303	317	289	184	138	503	482
GENDER								
Male	191	197	195	204	98	98	302	323
Female	148	106	122	85	86	40	201	159
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	300	250	287	250	170	111	445	413
White	237	206	228	218	131	87	354	357
Black or African American	45	35	45	27	30	20	61	43
American Indian or Alaska Native	*	1	2	3	0	1	*	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	1	7	*	*	*	14	1
Two or More Races	5	7	5	3	3	2	8	8
Hispanic or Latino	40	53	29	38	14	27	59	69
EDUCATION								
< High School	135	116	105	85	72	55	174	159
High School Graduate	121	134	108	132	66	67	169	207
Some College	82	51	99	61	47 <sup>a</sup>	16	154 <sup>a</sup>	103
College Graduate	2	2	4	10	*	0	6	12
CURRENT EMPLOYMENT								
Full-Time	153	127	151	141	83	60	241	224
Part-Time	40	39	50	47	23	21	71	66
Unemployed	69	48	59	35	44 <sup>a</sup>	19	85	67
Other <sup>3</sup>	79	89	56	66	35	38	105	125

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.30B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	1.0	0.9	1.0	0.9	0.6	0.4	1.5	1.5
<b>GENDER</b>								
Male	1.2	1.2	1.2	1.2	0.6	0.6	1.8	2.0
Female	0.9	0.7	0.8	0.5	0.5	0.2	1.2	1.0
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1.1	0.9	1.1	0.9	0.6	0.4	1.7	1.5
White	1.2	1.0	1.1	1.1	0.6	0.4	1.8	1.8
Black or African American	1.0	0.8	1.0	0.6	0.7	0.4	1.4	1.0
American Indian or Alaska Native	*	0.8	1.2	1.8	0.1	0.8	*	2.6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	0.0	0.5	*	*	*	0.9	0.0
Two or More Races	1.5	1.6	1.5	0.7	0.7	0.6	2.2	1.7
Hispanic or Latino	0.7	0.9	0.5	0.7	0.2	0.5	1.0	1.2
<b>EDUCATION</b>								
< High School	2.1	1.9	1.6	1.4	1.1	0.9	2.7	2.6
High School Graduate	1.1	1.2	1.0	1.2	0.6	0.6	1.5	1.9
Some College	0.8	0.5	0.9 <sup>a</sup>	0.6	0.4 <sup>a</sup>	0.1	1.4 <sup>a</sup>	0.9
College Graduate	0.0	0.0	0.1	0.2	*	0.0	0.1	0.3
<b>CURRENT EMPLOYMENT</b>								
Full-Time	1.0	0.8	1.0	0.9	0.5	0.4	1.5	1.5
Part-Time	0.5	0.5	0.6	0.6	0.3	0.2	0.9	0.8
Unemployed	2.8	1.8	2.4	1.3	1.8 <sup>a</sup>	0.7	3.4	2.6
Other <sup>3</sup>	1.3	1.4	0.9	1.0	0.6	0.6	1.7	2.0

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 5.31A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1,100	929	1,139	1,196	484	425	1,853	1,780
GENDER								
Male	726	653	772	895	332	335	1,232	1,292
Female	375	277	368	301	152	90	621	488
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	853	900	857	1,114	345	404	1,426	1,689
White	582	655	668	816	234	321	1,060	1,161
Black or African American	250	196	158	244	94	73	326	434
American Indian or Alaska Native	5	6	9	35	4	5	11	37
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	18	*	0	*	*	5	19
Two or More Races	13	25	15	19	10	5	17	38
Hispanic or Latino	247 <sup>b</sup>	30	283 <sup>a</sup>	82	139 <sup>a</sup>	21	428 <sup>b</sup>	90
EDUCATION								
< High School	420 <sup>a</sup>	210	347	302	180	128	645	440
High School Graduate	330	381	393	511	169	214	576	679
Some College	289	216	246	277	84	62	454	453
College Graduate	61	122	153	107	51	22	179	207
CURRENT EMPLOYMENT								
Full-Time	460	348	570	555	253	185	791	781
Part-Time	105	107	111	90	12	50	223	146
Unemployed	87	124	93	77	15	48	165	153
Other <sup>3</sup>	448	351	364	474	205	142	674	699

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.31B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.6	0.5	0.6	0.6	0.3	0.2	1.0	0.9
GENDER								
Male	0.8	0.7	0.9	1.0	0.4	0.4	1.4	1.4
Female	0.4	0.3	0.4	0.3	0.2	0.1	0.6	0.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5	0.5	0.5	0.7	0.2	0.2	0.9	1.0
White	0.4	0.5	0.5	0.6	0.2	0.2	0.8	0.9
Black or African American	1.2	0.9	0.8	1.2	0.5	0.4	1.6	2.1
American Indian or Alaska Native	0.6	0.7	1.0	3.8	0.4	0.5	1.2	3.9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	0.2	*	0.0	*	*	0.1	0.2
Two or More Races	0.7	1.3	0.8	1.0	0.6	0.3	0.9	2.0
Hispanic or Latino	1.1 <sup>b</sup>	0.1	1.2 <sup>a</sup>	0.3	0.6 <sup>a</sup>	0.1	1.9 <sup>b</sup>	0.4
EDUCATION								
< High School	1.4 <sup>a</sup>	0.7	1.2	1.0	0.6	0.4	2.1	1.5
High School Graduate	0.6	0.7	0.7	0.9	0.3	0.4	1.0	1.2
Some College	0.6	0.5	0.6	0.6	0.2	0.1	1.0	1.0
College Graduate	0.1	0.2	0.3	0.2	0.1	0.0	0.3	0.4
CURRENT EMPLOYMENT								
Full-Time	0.4	0.3	0.5	0.5	0.2	0.2	0.7	0.7
Part-Time	0.5	0.5	0.5	0.4	0.1	0.2	1.1	0.7
Unemployed	1.9	2.8	2.0	1.7	0.3	1.1	3.6	3.4
Other <sup>3</sup>	0.8	0.6	0.6	0.8	0.4	0.2	1.2	1.2

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.32A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1,440	1,232	1,456	1,485	669	563	2,356	2,262
GENDER								
Male	917	850	966	1,099	430	433	1,534	1,614
Female	523	382	490	386	239 <sup>a</sup>	130	822	647
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,153	1,149	1,144	1,365	515	515	1,870	2,102
White	819	861	896	1,034	365	408	1,414	1,518
Black or African American	296	231	202	270	124	93	387	477
American Indian or Alaska Native	11	8	11	38	4	6	19	41
Native Hawaiian or Other Pacific Islander	3	*	7	0	3	*	7	0
Asian	7	19	7	0	7	*	19	19
Two or More Races	18	32	20	22	13	8	25	45
Hispanic or Latino	287 <sup>b</sup>	83	312 <sup>a</sup>	120	154	48	486 <sup>b</sup>	160
EDUCATION								
< High School	555 <sup>b</sup>	326	453	387	252	182	819	600
High School Graduate	451	516	501	643	235	280	745	885
Some College	371	267	345	338	131	78	608	557
College Graduate	63	123	157	117	51	22	184	220
CURRENT EMPLOYMENT								
Full-Time	613	475	722	696	336	245	1,032	1,005
Part-Time	145	145	162	136	34	71	294	212
Unemployed	156	172	152	112	59	67	251	220
Other <sup>3</sup>	526	440	420	541	240	180	780	824

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.32B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.7	0.6	0.7	0.7	0.3	0.3	1.1	1.0
GENDER								
Male	0.9	0.8	0.9	1.0	0.4	0.4	1.4	1.5
Female	0.5	0.3	0.4	0.3	0.2 <sup>a</sup>	0.1	0.7	0.6
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6	0.6	0.6	0.7	0.3	0.3	1.0	1.1
White	0.5	0.6	0.6	0.7	0.2	0.3	0.9	1.0
Black or African American	1.2	0.9	0.8	1.1	0.5	0.4	1.5	1.9
American Indian or Alaska Native	1.0	0.7	1.0	3.5	0.3	0.5	1.8	3.7
Native Hawaiian or Other Pacific Islander	0.3	*	0.9	0.1	0.3	*	0.9	0.1
Asian	0.1	0.2	0.1	0.0	0.1	*	0.2	0.2
Two or More Races	0.8	1.4	0.9	0.9	0.6	0.3	1.1	2.0
Hispanic or Latino	1.0 <sup>b</sup>	0.3	1.1 <sup>a</sup>	0.4	0.5	0.2	1.7 <sup>b</sup>	0.5
EDUCATION								
< High School	1.5 <sup>b</sup>	0.9	1.2	1.1	0.7	0.5	2.2	1.7
High School Graduate	0.7	0.8	0.7	0.9	0.3	0.4	1.1	1.3
Some College	0.7	0.5	0.6	0.6	0.2	0.1	1.1	1.0
College Graduate	0.1	0.2	0.3	0.2	0.1	0.0	0.3	0.4
CURRENT EMPLOYMENT								
Full-Time	0.5	0.4	0.6	0.6	0.3	0.2	0.8	0.8
Part-Time	0.5	0.5	0.6	0.5	0.1	0.2	1.0	0.7
Unemployed	2.2	2.4	2.2	1.6	0.8	0.9	3.6	3.1
Other <sup>3</sup>	0.8	0.7	0.7	0.8	0.4	0.3	1.2	1.3

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.33A (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	1,578	1,362	1,553	1,575	734	624	2,533	2,430
GEOGRAPHIC DIVISION								
Northeast	366	264	297	218	163	98	556	387
New England	40	57	81	65	22	20	102	102
Middle Atlantic	326	207	216	153	141	78	455	285
Midwest	323	247	459	499	174	143	628	623
East North Central	228	182	340	374	128	107	458	469
West North Central	95	65	119	125	46	37	170	154
South	511	512	388	501	202	243	728	841
South Atlantic	276	199	181	282	75	114	393	431
East South Central	121	153	110	115	57	61	175	213
West South Central	114	160	96	104	71	68	159	197
West	377	339	409	356	195	140	621	578
Mountain	106	81	81	110	41	49	155	147
Pacific	271	258	328	246	154	91	466	431
COUNTY TYPE								
Large Metro	873	711	791	797	380	299	1,385	1,281
Small Metro	434	385	465	437	231	197	695	660
250K – 1 Mil. Pop.	289	271	272	279	145	123	436	443
< 250K Pop.	146	114	193	159	86	74	259	217
Nonmetro	270	266	296	340	122	128	453	489
Urbanized	103	107	139	148	55	61	190	199
Less Urbanized	149	144	142	161	65	59	231	252
Completely Rural	18	15	16	31	2	8	32	38

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.33B (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2006 and 2007**

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.6	0.5	0.6	0.6	0.3	0.3	1.0	1.0
GEOGRAPHIC DIVISION								
Northeast	0.8	0.6	0.6	0.5	0.4	0.2	1.2	0.8
New England	0.3	0.5	0.7	0.5	0.2	0.2	0.8	0.9
Middle Atlantic	1.0	0.6	0.6	0.5	0.4	0.2	1.3	0.8
Midwest	0.6	0.5	0.8	0.9	0.3	0.3	1.1	1.1
East North Central	0.6	0.5	0.9	1.0	0.3	0.3	1.2	1.2
West North Central	0.6	0.4	0.7	0.8	0.3	0.2	1.0	0.9
South	0.6	0.6	0.4	0.6	0.2	0.3	0.8	0.9
South Atlantic	0.6	0.4	0.4	0.6	0.2	0.2	0.8	0.9
East South Central	0.8	1.0	0.8	0.8	0.4	0.4	1.2	1.4
West South Central	0.4	0.6	0.4	0.4	0.3	0.2	0.6	0.7
West	0.7	0.6	0.7	0.6	0.3	0.2	1.1	1.0
Mountain	0.6	0.5	0.5	0.6	0.2	0.3	0.9	0.9
Pacific	0.7	0.6	0.8	0.6	0.4	0.2	1.2	1.1
COUNTY TYPE								
Large Metro	0.7	0.5	0.6	0.6	0.3	0.2	1.0	1.0
Small Metro	0.6	0.5	0.7	0.6	0.3	0.3	1.0	0.9
250K – 1 Mil. Pop.	0.6	0.5	0.6	0.6	0.3	0.2	0.9	0.9
< 250K Pop.	0.6	0.5	0.8	0.6	0.4	0.3	1.1	0.9
Nonmetro	0.6	0.6	0.7	0.8	0.3	0.3	1.1	1.2
Urbanized	0.6	0.6	0.8	0.9	0.3	0.4	1.2	1.2
Less Urbanized	0.7	0.7	0.7	0.8	0.3	0.3	1.1	1.3
Completely Rural	0.4	0.3	0.3	0.7	0.0	0.2	0.7	0.8

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.