

Table 5.38A Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	514	387	*	*	99	97	367	244
Rehabilitation Facility - Inpatient	636	636	*	*	154	145	436	432
Rehabilitation Facility - Outpatient	1,045	936	*	83	254	218	713	635
Mental Health Center - Outpatient	681	519	*	42	133	104	475	373
Emergency Room	207	191	*	*	51	39	119	129
Private Doctor's Office	247	237	*	*	72	45	153	173
Self-Help Group	902	850	*	68	223	159	*	623
Prison/Jail	293 ^a	145	*	12	52	46	215	*

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.38B Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	32.6	28.8	*	*	29.3	32.1	33.4	26.2
Rehabilitation Facility - Inpatient	40.4	47.3	*	*	45.5	47.8	39.6	46.5
Rehabilitation Facility - Outpatient	66.3	69.7	*	74.9	74.9	71.8	64.8	68.4
Mental Health Center - Outpatient	43.2	38.6	*	37.5	39.1	34.4	43.2	40.1
Emergency Room	13.1	14.2	*	*	15.0	12.9	10.8	13.9
Private Doctor's Office	15.6	17.7	*	*	21.3	14.8	13.9	18.7
Self-Help Group	57.2	63.3	*	61.6	65.8 ^a	52.5	*	67.0
Prison/Jail	18.6	10.8	*	10.8	15.2	15.3	19.5	*

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.39A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	476	565	*	*	107	82	327	454
Rehabilitation Facility - Inpatient	629	682	*	*	128	104	464	542
Rehabilitation Facility - Outpatient	957	1,044	*	*	217	205	676	784
Mental Health Center - Outpatient	692	622	*	*	143	98	501	499
Emergency Room	175 ^a	342	*	*	42	44	106 ^a	280
Private Doctor's Office	271	248	*	*	52	42	201	192
Self-Help Group	951	972	*	*	196	158	710	772
Prison/Jail	201	143	*	*	55	41	129	91

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.39B Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	30.6	36.1	*	*	33.8	28.4	28.7	38.0
Rehabilitation Facility - Inpatient	40.4	43.5	*	*	40.5	36.2	40.7	45.3
Rehabilitation Facility - Outpatient	61.4	66.6	*	*	68.7	71.1	59.3	65.6
Mental Health Center - Outpatient	44.4	39.7	*	*	45.3	33.9	44.0	41.7
Emergency Room	11.2 ^a	21.8	*	*	13.4	15.3	9.3 ^a	23.4
Private Doctor's Office	17.4	15.8	*	*	16.4	14.4	17.7	16.0
Self-Help Group	61.1	62.0	*	*	61.8	54.8	62.3	64.5
Prison/Jail	12.9	9.1	*	*	17.4	14.2	11.3	7.6

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.40A Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	816	779	65	59	156	135	595	584
Rehabilitation Facility - Inpatient	934	1,044	54	69	192	188	688	786
Rehabilitation Facility - Outpatient	1,621	1,705	106	112	353	347	1,161	1,246
Mental Health Center - Outpatient	1,104	889	97 ^a	56	215	158	792	674
Emergency Room	369	478	*	37	84	74	235	366
Private Doctor's Office	422	420	33	27	105	72	284	321
Self-Help Group	1,462	1,485	85	85	334	253	1,043	1,148
Prison/Jail	377 ^a	210	*	21	79	69	269 ^a	119

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.40B Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	32.2	32.3	36.1	39.5	31.0	28.1	32.1	32.8
Rehabilitation Facility - Inpatient	36.8	43.3	29.6 ^a	46.1	38.1	39.0	37.1	44.2
Rehabilitation Facility - Outpatient	63.9	70.7	58.8 ^a	74.1	70.2	72.0	62.6	70.0
Mental Health Center - Outpatient	43.5	36.8	53.9 ^a	37.5	42.7 ^a	32.9	42.7	37.9
Emergency Room	14.5	19.8	*	24.9	16.7	15.4	12.7	20.6
Private Doctor's Office	16.6	17.4	18.2	17.7	20.8	15.0	15.3	18.0
Self-Help Group	57.6	61.6	46.8	56.4	66.4 ^b	52.4	56.3	64.5
Prison/Jail	14.9 ^a	8.7	*	14.2	15.8	14.4	14.5 ^a	6.7

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.