

**Table 5.43A Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Numbers in Thousands, 2006 and 2007**

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	7,756	7,528	1,576	1,343	6,180	6,185	20.3	17.8
12	35	26	5	*	30	26	*	*
13	71 <sup>a</sup>	40	5	2	66 <sup>a</sup>	37	*	*
14	159	139	9	14	150	125	5.7	10.1
15	229	248	21	20	208	228	9.3	8.2
16	349	322	40	37	309	285	11.4	11.4
17	372	351	56	37	316	314	15.1	10.7
18	533 <sup>b</sup>	393	56	33	477 <sup>a</sup>	359	10.5	8.5
19	382	432	39	42	343	390	10.3	9.7
20	413	402	41	47	373	355	9.8	11.6
21	354	415	43	55	311	360	*	13.3
22	261	297	42	24	219	273	16.1	8.2
23	297	298	29	32	268	266	9.7	10.8
24	262	268	56	34	206	234	21.4	12.7
25	219	239	34	35	185	204	15.6	14.8
26-29	863	737	223	146	640	591	25.9	19.8
30-34	671	673	194	145	477	528	28.9	21.5
35-39	393	579	70 <sup>a</sup>	179	323	400	*	*
40-44	861 <sup>a</sup>	524	274	143	587	381	31.8	*
45-49	441	523	142	158	299	365	*	*
50-54	249	282	56	74	193	209	*	*
55-59	210	212	88	56	122	155	*	*
60-64	101	52	41	29	60	23	*	*
65 or Older	30	76	11	*	19	76	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.43B Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Percentages, 2006 and 2007**

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	3.2	3.0	0.6	0.5	2.5	2.5	20.3	17.8
12	0.9	0.7	0.1	*	0.8	0.7	*	*
13	1.7 <sup>a</sup>	1.0	0.1	0.1	1.6 <sup>a</sup>	0.9	*	*
14	3.7	3.4	0.2	0.3	3.5	3.0	5.7	10.1
15	5.1	5.7	0.5	0.5	4.6	5.2	9.3	8.2
16	8.1	7.2	0.9	0.8	7.1	6.4	11.4	11.4
17	8.9	8.5	1.3	0.9	7.5	7.6	15.1	10.7
18	11.6 <sup>b</sup>	8.2	1.2	0.7	10.4 <sup>b</sup>	7.5	10.5	8.5
19	9.2	9.9	0.9	1.0	8.2	8.9	10.3	9.7
20	10.3	9.8	1.0	1.1	9.3	8.7	9.8	11.6
21	8.2	10.2	1.0	1.3	7.2	8.8	*	13.3
22	6.6	7.8	1.1	0.6	5.5	7.2	16.1	8.2
23	7.5	7.5	0.7	0.8	6.8	6.7	9.7	10.8
24	6.7	6.8	1.4	0.9	5.3	5.9	21.4	12.7
25	5.7	6.4	0.9	1.0	4.8	5.5	15.6	14.8
26-29	5.2	4.5	1.4	0.9	3.9	3.6	25.9	19.8
30-34	3.6	3.6	1.0	0.8	2.6	2.8	28.9	21.5
35-39	1.9	2.8	0.3 <sup>a</sup>	0.8	1.5	1.9	*	*
40-44	3.8 <sup>a</sup>	2.5	1.2	0.7	2.6	1.8	31.8	*
45-49	2.0	2.3	0.6	0.7	1.4	1.6	*	*
50-54	1.2	1.3	0.3	0.3	0.9	1.0	*	*
55-59	1.2	1.1	0.5	0.3	0.7	0.8	*	*
60-64	0.8	0.4	0.3	0.2	0.4	0.2	*	*
65 or Older	0.1	0.2	0.0	*	0.1	0.2	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.44A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	7,756	7,528	1,576	1,343	6,180	6,185	20.3	17.8
AGE								
12-17	1,215	1,126	136	111	1,079	1,015	11.2	9.9
18-25	2,721	2,745	340	303	2,382	2,442	12.5	11.0
26 or Older	3,820	3,657	1,100	929	2,720	2,728	28.8	25.4
GENDER								
Male	4,947	4,992	979	917	3,968	4,075	19.8	18.4
Female	2,809	2,536	597 <sup>a</sup>	427	2,212	2,109	21.3	16.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6,489	6,584	1,272	1,253	5,217	5,332	19.6	19.0
White	4,795	5,050	919	943	3,876	4,108	19.2	18.7
Black or African American	1,308	1,173	299	245	1,009	928	22.9	20.9
American Indian or Alaska Native	84	52	14	9	70	43	*	*
Native Hawaiian or Other Pacific Islander	23	25	3	*	20	25	*	*
Asian	155	134	16	21	139	112	*	*
Two or More Races	124	150	21	34	103	115	*	*
Hispanic or Latino	1,268 <sup>a</sup>	944	304 <sup>b</sup>	91	963	853	24.0 <sup>b</sup>	9.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.44B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	3.2	3.0	0.6	0.5	2.5	2.5	20.3	17.8
AGE								
12-17	4.8	4.5	0.5	0.4	4.2	4.0	11.2	9.9
18-25	8.3	8.4	1.0	0.9	7.3	7.5	12.5	11.0
26 or Older	2.0	1.9	0.6	0.5	1.4	1.4	28.8	25.4
GENDER								
Male	4.1	4.2	0.8	0.8	3.3	3.4	19.8	18.4
Female	2.2	2.0	0.5 <sup>a</sup>	0.3	1.7	1.7	21.3	16.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.1	3.1	0.6	0.6	2.5	2.5	19.6	19.0
White	2.8	3.0	0.5	0.6	2.3	2.4	19.2	18.7
Black or African American	4.5	4.0	1.0	0.8	3.5	3.2	22.9	20.9
American Indian or Alaska Native	6.8	4.1	1.2	0.7	5.7	3.4	*	*
Native Hawaiian or Other Pacific Islander	2.4	3.6	0.3	*	2.1	3.6	*	*
Asian	1.5	1.3	0.2	0.2	1.3	1.1	*	*
Two or More Races	4.7	5.5	0.8	1.3	3.9	4.2	*	*
Hispanic or Latino	3.8 <sup>a</sup>	2.8	0.9 <sup>b</sup>	0.3	2.9	2.5	24.0 <sup>b</sup>	9.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.45A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	6,542	6,402	1,440	1,232	5,102	5,170	22.0	19.2
<b>GENDER</b>								
Male	4,319	4,380	917	850	3,402	3,530	21.2	19.4
Female	2,222	2,022	523	382	1,699	1,639	23.5	18.9
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	5,494	5,655	1,153	1,149	4,341	4,506	21.0	20.3
White	4,041	4,321	819	861	3,222	3,460	20.3	19.9
Black or African American	1,138	1,044	296	231	842	813	26.0	22.1
American Indian or Alaska Native	73	34	11	8	62	26	*	*
Native Hawaiian or Other Pacific Islander	21	*	3	*	18	*	*	*
Asian	121	113	7	19	115	94	*	*
Two or More Races	99	121	18	32	82	90	*	*
Hispanic or Latino	1,048 <sup>a</sup>	747	287 <sup>b</sup>	83	761	664	*	11.1
<b>EDUCATION</b>								
< High School	1,753	1,674	555 <sup>b</sup>	326	1,198	1,347	31.7 <sup>b</sup>	19.5
High School Graduate	2,063	2,170	451	516	1,612	1,654	21.9	23.8
Some College	2,000	1,806	371	267	1,629	1,539	18.6	14.8
College Graduate	725	753	63	123	663	629	*	*
<b>CURRENT EMPLOYMENT</b>								
Full-Time	3,189	3,091	613	475	2,576	2,616	19.2	15.4
Part-Time	1,021	1,138	145	145	876	992	14.2	12.8
Unemployed	752	684	156	172	596	512	20.7	25.1
Other <sup>1</sup>	1,580	1,490	526	440	1,054	1,050	33.3	29.5

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.45B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	3.0	2.9	0.7	0.6	2.3	2.3	22.0	19.2
<b>GENDER</b>								
Male	4.1	4.1	0.9	0.8	3.2	3.3	21.2	19.4
Female	1.9	1.8	0.5	0.3	1.5	1.4	23.5	18.9
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2.9	2.9	0.6	0.6	2.3	2.3	21.0	20.3
White	2.6	2.8	0.5	0.6	2.1	2.2	20.3	19.9
Black or African American	4.5	4.1	1.2	0.9	3.3	3.2	26.0	22.1
American Indian or Alaska Native	6.7	3.1	1.0	0.7	5.6	2.4	*	*
Native Hawaiian or Other Pacific Islander	2.5	*	0.3	*	2.2	*	*	*
Asian	1.3	1.2	0.1	0.2	1.2	1.0	*	*
Two or More Races	4.5	5.2	0.8	1.4	3.7	3.9	*	*
Hispanic or Latino	3.6 <sup>a</sup>	2.5	1.0 <sup>b</sup>	0.3	2.6	2.2	*	11.1
<b>EDUCATION</b>								
< High School	4.8	4.6	1.5 <sup>b</sup>	0.9	3.3	3.7	31.7 <sup>b</sup>	19.5
High School Graduate	3.0	3.2	0.7	0.8	2.3	2.4	21.9	23.8
Some College	3.6	3.1	0.7	0.5	2.9	2.7	18.6	14.8
College Graduate	1.2	1.2	0.1	0.2	1.1	1.0	*	*
<b>CURRENT EMPLOYMENT</b>								
Full-Time	2.6	2.5	0.5	0.4	2.1	2.2	19.2	15.4
Part-Time	3.5	3.9	0.5	0.5	3.0	3.4	14.2	12.8
Unemployed	10.7	9.6	2.2	2.4	8.4	7.2	20.7	25.1
Other <sup>1</sup>	2.5	2.3	0.8	0.7	1.7	1.6	33.3	29.5

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.46A (REVISED) Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	7,762	7,558	1,578	1,362	6,184	6,196	20.3	18.0
GEOGRAPHIC DIVISION								
Northeast	1,422	1,323	366	264	1,056	1,058	25.8	20.0
New England	318	381	40	57	278	324	12.6	*
Middle Atlantic	1,104	942	326	207	777	734	29.6	22.0
Midwest	1,659	1,544	323	247	1,336	1,298	19.5	16.0
East North Central	1,230	1,162	228	182	1,002	980	18.5	15.6
West North Central	429	382	95	65	334	317	22.1	17.0
South	2,771	2,844	511	512	2,259	2,332	18.5	18.0
South Atlantic	1,453	1,479	276	199	1,177	1,280	19.0	13.5
East South Central	472	540	121	153	350	387	*	*
West South Central	846	825	114	160	732	665	13.5	19.4
West	1,910	1,847	377	339	1,533	1,508	19.7	18.3
Mountain	510	678	106	81	405 <sup>a</sup>	597	20.7	11.9
Pacific	1,400	1,168	271	258	1,129	911	19.4	22.1
COUNTY TYPE								
Large Metro	4,316	4,124	873	711	3,443	3,413	20.2	17.2
Small Metro	2,324	2,304	434	385	1,890	1,919	18.7	16.7
250K – 1 Mil. Pop.	1,630	1,541	289	271	1,342	1,269	17.7	17.6
< 250K Pop.	694	764	146	114	548	650	21.0	14.9
Nonmetro	1,122	1,130	270	266	852	864	24.1	23.6
Urbanized	431	551	103	107	328	444	23.9	19.4
Less Urbanized	580	508	149	144	431	363	25.8	28.4
Completely Rural	111	71	18	15	93	56	*	*

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.46B (REVISED) Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2006 and 2007**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2006	2007
	2006	2007	2006	2007	2006	2007		
<b>TOTAL</b>	3.2	3.0	0.6	0.5	2.5	2.5	20.3	18.0
<b>GEOGRAPHIC DIVISION</b>								
Northeast	3.1	2.9	0.8	0.6	2.3	2.3	25.8	20.0
New England	2.6	3.2	0.3	0.5	2.3	2.7	12.6	*
Middle Atlantic	3.3	2.8	1.0	0.6	2.3	2.2	29.6	22.0
Midwest	3.0	2.8	0.6	0.5	2.4	2.4	19.5	16.0
East North Central	3.2	3.0	0.6	0.5	2.6	2.6	18.5	15.6
West North Central	2.6	2.3	0.6	0.4	2.0	1.9	22.1	17.0
South	3.1	3.2	0.6	0.6	2.5	2.6	18.5	18.0
South Atlantic	3.1	3.1	0.6	0.4	2.5	2.7	19.0	13.5
East South Central	3.2	3.7	0.8	1.0	2.4	2.6	*	*
West South Central	3.1	3.0	0.4	0.6	2.7	2.4	13.5	19.4
West	3.4	3.2	0.7	0.6	2.7	2.6	19.7	18.3
Mountain	3.0	3.9	0.6	0.5	2.4	3.5	20.7	11.9
Pacific	3.5	2.9	0.7	0.6	2.8	2.3	19.4	22.1
<b>COUNTY TYPE</b>								
Large Metro	3.2	3.1	0.7	0.5	2.6	2.6	20.2	17.2
Small Metro	3.3	3.1	0.6	0.5	2.7	2.6	18.7	16.7
250K – 1 Mil. Pop.	3.5	3.1	0.6	0.5	2.9	2.6	17.7	17.6
< 250K Pop.	2.9	3.1	0.6	0.5	2.3	2.6	21.0	14.9
Nonmetro	2.7	2.8	0.6	0.6	2.0	2.1	24.1	23.6
Urbanized	2.6	3.3	0.6	0.6	2.0	2.6	23.9	19.4
Less Urbanized	2.7	2.6	0.7	0.7	2.0	1.8	25.8	28.4
Completely Rural	2.4	1.5	0.4	0.3	2.0	1.2	*	*

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 5.47A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	6,180	6,185	496	548	182	205	314	343	5,684	5,637
AGE										
12-17	1,079	1,015	35	39	13	11	22	27	1,044	976
18-25	2,382	2,442	135	137	26	34	109	103	2,247	2,304
26 or Older	2,720	2,728	326	372	143	160	184	212	2,394	2,356
GENDER										
Male	3,968	4,075	340	349	145	154	195	196	3,628	3,726
Female	2,212	2,109	156	199	37	52	119	147	2,056	1,911

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.47B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	100.0	100.0	8.0	8.9	2.9	3.3	5.1	5.5	92.0	91.1
AGE										
12-17	100.0	100.0	3.2	3.8	1.2	1.1	2.0	2.7	96.8	96.2
18-25	100.0	100.0	5.7	5.6	1.1	1.4	4.6	4.2	94.3	94.4
26 or Older	100.0	100.0	12.0	13.6	5.2	5.9	6.8	7.8	88.0	86.4
GENDER										
Male	100.0	100.0	8.6	8.6	3.7	3.8	4.9	4.8	91.4	91.4
Female	100.0	100.0	7.1	9.4	1.7	2.5	5.4	7.0	92.9	90.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.