

Table 5.48A Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	19,520	19,301	1,557	1,567	17,963	17,734	8.0	8.1
AGE								
12-17	1,406	1,397	101	82	1,306	1,315	7.2	5.9
18-25	5,904	5,621	317	289	5,588	5,332	5.4	5.1
26 or Older	12,209	12,284	1,139	1,196	11,070	11,087	9.3	9.7
GENDER								
Male	12,750	13,144	1,023	1,142	11,727	12,003	8.0	8.7
Female	6,770 ^a	6,157	534	425	6,236	5,732	7.9	6.9
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	16,527	16,833	1,227	1,437	15,300	15,396	7.4	8.5
White	13,623	13,895	961	1,093	12,662	12,802	7.1	7.9
Black or African American	2,018	2,029	208	279	1,810	1,750	10.3	13.7
American Indian or Alaska Native	198	154	18	39	181	114	*	*
Native Hawaiian or Other Pacific Islander	104	52	7	0	97	51	*	*
Asian	342	452	12	*	331	452	*	0.1
Two or More Races	241	252	22	25	220	227	*	*
Hispanic or Latino	2,993 ^a	2,468	330 ^a	130	2,662	2,338	11.0 ^a	5.3

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.48B Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	7.9	7.8	0.6	0.6	7.3	7.2	8.0	8.1
AGE								
12-17	5.5	5.5	0.4	0.3	5.1	5.2	7.2	5.9
18-25	18.0	17.2	1.0	0.9	17.1	16.3	5.4	5.1
26 or Older	6.5	6.5	0.6	0.6	5.9	5.8	9.3	9.7
GENDER								
Male	10.7	10.9	0.9	0.9	9.8	10.0	8.0	8.7
Female	5.3 ^a	4.8	0.4	0.3	4.9	4.5	7.9	6.9
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7.8	7.9	0.6	0.7	7.2	7.2	7.4	8.5
White	8.1	8.2	0.6	0.6	7.5	7.6	7.1	7.9
Black or African American	6.9	6.9	0.7	1.0	6.2	6.0	10.3	13.7
American Indian or Alaska Native	16.1	12.1	1.4	3.1	14.7	9.0	*	*
Native Hawaiian or Other Pacific Islander	11.1	7.3	0.8	0.1	10.3	7.2	*	*
Asian	3.3	4.3	0.1	*	3.2	4.3	*	0.1
Two or More Races	9.2	9.2	0.8	0.9	8.3	8.3	*	*
Hispanic or Latino	9.0 ^a	7.2	1.0 ^a	0.4	8.0	6.8	11.0 ^a	5.3

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.49A Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	18,113	17,904	1,456	1,485	16,657	16,419	8.0	8.3
GENDER								
Male	12,059	12,459	966	1,099	11,093	11,361	8.0	8.8
Female	6,054 ^a	5,445	490	386	5,564	5,058	8.1	7.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	15,363	15,702	1,144	1,365	14,219	14,338	7.4	8.7
White	12,633	12,921	896	1,034	11,737	11,888	7.1	8.0
Black or African American	1,924	1,931	202	270	1,722	1,661	10.5	14.0
American Indian or Alaska Native	184	134	11	38	172	96	*	*
Native Hawaiian or Other Pacific Islander	101	50	7	0	94	50	*	*
Asian	309	433	7	0	302	432	*	0.1
Two or More Races	212	233	20	22	192	211	*	*
Hispanic or Latino	2,750 ^a	2,202	312 ^a	120	2,438	2,082	11.3	5.5
EDUCATION								
< High School	3,213	2,949	453	387	2,760	2,562	14.1	13.1
High School Graduate	5,807	5,554	501	643	5,307	4,911	8.6	11.6
Some College	4,977	5,204	345	338	4,631	4,866	6.9	6.5
College Graduate	4,117	4,196	157	117	3,959	4,079	3.8	2.8
CURRENT EMPLOYMENT								
Full-Time	11,477	11,121	722	696	10,755	10,424	6.3	6.3
Part-Time	2,503	2,600	162	136	2,341	2,464	6.5	5.2
Unemployed	1,119	1,132	152	112	967	1,020	13.6	9.9
Other ^f	3,014	3,051	420	541	2,594	2,511	13.9	17.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.49B Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	8.2	8.0	0.7	0.7	7.5	7.4	8.0	8.3
GENDER								
Male	11.3	11.6	0.9	1.0	10.4	10.6	8.0	8.8
Female	5.3 ^a	4.7	0.4	0.3	4.9	4.4	8.1	7.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	8.0	8.1	0.6	0.7	7.4	7.4	7.4	8.7
White	8.2	8.4	0.6	0.7	7.7	7.7	7.1	8.0
Black or African American	7.6	7.6	0.8	1.1	6.8	6.5	10.5	14.0
American Indian or Alaska Native	16.8	12.2	1.0	3.5	15.7	8.7	*	*
Native Hawaiian or Other Pacific Islander	12.3	7.9	0.9	0.1	11.4	7.8	*	*
Asian	3.3	4.5	0.1	0.0	3.3	4.5	*	0.1
Two or More Races	9.5	10.0	0.9	0.9	8.7	9.1	*	*
Hispanic or Latino	9.5 ^a	7.4	1.1 ^a	0.4	8.4	7.0	11.3	5.5
EDUCATION								
< High School	8.8	8.1	1.2	1.1	7.5	7.1	14.1	13.1
High School Graduate	8.4	8.1	0.7	0.9	7.7	7.2	8.6	11.6
Some College	9.0	9.1	0.6	0.6	8.4	8.5	6.9	6.5
College Graduate	6.9	6.9	0.3	0.2	6.6	6.7	3.8	2.8
CURRENT EMPLOYMENT								
Full-Time	9.4	9.2	0.6	0.6	8.8	8.6	6.3	6.3
Part-Time	8.7	8.8	0.6	0.5	8.1	8.3	6.5	5.2
Unemployed	15.9	15.9	2.2	1.6	13.7	14.4	13.6	9.9
Other ¹	4.8	4.7	0.7	0.8	4.1	3.9	13.9	17.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.50A Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	17,963	17,734	541 ^a	859	220	240	321 ^a	619	17,422	16,875
AGE										
12-17	1,306	1,315	17	24	5	6	12	17	1,288	1,292
18-25	5,588	5,332	134	146	32	49	102	97	5,454	5,186
26 or Older	11,070	11,087	389 ^a	690	183	185	207 ^a	505	10,680	10,397
GENDER										
Male	11,727	12,003	376	603	153	163	223	440	11,351	11,399
Female	6,236	5,732	165	256	67	77	98	179	6,071 ^a	5,476

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.50B Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Percentages, 2006 and 2007

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	100.0	100.0	3.0 ^a	4.8	1.2	1.4	1.8 ^a	3.5	97.0 ^a	95.2
AGE										
12-17	100.0	100.0	1.3	1.8	0.4	0.5	0.9	1.3	98.7	98.2
18-25	100.0	100.0	2.4	2.7	0.6	0.9	1.8	1.8	97.6	97.3
26 or Older	100.0	100.0	3.5 ^a	6.2	1.7	1.7	1.9 ^a	4.6	96.5 ^a	93.8
GENDER										
Male	100.0	100.0	3.2	5.0	1.3	1.4	1.9	3.7	96.8	95.0
Female	100.0	100.0	2.7 ^a	4.5	1.1	1.3	1.6 ^a	3.1	97.3 ^a	95.5

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.