

Table 5.14C Substance Dependence for Specific Substances in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Past Year Dependence	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS^{1,2}	185	195	34	30	68	70	167	171
Marijuana and Hashish	114	127	27	25	57	60	97	102
Cocaine	112	106	9	10	27	26	108	101
Heroin	65	40	2	3	11	13	64	38
Hallucinogens	18	21	9	8	13	9	8	18
Inhalants	10	11	7	7	7	3	*	8
Nonmedical Use of Psychotherapeutics ^{2,3}	88	113	19	19	31	35	80	105
Pain Relievers	82	104	16	15	26	33	75	98
Tranquilizers	36	52	7	9	12	10	34	50
Stimulants ²	38	60	12	10	17	14	31	57
Sedatives	18	21	6	5	7	5	15	20
ALCOHOL	284	284	28	31	81	79	267	270
BOTH ILLICIT DRUGS AND ALCOHOL^{1,2}	94	98	17	16	37	37	86	88
ILLCIT DRUGS OR ALCOHOL^{1,2}	329	327	40	41	100	99	301	307

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates in these designated rows do not include data from methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.14D Substance Dependence for Specific Substances in the Past Year, by Age Group: Standard Errors of Percentages, 2006 and 2007

Past Year Dependence	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS^{1,2}	0.08	0.08	0.13	0.12	0.21	0.21	0.09	0.09
Marijuana and Hashish	0.05	0.05	0.11	0.10	0.17	0.18	0.05	0.05
Cocaine	0.05	0.04	0.04	0.04	0.08	0.08	0.06	0.05
Heroin	0.03	0.02	0.01	0.01	0.03	0.04	0.03	0.02
Hallucinogens	0.01	0.01	0.03	0.03	0.04	0.03	0.00	0.01
Inhalants	0.00	0.00	0.03	0.03	0.02	0.01	*	0.00
Nonmedical Use of Psychotherapeutics ^{2,3}	0.04	0.05	0.08	0.08	0.10	0.11	0.04	0.06
Pain Relievers	0.03	0.04	0.06	0.06	0.08	0.10	0.04	0.05
Tranquilizers	0.01	0.02	0.03	0.04	0.04	0.03	0.02	0.03
Stimulants ²	0.02	0.02	0.05	0.04	0.05	0.04	0.02	0.03
Sedatives	0.01	0.01	0.02	0.02	0.02	0.02	0.01	0.01
ALCOHOL	0.12	0.11	0.11	0.12	0.25	0.24	0.14	0.14
BOTH ILLICIT DRUGS AND ALCOHOL^{1,2}	0.04	0.04	0.07	0.06	0.11	0.11	0.05	0.05
ILLCIT DRUGS OR ALCOHOL^{1,2}	0.13	0.13	0.16	0.16	0.31	0.30	0.16	0.16

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates in these designated rows do not include data from methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.14P Substance Dependence for Specific Substances in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Past Year Dependence	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS^{1,2}	0.4868		0.2124		0.9597		0.6078	
Marijuana and Hashish	0.4455		0.0880		0.9441		0.6408	
Cocaine	0.7049		0.3067		0.9343		0.6111	
Heroin	0.1006		0.7743		0.7585		0.0743	
Hallucinogens	0.6051		0.9065		0.0880		0.4499	
Inhalants	0.8172		0.6357		0.2934		*	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1117		1.0000		0.4398		0.1357	
Pain Relievers	0.1672		0.8868		0.1675		0.2844	
Tranquilizers	0.7162		0.3192		0.1447		0.5503	
Stimulants ²	0.7302		0.3260		0.1968		0.2956	
Sedatives	0.1482		0.8921		0.7457		0.0919	
ALCOHOL	0.9620		0.0516		0.2733		0.9394	
BOTH ILLICIT DRUGS AND ALCOHOL^{1,2}	0.8227		0.5913		0.3925		0.5902	
ILLCIT DRUGS OR ALCOHOL^{1,2}	0.6017		0.8114		0.6120		0.7059	

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates in these designated rows do not include data from methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.