

Table 5.15C Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2006 and 2007

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	157	150	177	167	128	125	214	193
12	4	2	4	1	4	0	5	3
13	5	3	3	2	1	2	6	7
14	6	6	6	5	5	3	8	7
15	8	11	8	10	7	10	9	13
16	13	12	9	11	8	10	15	14
17	16	11	13	10	12	9	17	11
18	18	11	17	13	14	10	21	15
19	11	12	13	17	9	10	16	19
20	11	14	13	17	9	10	15	20
21	21	18	23	14	20	9	24	21
22	14	10	13	12	11	9	17	13
23	12	9	12	12	11	8	14	13
24	14	10	16	13	13	8	17	15
25	10	11	11	12	9	9	13	13
26-29	60	38	67	46	52	28	80	55
30-34	49	38	58	41	45	33	64	49
35-39	48	53	53	53	29	39	68	67
40-44	68	51	69	61	52	44	85	68
45-49	64	53	58	64	52	50	74	72
50-54	45	77	27	86	16	68	51	93
55-59	46	36	72	62	44	36	75	62
60-64	60	29	45	11	44	2	61	37
65 or Older	10	*	32	15	10	*	46	34

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.15D Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2006 and 2007

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.06	0.06	0.07	0.07	0.05	0.05	0.09	0.08
12	0.11	0.06	0.11	0.01	0.11	0.01	0.13	0.06
13	0.11	0.06	0.08	0.06	0.02	0.06	0.15	0.17
14	0.13	0.15	0.14	0.12	0.13	0.08	0.19	0.18
15	0.18	0.25	0.17	0.23	0.16	0.22	0.19	0.29
16	0.31	0.27	0.21	0.24	0.19	0.21	0.34	0.31
17	0.37	0.27	0.30	0.23	0.27	0.22	0.40	0.27
18	0.38	0.23	0.37	0.27	0.31	0.20	0.45	0.30
19	0.27	0.27	0.32	0.38	0.22	0.23	0.38	0.42
20	0.28	0.35	0.32	0.40	0.22	0.24	0.37	0.48
21	0.49	0.43	0.53	0.33	0.47	0.22	0.56	0.50
22	0.35	0.27	0.34	0.31	0.28	0.25	0.44	0.33
23	0.31	0.23	0.30	0.30	0.28	0.20	0.34	0.32
24	0.36	0.26	0.39	0.34	0.33	0.21	0.42	0.38
25	0.26	0.29	0.29	0.32	0.23	0.24	0.33	0.36
26-29	0.35	0.23	0.39	0.28	0.31	0.17	0.47	0.33
30-34	0.26	0.20	0.31	0.22	0.24	0.17	0.34	0.26
35-39	0.23	0.25	0.25	0.25	0.14	0.18	0.32	0.32
40-44	0.30	0.24	0.31	0.28	0.23	0.20	0.38	0.32
45-49	0.29	0.23	0.26	0.29	0.24	0.22	0.33	0.32
50-54	0.22	0.35	0.13	0.39	0.08	0.31	0.24	0.43
55-59	0.26	0.19	0.41	0.34	0.25	0.19	0.43	0.34
60-64	0.45	0.22	0.34	0.09	0.33	0.02	0.45	0.28
65 or Older	0.03	*	0.09	0.04	0.03	*	0.13	0.09

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.15P Received Substance Use Treatment in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.1497		0.8345		0.3303		0.6072	
12	0.6902		0.4080		0.3687		0.6331	
13	0.4413		0.4371		0.2912		0.6621	
14	0.5848		0.6598		0.3262		0.8641	
15	0.4787		0.3590		0.4197		0.0789	
16	0.6197		0.4701		0.5531		0.8459	
17	0.2215		0.3340		0.6224		0.1047	
18	0.0230		0.1010		0.0865		0.0232	
19	0.6293		0.6275		0.9514		0.9812	
20	0.3248		0.2252		0.7348		0.1040	
21	0.7202		0.5829		0.5188		0.7781	
22	0.0926		0.5475		0.3384		0.0827	
23	0.9059		0.1726		0.8645		0.2489	
24	0.2190		0.8184		0.1713		0.8966	
25	0.9046		0.8805		0.8130		0.8744	
26-29	0.0346		0.1453		0.0425		0.0831	
30-34	0.1396		0.0681		0.1595		0.0911	
35-39	0.1204		0.4296		0.1664		0.2770	
40-44	0.2435		0.7217		0.5773		0.3415	
45-49	0.6692		0.2762		0.8493		0.3978	
50-54	0.0669		0.0275		0.0541		0.0345	
55-59	0.5143		0.7722		0.7089		0.5590	
60-64	0.4275		0.3874		0.3450		0.7507	
65 or Older	*		0.2643		*		0.4520	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.16C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	157	150	177	167	128	125	214	193
AGE								
12-17	24	20	19	18	17	17	27	24
18-25	40	35	42	39	34	26	49	45
26 or Older	152	144	172	161	122	121	208	186
GENDER								
Male	144	136	143	151	115	120	176	170
Female	75	65	83	80	58	43	103	96
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	122	145	125	164	88	123	166	187
White	101	115	110	129	72	94	142	151
Black or African American	62	81	55	93	48	72	72	103
American Indian or Alaska Native	9	6	9	17	7	5	32	18
Native Hawaiian or Other Pacific Islander	4	0	5	*	3	0	6	5
Asian	13	18	12	3	12	3	16	18
Two or More Races	10	15	10	21	9	8	11	24
Hispanic or Latino	104	40	123	40	92	26	133	52

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.16D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.06	0.06	0.07	0.07	0.05	0.05	0.09	0.08
AGE								
12-17	0.09	0.08	0.07	0.07	0.07	0.07	0.11	0.10
18-25	0.12	0.11	0.13	0.12	0.10	0.08	0.15	0.14
26 or Older	0.08	0.08	0.09	0.08	0.07	0.06	0.11	0.10
GENDER								
Male	0.12	0.11	0.12	0.13	0.10	0.10	0.15	0.14
Female	0.06	0.05	0.07	0.06	0.05	0.03	0.08	0.08
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.07	0.06	0.08	0.04	0.06	0.08	0.09
White	0.06	0.07	0.07	0.08	0.04	0.06	0.08	0.09
Black or African American	0.21	0.28	0.19	0.32	0.17	0.25	0.25	0.35
American Indian or Alaska Native	0.73	0.47	0.73	1.34	0.56	0.44	2.39	1.41
Native Hawaiian or Other Pacific Islander	0.44	0.05	0.56	*	0.29	0.05	0.70	0.77
Asian	0.13	0.17	0.11	0.03	0.11	0.03	0.15	0.17
Two or More Races	0.36	0.53	0.38	0.75	0.34	0.28	0.43	0.87
Hispanic or Latino	0.31	0.12	0.37	0.12	0.28	0.08	0.40	0.15

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.16P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.1497		0.8345		0.3303		0.6072	
AGE								
12-17	0.4331		0.8738		0.9270		0.8294	
18-25	0.1374		0.9655		0.0757		0.8114	
26 or Older	0.3156		0.8533		0.5627		0.6595	
GENDER								
Male	0.6071		0.8116		1.0000		0.8826	
Female	0.0374		0.3836		0.0190		0.1822	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.7722		0.1231		0.4144		0.2375	
White	0.4769		0.3255		0.2163		0.2909	
Black or African American	0.6243		0.2041		0.9586		0.5687	
American Indian or Alaska Native	0.3269		0.4414		0.4851		0.7377	
Native Hawaiian or Other Pacific Islander	0.1529		*		0.2913		0.6032	
Asian	0.6759		0.1101		0.0918		0.5220	
Two or More Races	0.2133		0.3393		0.8920		0.1625	
Hispanic or Latino	0.0014		0.0063		0.0031		0.0029	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.17C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	24	20	19	18	17	17	27	24
GENDER								
Male	17	17	14	14	12	13	19	19
Female	17	12	14	12	13	10	19	15
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	21	19	17	17	15	16	24	23
White	18	18	14	16	13	14	20	20
Black or African American	5	7	5	6	4	6	7	9
American Indian or Alaska Native	*	2	*	1	*	1	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	8	2	5	2	5	2	8	2
Two or More Races	4	2	4	2	4	2	6	2
Hispanic or Latino	12	9	10	7	9	7	13	10
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	13	14	10	12	8	11	15	15
Female, White, Not Hispanic	12	11	10	10	10	9	14	14
Male, Black, Not Hispanic	5	5	5	4	3	4	6	7
Female, Black, Not Hispanic	2	4	2	5	2	4	3	5
Male, Hispanic	7	8	6	7	5	6	8	9
Female, Hispanic	9	3	8	3	7	2	10	4

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.17D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.09	0.08	0.07	0.07	0.07	0.07	0.11	0.10
GENDER								
Male	0.13	0.13	0.11	0.11	0.09	0.10	0.15	0.15
Female	0.14	0.10	0.11	0.10	0.11	0.08	0.15	0.12
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.10	0.09	0.08	0.08	0.07	0.08	0.11	0.11
White	0.11	0.12	0.09	0.10	0.08	0.09	0.13	0.13
Black or African American	0.13	0.18	0.12	0.15	0.09	0.15	0.17	0.22
American Indian or Alaska Native	*	0.91	*	0.36	*	0.34	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.76	0.22	0.45	0.21	0.44	0.21	0.76	0.22
Two or More Races	1.04	0.46	1.02	0.51	1.02	0.49	1.38	0.49
Hispanic or Latino	0.26	0.18	0.22	0.15	0.20	0.15	0.28	0.21
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.16	0.18	0.12	0.15	0.11	0.14	0.18	0.19
Female, White, Not Hispanic	0.16	0.15	0.14	0.14	0.13	0.12	0.18	0.18
Male, Black, Not Hispanic	0.23	0.27	0.23	0.19	0.16	0.19	0.29	0.35
Female, Black, Not Hispanic	0.11	0.23	0.09	0.24	0.09	0.23	0.18	0.27
Male, Hispanic	0.32	0.34	0.27	0.28	0.23	0.27	0.36	0.38
Female, Hispanic	0.41	0.12	0.35	0.11	0.33	0.10	0.43	0.17

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.17P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR					
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹	
	2006	2007	2006	2007	2006	2007
TOTAL	0.4331		0.8738		0.9270	0.8294
GENDER						
Male	0.6690		0.8073		0.2220	0.6594
Female	0.0949		0.6227		0.2434	0.4133
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.6951		0.7861		0.6500	0.9076
White	0.8272		0.6569		0.6241	0.9698
Black or African American	0.2979		0.4487		0.2130	0.1358
American Indian or Alaska Native	*		*		*	*
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.2191		0.6010		0.6955	0.1989
Two or More Races	0.9778		0.8246		0.9152	0.6577
Hispanic or Latino	0.3490		0.3916		0.5031	0.4814
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.4710		0.5234		0.1283	0.9381
Female, White, Not Hispanic	0.2567		0.9866		0.3790	0.9762
Male, Black, Not Hispanic	0.5559		0.8135		0.6301	0.3041
Female, Black, Not Hispanic	0.3112		0.1348		0.1921	0.2400
Male, Hispanic	0.8705		0.7354		0.6381	0.7156
Female, Hispanic	0.1164		0.0979		0.1427	0.1293

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.18C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	40	35	42	39	34	26	49	45
GENDER								
Male	26	28	29	34	21	21	36	38
Female	31	19	30	20	28	15	34	24
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	37	31	40	36	33	24	45	41
White	33	28	37	33	29	22	42	37
Black or African American	15	13	14	16	13	11	16	18
American Indian or Alaska Native	*	1	2	2	2	1	6	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	10	2	10	3	10	2	10	3
Two or More Races	3	4	3	3	2	2	4	4
Hispanic or Latino	15	16	16	15	13	11	18	20
EDUCATION								
< High School	24	21	22	21	20	16	28	26
High School Graduate	24	22	24	24	20	18	28	27
Some College	19	17	24	22	17	10	26	25
College Graduate	3	2	5	6	2	1	6	7
CURRENT EMPLOYMENT								
Full-Time	29	23	32	28	26	17	36	32
Part-Time	17	15	20	14	15	10	21	18
Unemployed	15	12	15	12	13	10	18	14
Other ³	17	17	14	20	12	14	19	23

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.18D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.12	0.11	0.13	0.12	0.10	0.08	0.15	0.14
GENDER								
Male	0.16	0.17	0.18	0.20	0.13	0.13	0.22	0.23
Female	0.19	0.12	0.19	0.12	0.17	0.09	0.21	0.15
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.14	0.11	0.15	0.13	0.12	0.09	0.17	0.15
White	0.16	0.14	0.18	0.16	0.14	0.11	0.20	0.18
Black or African American	0.32	0.28	0.30	0.35	0.28	0.24	0.35	0.38
American Indian or Alaska Native	*	0.82	1.02	1.27	0.90	0.82	3.07	1.41
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.62	0.16	0.62	0.17	0.62	0.15	0.62	0.20
Two or More Races	0.92	0.85	0.82	0.62	0.68	0.49	1.07	0.93
Hispanic or Latino	0.26	0.27	0.28	0.26	0.22	0.19	0.31	0.34
EDUCATION								
< High School	0.36	0.34	0.34	0.34	0.30	0.25	0.42	0.41
High School Graduate	0.21	0.19	0.21	0.22	0.18	0.16	0.25	0.24
Some College	0.18	0.15	0.23	0.19	0.16	0.09	0.24	0.22
College Graduate	0.07	0.04	0.11	0.13	0.04	0.02	0.15	0.15
CURRENT EMPLOYMENT								
Full-Time	0.18	0.15	0.20	0.18	0.17	0.11	0.22	0.21
Part-Time	0.20	0.18	0.24	0.16	0.18	0.12	0.26	0.21
Unemployed	0.61	0.45	0.57	0.46	0.50	0.38	0.69	0.53
Other ³	0.28	0.27	0.23	0.30	0.20	0.21	0.31	0.35

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.18P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.1374		0.9655		0.0757		0.8114	
GENDER								
Male	0.8953		0.2784		0.6941		0.3073	
Female	0.0500		0.1645		0.0461		0.0919	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1110		0.8721		0.0649		0.6089	
White	0.5379		0.9681		0.3682		0.8440	
Black or African American	0.0849		0.7219		0.0636		0.6007	
American Indian or Alaska Native	*		0.3196		0.6386		0.5992	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.2266		0.2188		0.1792		0.3574	
Two or More Races	0.7187		0.8454		0.9900		0.9047	
Hispanic or Latino	0.9888		0.7855		0.9224		0.5536	
EDUCATION								
< High School	0.3068		0.9001		0.4199		0.8120	
High School Graduate	0.8893		0.2706		0.6958		0.3404	
Some College	0.2542		0.2057		0.0556		0.3201	
College Graduate	0.2654		0.7153		0.6237		0.9605	
CURRENT EMPLOYMENT								
Full-Time	0.4535		0.6011		0.3738		0.7961	
Part-Time	0.2352		0.1198		0.0594		0.2523	
Unemployed	0.4667		0.6378		0.4568		0.6256	
Other ³	0.6657		0.3442		0.9282		0.6347	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.19C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	152	144	172	161	122	121	208	186
GENDER								
Male	140	132	141	144	113	117	172	161
Female	66	61	76	77	49	39	96	93
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	114	139	120	158	82	119	159	179
White	96	111	106	123	66	91	137	143
Black or African American	61	80	53	92	47	72	72	103
American Indian or Alaska Native	5	5	7	17	5	5	*	17
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	5	18	5	1	5	*	10	18
Two or More Races	8	14	9	20	8	7	9	24
Hispanic or Latino	102	36	121	36	91	23	131	48
EDUCATION								
< High School	93	74	82	86	73	70	111	99
High School Graduate	70	87	96	99	56	68	112	111
Some College	100	59	90	75	74	52	113	82
College Graduate	37	53	56	52	35	39	60	63
CURRENT EMPLOYMENT								
Full-Time	97	94	107	111	75	83	132	117
Part-Time	44	50	52	50	25	47	64	58
Unemployed	47	39	41	40	34	35	54	45
Other ³	107	78	100	95	88	60	123	114

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.19D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.08	0.08	0.09	0.08	0.07	0.06	0.11	0.10
GENDER								
Male	0.16	0.15	0.16	0.16	0.13	0.13	0.19	0.18
Female	0.07	0.06	0.08	0.08	0.05	0.04	0.10	0.09
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.07	0.08	0.07	0.10	0.05	0.07	0.10	0.11
White	0.07	0.08	0.08	0.09	0.05	0.07	0.10	0.11
Black or African American	0.29	0.38	0.25	0.44	0.22	0.34	0.34	0.49
American Indian or Alaska Native	0.52	0.61	0.79	1.81	0.52	0.58	*	1.84
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.06	0.22	0.06	0.01	0.06	*	0.13	0.22
Two or More Races	0.42	0.76	0.46	1.08	0.40	0.38	0.47	1.26
Hispanic or Latino	0.44	0.15	0.53	0.15	0.39	0.10	0.57	0.20
EDUCATION								
< High School	0.30	0.25	0.27	0.28	0.24	0.23	0.36	0.32
High School Graduate	0.12	0.15	0.16	0.17	0.10	0.12	0.19	0.20
Some College	0.22	0.13	0.20	0.16	0.16	0.11	0.25	0.18
College Graduate	0.07	0.09	0.10	0.09	0.06	0.07	0.11	0.11
CURRENT EMPLOYMENT								
Full-Time	0.09	0.09	0.10	0.10	0.07	0.08	0.12	0.11
Part-Time	0.21	0.24	0.25	0.24	0.12	0.22	0.31	0.27
Unemployed	1.01	0.87	0.88	0.89	0.74	0.77	1.16	1.00
Other ³	0.19	0.14	0.18	0.16	0.15	0.10	0.22	0.20

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.19P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.3156		0.8533		0.5627		0.6595	
GENDER								
Male	0.5776		0.9850		0.9506		0.9041	
Female	0.2678		0.7156		0.1723		0.4746	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4185		0.1045		0.1887		0.1767	
White	0.3288		0.3377		0.1265		0.2455	
Black or African American	0.7952		0.1840		0.7506		0.5830	
American Indian or Alaska Native	0.8034		0.2575		0.9719		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.4761		0.3933		*		0.8105	
Two or More Races	0.2425		0.3371		0.9456		0.1187	
Hispanic or Latino	0.0013		0.0052		0.0027		0.0019	
EDUCATION								
< High School	0.0339		0.4792		0.3107		0.1693	
High School Graduate	0.5260		0.4930		0.7086		0.3641	
Some College	0.3131		0.9102		0.5418		0.5574	
College Graduate	0.1223		0.6851		0.5272		0.6873	
CURRENT EMPLOYMENT								
Full-Time	0.7429		0.6169		0.8290		0.5256	
Part-Time	0.5609		0.7036		0.1332		0.9875	
Unemployed	0.5194		0.3478		0.9188		0.2297	
Other ³	0.2239		0.6873		0.1600		0.6697	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.20C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	155	149	177	167	127	124	213	193
GENDER								
Male	142	135	143	151	114	120	175	170
Female	73	64	83	80	57	42	102	95
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	120	143	125	163	87	122	165	186
White	101	114	110	129	71	93	142	150
Black or African American	63	81	55	94	49	73	74	105
American Indian or Alaska Native	8	6	7	17	5	5	32	17
Native Hawaiian or Other Pacific Islander	4	*	5	*	3	*	6	*
Asian	11	18	11	3	11	2	14	18
Two or More Races	8	15	9	21	8	7	10	24
Hispanic or Latino	103	39	122	39	92	25	132	51
EDUCATION								
< High School	97	78	86	88	76	72	115	102
High School Graduate	73	89	98	101	59	70	115	114
Some College	102	62	94	79	76	53	117	88
College Graduate	37	53	57	53	35	40	61	64
CURRENT EMPLOYMENT								
Full-Time	100	97	110	115	79	84	135	122
Part-Time	47	53	56	53	29	48	67	61
Unemployed	50	41	44	42	37	36	58	47
Other ³	109	81	100	97	89	62	124	116

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.20D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.07	0.07	0.08	0.08	0.06	0.06	0.10	0.09
GENDER								
Male	0.13	0.13	0.13	0.14	0.11	0.11	0.16	0.16
Female	0.06	0.06	0.07	0.07	0.05	0.04	0.09	0.08
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.07	0.07	0.08	0.05	0.06	0.09	0.10
White	0.07	0.07	0.07	0.08	0.05	0.06	0.09	0.10
Black or African American	0.24	0.32	0.22	0.37	0.19	0.28	0.28	0.41
American Indian or Alaska Native	0.71	0.53	0.69	1.55	0.46	0.51	2.67	1.57
Native Hawaiian or Other Pacific Islander	0.51	*	0.65	*	0.33	*	0.79	*
Asian	0.11	0.19	0.11	0.03	0.11	0.02	0.15	0.19
Two or More Races	0.38	0.62	0.41	0.88	0.36	0.32	0.44	1.03
Hispanic or Latino	0.36	0.13	0.42	0.13	0.32	0.09	0.46	0.17
EDUCATION								
< High School	0.26	0.21	0.23	0.24	0.21	0.20	0.31	0.28
High School Graduate	0.10	0.13	0.14	0.15	0.09	0.10	0.16	0.17
Some College	0.18	0.11	0.17	0.14	0.14	0.09	0.21	0.15
College Graduate	0.06	0.09	0.10	0.09	0.06	0.07	0.10	0.11
CURRENT EMPLOYMENT								
Full-Time	0.08	0.08	0.09	0.09	0.07	0.07	0.11	0.10
Part-Time	0.16	0.18	0.19	0.18	0.10	0.16	0.23	0.21
Unemployed	0.69	0.57	0.60	0.58	0.51	0.50	0.79	0.66
Other ³	0.17	0.13	0.16	0.15	0.14	0.10	0.20	0.18

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.20P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.1748		0.8418		0.3134		0.6210	
GENDER								
Male	0.5650		0.8339		0.8918		0.9245	
Female	0.0748		0.4268		0.0332		0.2296	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.7200		0.1293		0.4431		0.2412	
White	0.4404		0.3514		0.2339		0.2889	
Black or African American	0.5574		0.2217		0.9583		0.6597	
American Indian or Alaska Native	0.6364		0.2110		0.8738		0.8082	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.9699		0.1316		0.0958		0.8325	
Two or More Races	0.1958		0.3508		0.9125		0.1201	
Hispanic or Latino	0.0016		0.0063		0.0029		0.0029	
EDUCATION								
< High School	0.0200		0.4998		0.2322		0.1602	
High School Graduate	0.5671		0.3496		0.8143		0.2682	
Some College	0.2171		0.6508		0.3121		0.4170	
College Graduate	0.1376		0.7146		0.5396		0.6856	
CURRENT EMPLOYMENT								
Full-Time	0.5846		0.7086		0.6302		0.5621	
Part-Time	0.8544		0.9007		0.4160		0.7180	
Unemployed	0.4003		0.2940		0.7424		0.1922	
Other ³	0.2076		0.5748		0.1630		0.6150	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.21C (REVISED) Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	157	151	178	167	128	125	214	193
GEOGRAPHIC DIVISION								
Northeast	87	59	90	54	77	37	99	75
New England	18	32	23	35	16	25	27	40
Middle Atlantic	85	50	87	42	76	28	95	63
Midwest	51	48	64	78	42	42	75	89
East North Central	45	46	60	72	39	40	67	76
West North Central	24	14	26	31	17	12	35	46
South	84	99	86	101	58	87	111	114
South Atlantic	66	75	68	84	39	71	92	89
East South Central	37	43	35	37	30	32	43	47
West South Central	37	46	37	39	32	35	44	56
West	93	84	111	94	76	70	134	103
Mountain	27	35	23	39	15	23	48	50
Pacific	89	77	109	86	75	66	125	92
COUNTY TYPE								
Large Metro	133	119	148	137	111	103	179	158
Small Metro	82	73	82	80	61	61	101	94
250K – 1 Mil. Pop.	71	63	64	65	48	50	85	78
< 250K Pop.	42	37	49	46	37	35	53	56
Nonmetro	45	52	56	53	34	33	69	69
Urbanized	25	33	32	36	20	24	42	44
Less Urbanized	37	39	46	37	28	22	54	51
Completely Rural	11	7	8	12	4	6	13	13

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.21D (REVISED) Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.06	0.06	0.07	0.07	0.05	0.05	0.09	0.08
GEOGRAPHIC DIVISION								
Northeast	0.19	0.13	0.20	0.12	0.17	0.08	0.22	0.16
New England	0.15	0.27	0.19	0.29	0.13	0.21	0.22	0.33
Middle Atlantic	0.25	0.15	0.26	0.12	0.22	0.08	0.28	0.19
Midwest	0.09	0.09	0.12	0.14	0.08	0.08	0.14	0.16
East North Central	0.12	0.12	0.16	0.19	0.10	0.10	0.18	0.20
West North Central	0.14	0.09	0.16	0.19	0.10	0.07	0.21	0.28
South	0.09	0.11	0.10	0.11	0.07	0.10	0.13	0.13
South Atlantic	0.14	0.16	0.14	0.18	0.08	0.15	0.19	0.19
East South Central	0.25	0.29	0.24	0.25	0.20	0.22	0.29	0.32
West South Central	0.14	0.17	0.14	0.14	0.12	0.13	0.16	0.20
West	0.16	0.15	0.20	0.16	0.14	0.12	0.24	0.18
Mountain	0.16	0.20	0.14	0.22	0.09	0.13	0.29	0.29
Pacific	0.22	0.19	0.28	0.22	0.19	0.17	0.32	0.23
COUNTY TYPE								
Large Metro	0.10	0.09	0.11	0.10	0.08	0.08	0.13	0.12
Small Metro	0.11	0.10	0.11	0.11	0.09	0.08	0.14	0.12
250K – 1 Mil. Pop.	0.15	0.13	0.14	0.13	0.10	0.10	0.18	0.15
< 250K Pop.	0.17	0.15	0.20	0.18	0.15	0.14	0.21	0.22
Nonmetro	0.11	0.12	0.13	0.13	0.08	0.08	0.16	0.17
Urbanized	0.15	0.19	0.19	0.21	0.12	0.14	0.25	0.26
Less Urbanized	0.17	0.20	0.21	0.19	0.13	0.11	0.25	0.26
Completely Rural	0.23	0.15	0.18	0.25	0.10	0.13	0.28	0.26

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.21P (REVISED) Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR					
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹	
	2006	2007	2006	2007	2006	2007
TOTAL	0.1727		0.8678		0.3459	0.6419
GEOGRAPHIC DIVISION						
Northeast	0.1074		0.0373		0.0233	0.2014
New England	0.7999		0.6746		0.8647	0.9338
Middle Atlantic	0.0692		0.0374		0.0189	0.1776
Midwest	0.3431		0.2817		0.5546	0.1697
East North Central	0.6672		0.2879		0.7357	0.2198
West North Central	0.1346		0.8076		0.4184	0.5254
South	0.7174		0.3392		0.2260	0.7393
South Atlantic	0.8823		0.3285		0.2717	0.8600
East South Central	0.4963		0.5051		0.3758	0.6323
West South Central	0.7029		0.8161		0.9800	0.5386
West	0.3252		0.7161		0.5219	0.2475
Mountain	0.3616		0.2279		0.7975	0.6383
Pacific	0.4858		0.4525		0.4612	0.2950
COUNTY TYPE						
Large Metro	0.2471		0.8002		0.2980	0.5970
Small Metro	0.3002		0.5661		0.5681	0.5663
250K – 1 Mil. Pop.	0.6990		0.6847		0.8712	0.6059
< 250K Pop.	0.1532		0.6753		0.4597	0.7964
Nonmetro	0.7533		0.2918		0.4441	0.4281
Urbanized	0.9527		0.6435		0.5209	0.7232
Less Urbanized	0.6795		0.5054		0.8236	0.2201
Completely Rural	0.9039		0.1675		0.2288	0.7213

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.