

Table 5.23C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	84	56	11	9	22	16	80	52
Rehabilitation Facility - Inpatient	79	79	10	10	26	22	75	75
Rehabilitation Facility - Outpatient	98	88	13	12	30	25	91	82
Mental Health Center - Outpatient	75	66	14	8	24	16	70	64
Emergency Room	44	45	11	7	13	10	41	43
Private Doctor's Office	52	44	9	10	17	14	46	41
Self-Help Group	119	103	14	15	34	23	115	99
Prison/Jail	60	48	10	5	12	11	58	45

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.23D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	2.96	2.35	3.95	3.67	3.40	3.02	4.19	3.25
Rehabilitation Facility - Inpatient	2.82	3.00	3.58	3.94	3.73	3.61	4.01	4.27
Rehabilitation Facility - Outpatient	3.23	3.14	4.33	4.31	3.61	3.59	4.60	4.49
Mental Health Center - Outpatient	2.68	2.72	4.55	3.31	3.53	2.90	3.83	3.91
Emergency Room	1.73	1.93	3.89	3.03	2.33	2.05	2.39	2.76
Private Doctor's Office	1.99	1.92	3.32	4.04	2.57	2.63	2.69	2.63
Self-Help Group	3.55	3.34	4.43	4.64	3.61	3.51	5.06	4.78
Prison/Jail	2.26	2.11	3.57	1.95	2.06	2.27	3.25	2.94

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.23P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	0.4097		0.7775		0.5852		0.2789	
Rehabilitation Facility - Inpatient	0.3737		0.1589		0.6349		0.5630	
Rehabilitation Facility - Outpatient	0.8696		0.3612		0.9568		0.9588	
Mental Health Center - Outpatient	0.3233		0.0512		0.6440		0.5534	
Emergency Room	0.7816		0.4644		0.6964		0.5802	
Private Doctor's Office	0.7634		0.5138		0.3924		0.6457	
Self-Help Group	0.6109		0.0323		0.0041		0.3619	
Prison/Jail	0.2244		0.1891		0.3309		0.1906	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.24C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	65	91	10	7	23	15	61	89
Rehabilitation Facility - Inpatient	75	88	9	7	25	16	71	85
Rehabilitation Facility - Outpatient	89	103	11	9	28	21	84	99
Mental Health Center - Outpatient	86	82	10	6	25	15	81	81
Emergency Room	39	70	9	6	12	11	36	68
Private Doctor's Office	63	56	8	5	14	15	61	54
Self-Help Group	146	123	13	11	35	26	142	120
Prison/Jail	48	52	7	4	13	14	45	48

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.24D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	2.23	2.82	4.44	3.28	3.22	2.16	2.97	3.84
Rehabilitation Facility - Inpatient	2.54	2.68	4.22	3.52	3.33	2.29	3.40	3.66
Rehabilitation Facility - Outpatient	2.78	2.91	4.75	4.19	3.40	2.67	3.86	3.96
Mental Health Center - Outpatient	2.50	2.63	4.59	3.01	3.28	2.23	3.38	3.65
Emergency Room	1.37	2.30	4.12	2.96	1.77	1.69	1.81	3.14
Private Doctor's Office	2.13	1.90	3.74	2.53	2.14	2.18	2.94	2.58
Self-Help Group	3.25	3.07	5.03	4.64	3.30	3.11	4.44	4.25
Prison/Jail	1.67	1.80	3.53	2.23	2.03	2.13	2.24	2.37

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.24P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	0.3359		0.2326		0.3121		0.1583	
Rehabilitation Facility - Inpatient	0.5309		0.9052		0.3503		0.3507	
Rehabilitation Facility - Outpatient	0.3657		0.5331		0.6771		0.2653	
Mental Health Center - Outpatient	0.5325		0.0487		0.0644		0.9644	
Emergency Room	0.0155		0.6498		0.7763		0.0111	
Private Doctor's Office	0.4806		0.3697		0.9757		0.5261	
Self-Help Group	0.7562		0.6335		0.0493		0.9288	
Prison/Jail	0.7677		0.5627		0.7939		0.7535	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.25C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	97	100	13	10	26	18	96	97
Rehabilitation Facility - Inpatient	95	109	11	11	27	24	91	105
Rehabilitation Facility - Outpatient	124	138	15	13	33	29	118	133
Mental Health Center - Outpatient	104	93	16	9	28	18	99	91
Emergency Room	57	79	12	9	16	15	53	76
Private Doctor's Office	74	68	11	11	20	19	69	65
Self-Help Group	167	148	17	17	41	31	162	144
Prison/Jail	67	53	10	5	17	16	64	49

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.25D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2006 and 2007

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	2.12	2.22	3.19	2.73	2.53	1.90	2.99	3.06
Rehabilitation Facility - Inpatient	2.13	2.27	2.84	2.92	2.67	2.34	2.94	3.10
Rehabilitation Facility - Outpatient	2.49	2.44	3.62	3.35	2.82	2.60	3.50	3.33
Mental Health Center - Outpatient	2.09	2.07	3.74	2.52	2.61	1.94	2.89	2.89
Emergency Room	1.36	1.79	3.08	2.43	1.74	1.58	1.83	2.47
Private Doctor's Office	1.73	1.58	2.85	2.95	1.98	2.00	2.34	2.15
Self-Help Group	2.76	2.51	3.70	3.67	2.63	2.68	3.85	3.51
Prison/Jail	1.58	1.31	2.71	1.56	1.80	1.77	2.17	1.74

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.25P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	0.9124		0.7855		0.5088		0.9358	
Rehabilitation Facility - Inpatient	0.2521		0.2142		1.0000		0.2924	
Rehabilitation Facility - Outpatient	0.3362		0.6380		0.9922		0.3459	
Mental Health Center - Outpatient	0.1151		0.0115		0.0557		0.4171	
Emergency Room	0.1149		0.6686		0.8344		0.0746	
Private Doctor's Office	0.9938		0.9302		0.6637		0.8876	
Self-Help Group	0.7115		0.0814		0.0008		0.3488	
Prison/Jail	0.1897		0.2444		0.7854		0.1881	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.