

**Table 5.27C Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2006 and 2007**

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	125	113	125	130	82	75	162	165
12	4	*	4	*	4	*	4	0
13	3	2	3	1	0	0	5	3
14	4	5	4	4	3	2	5	6
15	6	6	5	5	5	4	6	6
16	10	8	6	7	4	5	11	10
17	12	8	10	6	8	6	14	8
18	12	8	11	7	9	6	14	10
19	9	11	8	9	7	8	10	11
20	9	10	11	10	6	5	13	14
21	19	16	20	9	18	8	22	16
22	11	9	9	9	8	8	13	10
23	9	7	8	9	8	6	9	10
24	13	8	10	9	10	6	13	11
25	8	8	9	7	6	5	11	10
26-29	45	32	45	37	31	22	57	44
30-34	42	35	46	37	35	30	54	41
35-39	24	42	34	32	16	22	38	48
40-44	59	36	52	49	35	19	71	58
45-49	47	49	39	57	31	46	65	61
50-54	43	32	21	58	9	24	49	81
55-59	45	35	60	50	32	6	69	61
60-64	41	29	5	9	*	*	41	31
65 or Older	9	*	31	13	9	*	31	13

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.27D Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2006 and 2007**

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.05	0.05	0.05	0.05	0.03	0.03	0.07	0.07
12	0.11	*	0.11	*	0.11	*	0.11	0.01
13	0.08	0.04	0.07	0.03	0.01	0.01	0.11	0.06
14	0.10	0.12	0.10	0.10	0.07	0.04	0.12	0.15
15	0.12	0.13	0.11	0.11	0.11	0.10	0.13	0.14
16	0.23	0.19	0.13	0.15	0.10	0.12	0.24	0.21
17	0.29	0.18	0.24	0.15	0.18	0.15	0.33	0.20
18	0.25	0.17	0.24	0.16	0.19	0.12	0.30	0.22
19	0.21	0.24	0.19	0.21	0.16	0.19	0.24	0.26
20	0.22	0.25	0.27	0.25	0.16	0.13	0.31	0.33
21	0.44	0.38	0.45	0.23	0.42	0.19	0.51	0.40
22	0.29	0.23	0.22	0.24	0.19	0.21	0.33	0.27
23	0.23	0.19	0.21	0.24	0.20	0.15	0.24	0.26
24	0.32	0.21	0.27	0.23	0.25	0.15	0.34	0.28
25	0.20	0.22	0.23	0.19	0.15	0.14	0.27	0.28
26-29	0.27	0.20	0.27	0.22	0.19	0.14	0.34	0.27
30-34	0.23	0.18	0.25	0.19	0.19	0.16	0.29	0.21
35-39	0.11	0.20	0.16	0.15	0.08	0.11	0.18	0.23
40-44	0.26	0.17	0.23	0.23	0.16	0.09	0.31	0.27
45-49	0.21	0.22	0.18	0.25	0.14	0.21	0.29	0.27
50-54	0.21	0.15	0.10	0.27	0.04	0.11	0.23	0.37
55-59	0.26	0.19	0.34	0.27	0.18	0.03	0.39	0.33
60-64	0.30	0.22	0.03	0.07	*	*	0.31	0.23
65 or Older	0.03	*	0.09	0.04	0.03	*	0.09	0.04

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.27P Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.1343		0.9939		0.2442		0.5396	
12	*		*		*		0.3416	
13	0.5087		0.4471		0.5648		0.4397	
14	0.4030		0.9048		0.5129		0.3833	
15	0.9787		0.9770		0.7260		0.7810	
16	0.7428		0.9638		1.0000		0.8896	
17	0.2043		0.3238		0.9484		0.0744	
18	0.0866		0.0984		0.1222		0.1593	
19	0.9639		0.7840		0.8668		0.9105	
20	0.6978		0.3251		0.3040		0.9524	
21	0.5509		0.9675		0.8653		0.9891	
22	0.2471		0.9713		0.6203		0.3127	
23	0.7640		0.0782		0.8677		0.0837	
24	0.1438		0.8190		0.1190		0.6914	
25	0.8296		0.2976		0.5009		0.9848	
26-29	0.1736		0.3632		0.4084		0.1100	
30-34	0.3293		0.4277		0.6573		0.1908	
35-39	0.0256		0.9919		0.6135		0.1343	
40-44	0.0764		0.9717		0.2113		0.4191	
45-49	0.8630		0.1817		0.4036		0.8310	
50-54	0.7881		0.0689		0.2647		0.1228	
55-59	0.5422		0.7902		0.2297		0.8574	
60-64	0.8202		0.6529		*		0.8942	
65 or Older	*		0.3024		*		0.2743	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.28C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	125	113	125	130	82	75	162	165
<b>AGE</b>								
12-17	18	13	14	11	12	9	20	15
18-25	33	29	31	25	27	19	38	33
26 or Older	120	106	121	127	78	72	158	160
<b>GENDER</b>								
Male	109	98	99	112	69	69	136	145
Female	65	52	73	65	44	29	90	77
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	104	111	100	127	63	74	134	162
White	90	97	90	104	54	69	120	127
Black or African American	51	52	39	65	31	26	56	95
American Indian or Alaska Native	7	4	7	17	3	4	10	17
Native Hawaiian or Other Pacific Islander	3	*	5	0	3	*	5	0
Asian	10	18	8	*	8	*	13	18
Two or More Races	8	13	9	14	8	4	9	19
Hispanic or Latino	72	22	76	31	54	16	97	34

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.28D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.05	0.05	0.05	0.05	0.03	0.03	0.07	0.07
<b>AGE</b>								
12-17	0.07	0.05	0.06	0.05	0.05	0.04	0.08	0.06
18-25	0.10	0.09	0.10	0.08	0.08	0.06	0.12	0.10
26 or Older	0.06	0.06	0.06	0.07	0.04	0.04	0.08	0.08
<b>GENDER</b>								
Male	0.09	0.08	0.08	0.09	0.06	0.06	0.11	0.12
Female	0.05	0.04	0.06	0.05	0.03	0.02	0.07	0.06
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.05	0.05	0.05	0.06	0.03	0.03	0.06	0.08
White	0.05	0.06	0.05	0.06	0.03	0.04	0.07	0.08
Black or African American	0.17	0.18	0.13	0.22	0.11	0.09	0.19	0.32
American Indian or Alaska Native	0.54	0.34	0.60	1.31	0.23	0.32	0.79	1.32
Native Hawaiian or Other Pacific Islander	0.28	*	0.51	0.07	0.28	*	0.51	0.07
Asian	0.09	0.17	0.08	*	0.08	*	0.12	0.17
Two or More Races	0.32	0.47	0.33	0.51	0.30	0.15	0.36	0.67
Hispanic or Latino	0.22	0.06	0.23	0.09	0.16	0.05	0.29	0.10

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.28P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.1343		0.9939		0.2442		0.5396	
<b>AGE</b>								
12-17	0.2773		0.3195		0.5207		0.2466	
18-25	0.4071		0.4908		0.1569		0.6781	
26 or Older	0.2415		0.7986		0.5124		0.6838	
<b>GENDER</b>								
Male	0.6274		0.4373		0.9642		0.7374	
Female	0.0348		0.2476		0.0256		0.0784	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.8696		0.2144		0.9614		0.3581	
White	0.8780		0.3642		0.6557		0.6551	
Black or African American	0.4527		0.3509		0.5279		0.3889	
American Indian or Alaska Native	0.5095		0.2559		0.8048		0.4694	
Native Hawaiian or Other Pacific Islander	*		0.1720		*		0.1720	
Asian	0.8345		*		*		0.7419	
Two or More Races	0.4070		0.8950		0.5359		0.3204	
Hispanic or Latino	0.0042		0.0179		0.0416		0.0014	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.29C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	18	13	14	11	12	9	20	15
<b>GENDER</b>								
Male	12	10	11	8	8	6	13	12
Female	14	9	10	8	8	7	15	10
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	16	13	12	11	10	9	18	15
White	15	11	10	10	9	8	16	13
Black or African American	2	6	3	4	*	4	4	6
American Indian or Alaska Native	1	1	*	1	1	1	*	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	7	2	*	*	*	*	7	2
Two or More Races	1	1	1	1	1	1	1	1
Hispanic or Latino	8	3	7	4	6	2	9	5
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	10	9	8	7	6	6	11	10
Female, White, Not Hispanic	11	7	7	7	6	6	11	9
Male, Black, Not Hispanic	1	4	3	3	*	2	4	5
Female, Black, Not Hispanic	1	4	0	3	*	3	1	4
Male, Hispanic	2	3	2	4	2	2	2	5
Female, Hispanic	7	2	7	2	5	0	9	2

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.29D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.07	0.05	0.06	0.05	0.05	0.04	0.08	0.06
<b>GENDER</b>								
Male	0.09	0.08	0.08	0.06	0.06	0.05	0.10	0.09
Female	0.11	0.07	0.08	0.07	0.07	0.06	0.12	0.08
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.08	0.06	0.06	0.05	0.05	0.04	0.09	0.07
White	0.10	0.08	0.07	0.06	0.06	0.05	0.10	0.09
Black or African American	0.04	0.15	0.09	0.11	*	0.10	0.10	0.16
American Indian or Alaska Native	0.88	0.67	*	0.35	0.80	0.34	*	0.67
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.68	0.20	*	*	*	*	0.68	0.20
Two or More Races	0.31	0.24	0.20	0.30	0.20	0.19	0.31	0.34
Hispanic or Latino	0.17	0.07	0.16	0.09	0.12	0.04	0.20	0.12
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.13	0.11	0.10	0.08	0.08	0.07	0.14	0.12
Female, White, Not Hispanic	0.14	0.10	0.09	0.10	0.08	0.08	0.15	0.12
Male, Black, Not Hispanic	0.06	0.21	0.17	0.16	*	0.12	0.18	0.23
Female, Black, Not Hispanic	0.06	0.22	0.01	0.16	*	0.16	0.06	0.22
Male, Hispanic	0.10	0.12	0.10	0.16	0.10	0.07	0.10	0.20
Female, Hispanic	0.33	0.07	0.30	0.07	0.23	0.01	0.39	0.10

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 5.29P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR					
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.2773		0.3195		0.5207	0.2466
<b>GENDER</b>						
Male	0.7398		0.3236		0.7467	0.9862
Female	0.0779		0.6790		0.5598	0.1114
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.5069		0.5573		0.9317	0.3715
White	0.3782		0.7328		0.8649	0.4162
Black or African American	0.0701		0.5201		*	0.2433
American Indian or Alaska Native	0.3556		*		0.3952	*
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.3129		*		*	0.3129
Two or More Races	0.8764		0.4254		0.9800	0.5024
Hispanic or Latino	0.2408		0.3039		0.1576	0.4414
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.8918		0.4245		0.9389	0.8458
Female, White, Not Hispanic	0.1591		0.7504		0.7554	0.3299
Male, Black, Not Hispanic	0.1186		0.8746		*	0.4540
Female, Black, Not Hispanic	0.3128		0.3437		*	0.3310
Male, Hispanic	0.6892		0.4140		0.7954	0.1496
Female, Hispanic	0.1335		0.0786		0.1409	0.0786

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.30C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	33	29	31	25	27	19	38	33
<b>GENDER</b>								
Male	21	24	21	21	15	15	26	27
Female	25	15	23	13	22	10	28	18
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	31	24	30	23	26	17	35	29
White	28	22	27	21	24	15	32	27
Black or African American	9	11	10	10	7	9	12	12
American Indian or Alaska Native	*	1	1	1	0	1	*	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	1	7	*	*	*	9	1
Two or More Races	3	4	3	2	2	2	4	4
Hispanic or Latino	11	16	11	10	8	9	14	17
<b>EDUCATION</b>								
< High School	19	19	16	13	14	11	21	20
High School Graduate	19	20	17	18	15	15	21	22
Some College	16	9	17	12	13	5	21	15
College Graduate	2	1	2	4	*	0	3	4
<b>CURRENT EMPLOYMENT</b>								
Full-Time	26	19	25	17	22	12	30	23
Part-Time	8	9	10	9	6	7	12	11
Unemployed	14	10	13	8	11	7	15	11
Other <sup>3</sup>	14	16	10	13	8	11	15	18

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.30D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.10	0.09	0.10	0.08	0.08	0.06	0.12	0.10
<b>GENDER</b>								
Male	0.13	0.15	0.12	0.13	0.09	0.09	0.16	0.16
Female	0.16	0.10	0.14	0.08	0.14	0.06	0.17	0.11
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.12	0.09	0.11	0.09	0.10	0.06	0.13	0.11
White	0.14	0.11	0.13	0.11	0.12	0.07	0.16	0.13
Black or African American	0.21	0.25	0.22	0.22	0.16	0.20	0.26	0.26
American Indian or Alaska Native	*	0.54	0.43	0.76	0.06	0.54	*	0.95
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	0.04	0.43	*	*	*	0.61	0.04
Two or More Races	0.87	0.79	0.77	0.42	0.60	0.41	0.99	0.79
Hispanic or Latino	0.19	0.27	0.18	0.17	0.13	0.16	0.24	0.29
<b>EDUCATION</b>								
< High School	0.29	0.29	0.24	0.20	0.21	0.17	0.31	0.32
High School Graduate	0.17	0.17	0.15	0.16	0.13	0.13	0.19	0.19
Some College	0.15	0.09	0.16	0.11	0.12	0.05	0.20	0.14
College Graduate	0.04	0.03	0.05	0.08	*	0.01	0.06	0.09
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.16	0.13	0.16	0.11	0.14	0.08	0.19	0.15
Part-Time	0.10	0.11	0.12	0.11	0.08	0.08	0.14	0.13
Unemployed	0.54	0.36	0.50	0.31	0.42	0.25	0.61	0.42
Other <sup>3</sup>	0.22	0.25	0.16	0.21	0.14	0.17	0.24	0.29

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.30P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.4071		0.4908		0.1569		0.6781	
GENDER								
Male	0.8456		0.7466		0.9954		0.5908	
Female	0.1487		0.1742		0.0550		0.2119	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2011		0.3259		0.0534		0.4855	
White	0.3763		0.7524		0.1136		0.9441	
Black or African American	0.4534		0.1968		0.3657		0.2678	
American Indian or Alaska Native	*		0.4900		0.1925		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		*		*		0.1620	
Two or More Races	0.9331		0.3655		0.8193		0.6808	
Hispanic or Latino	0.4673		0.5301		0.2904		0.6110	
EDUCATION								
< High School	0.6279		0.4411		0.4239		0.8119	
High School Graduate	0.5820		0.2936		0.9333		0.1721	
Some College	0.0736		0.0485		0.0253		0.0340	
College Graduate	0.9620		0.1641		*		0.1367	
CURRENT EMPLOYMENT								
Full-Time	0.5003		0.8469		0.4036		0.7783	
Part-Time	0.8935		0.7602		0.8231		0.7011	
Unemployed	0.1560		0.0738		0.0355		0.2502	
Other <sup>3</sup>	0.6909		0.5940		0.8955		0.4927	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.31C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	120	106	121	127	78	72	158	160
GENDER								
Male	106	94	96	109	67	67	132	140
Female	59	49	68	63	37	26	85	75
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	99	106	95	123	57	71	128	158
White	86	93	86	101	48	66	115	124
Black or African American	50	50	36	64	30	24	55	95
American Indian or Alaska Native	3	4	6	17	3	4	6	17
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	18	*	0	*	*	5	18
Two or More Races	8	12	8	14	8	4	9	18
Hispanic or Latino	71	14	75	29	53	13	96	30
EDUCATION								
< High School	69	44	62	61	46	38	90	83
High School Graduate	57	74	76	87	41	55	87	100
Some College	80	46	53	55	31	23	92	71
College Graduate	34	42	45	31	33	12	46	52
CURRENT EMPLOYMENT								
Full-Time	82	64	80	85	55	49	101	107
Part-Time	37	30	45	27	8	22	59	33
Unemployed	33	37	24	29	8	20	40	43
Other <sup>3</sup>	83	67	69	83	52	42	103	99

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.31D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.06	0.06	0.06	0.07	0.04	0.04	0.08	0.08
<b>GENDER</b>								
Male	0.12	0.10	0.11	0.12	0.07	0.07	0.15	0.15
Female	0.06	0.05	0.07	0.06	0.04	0.03	0.09	0.08
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.06	0.06	0.06	0.07	0.03	0.04	0.08	0.09
White	0.06	0.07	0.06	0.08	0.04	0.05	0.09	0.09
Black or African American	0.24	0.24	0.18	0.30	0.14	0.11	0.26	0.45
American Indian or Alaska Native	0.33	0.44	0.64	1.79	0.29	0.41	0.66	1.80
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	0.22	*	0.01	*	*	0.06	0.22
Two or More Races	0.42	0.65	0.44	0.73	0.40	0.19	0.46	0.96
Hispanic or Latino	0.31	0.06	0.33	0.12	0.23	0.05	0.42	0.12
<b>EDUCATION</b>								
< High School	0.23	0.15	0.21	0.20	0.15	0.13	0.30	0.27
High School Graduate	0.10	0.13	0.13	0.15	0.07	0.10	0.15	0.18
Some College	0.18	0.10	0.12	0.12	0.07	0.05	0.20	0.15
College Graduate	0.06	0.07	0.08	0.05	0.06	0.02	0.08	0.09
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.08	0.06	0.08	0.08	0.05	0.05	0.10	0.10
Part-Time	0.18	0.14	0.22	0.13	0.04	0.10	0.29	0.16
Unemployed	0.71	0.83	0.52	0.64	0.18	0.45	0.85	0.94
Other <sup>3</sup>	0.15	0.12	0.12	0.14	0.09	0.07	0.18	0.17

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.31P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.2415		0.7986		0.5124		0.6838	
GENDER								
Male	0.5596		0.4092		0.9926		0.8110	
Female	0.1832		0.4538		0.1615		0.2237	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.7839		0.1151		0.5345		0.2297	
White	0.5918		0.2946		0.3003		0.5889	
Black or African American	0.4320		0.2442		0.5766		0.3347	
American Indian or Alaska Native	0.8225		0.1503		0.8365		0.1510	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		*		*		0.4604	
Two or More Races	0.4070		0.8084		0.5413		0.3006	
Hispanic or Latino	0.0027		0.0143		0.0301		0.0009	
EDUCATION								
< High School	0.0102		0.6040		0.3845		0.0961	
High School Graduate	0.5014		0.2505		0.3985		0.3812	
Some College	0.3663		0.7859		0.5073		0.8697	
College Graduate	0.2737		0.3731		0.3928		0.7135	
CURRENT EMPLOYMENT								
Full-Time	0.2439		0.8704		0.2717		0.9302	
Part-Time	0.9850		0.6547		0.1010		0.2507	
Unemployed	0.4357		0.6940		0.1298		0.8643	
Other <sup>3</sup>	0.3235		0.3527		0.3220		0.9425	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.32C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	124	111	125	130	82	74	161	165
GENDER								
Male	109	97	98	112	69	68	135	144
Female	64	50	72	64	43	28	89	76
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	103	110	99	126	62	73	133	161
White	90	96	89	104	53	68	119	127
Black or African American	51	52	38	65	31	25	57	96
American Indian or Alaska Native	7	4	6	17	3	4	8	17
Native Hawaiian or Other Pacific Islander	3	*	5	0	3	*	5	0
Asian	7	18	7	0	7	*	11	18
Two or More Races	8	13	9	14	8	4	9	18
Hispanic or Latino	72	21	76	30	54	16	96	34
EDUCATION								
< High School	73	48	65	63	49	40	93	84
High School Graduate	60	76	78	88	44	57	90	102
Some College	82	47	55	56	33	23	94	72
College Graduate	34	42	45	31	33	12	46	52
CURRENT EMPLOYMENT								
Full-Time	86	67	84	87	60	50	104	110
Part-Time	38	31	47	28	11	23	61	34
Unemployed	36	39	28	30	13	21	43	44
Other <sup>3</sup>	84	69	70	84	53	44	104	101

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 5.32D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.06	0.05	0.06	0.06	0.04	0.03	0.07	0.07
<b>GENDER</b>								
Male	0.10	0.09	0.09	0.10	0.06	0.06	0.13	0.13
Female	0.06	0.04	0.06	0.06	0.04	0.02	0.08	0.07
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.05	0.06	0.05	0.07	0.03	0.04	0.07	0.08
White	0.06	0.06	0.06	0.07	0.03	0.04	0.08	0.08
Black or African American	0.20	0.20	0.15	0.25	0.12	0.10	0.22	0.37
American Indian or Alaska Native	0.60	0.38	0.54	1.51	0.24	0.36	0.78	1.52
Native Hawaiian or Other Pacific Islander	0.32	*	0.58	0.07	0.32	*	0.58	0.07
Asian	0.07	0.19	0.07	0.01	0.07	*	0.11	0.19
Two or More Races	0.38	0.55	0.39	0.60	0.35	0.17	0.42	0.79
Hispanic or Latino	0.25	0.07	0.26	0.10	0.19	0.05	0.33	0.11
<b>EDUCATION</b>								
< High School	0.20	0.13	0.18	0.17	0.13	0.11	0.25	0.23
High School Graduate	0.09	0.11	0.11	0.13	0.06	0.08	0.13	0.15
Some College	0.15	0.08	0.10	0.10	0.06	0.04	0.17	0.13
College Graduate	0.06	0.07	0.08	0.05	0.06	0.02	0.08	0.09
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.07	0.06	0.07	0.07	0.05	0.04	0.09	0.09
Part-Time	0.13	0.10	0.16	0.10	0.04	0.08	0.21	0.12
Unemployed	0.50	0.54	0.39	0.42	0.19	0.30	0.60	0.61
Other <sup>3</sup>	0.13	0.11	0.11	0.13	0.08	0.07	0.16	0.16

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.32P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR						
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>
	2006	2007	2006	2007	2006	2007	2006 2007
<b>TOTAL</b>	0.1741		0.9293		0.2787		0.6203
<b>GENDER</b>							
Male	0.5995		0.3863		0.9906		0.7398
Female	0.0735		0.2703		0.0320		0.1275
<b>HISPANIC ORIGIN AND RACE</b>							
Not Hispanic or Latino	0.9403		0.1919		0.9700		0.3088
White	0.7794		0.3463		0.6338		0.5893
Black or African American	0.3624		0.3745		0.4288		0.4330
American Indian or Alaska Native	0.6161		0.1353		0.6431		0.2501
Native Hawaiian or Other Pacific Islander	*		0.1724		*		0.1724
Asian	0.5346		0.3241		*		0.9927
Two or More Races	0.3957		0.9544		0.5305		0.3508
Hispanic or Latino	0.0061		0.0209		0.0569		0.0015
<b>EDUCATION</b>							
< High School	0.0099		0.4899		0.2864		0.0916
High School Graduate	0.4187		0.1727		0.4120		0.2455
Some College	0.2145		0.7865		0.1607		0.5353
College Graduate	0.2748		0.4355		0.3987		0.6475
<b>CURRENT EMPLOYMENT</b>							
Full-Time	0.1854		0.8221		0.1795		0.8575
Part-Time	0.9586		0.6101		0.1517		0.2257
Unemployed	0.7760		0.2990		0.7580		0.5982
Other <sup>3</sup>	0.3773		0.3165		0.3469		0.8552

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.33C (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	125	114	125	131	82	76	162	166
GEOGRAPHIC DIVISION								
Northeast	72	52	60	38	48	24	89	61
New England	11	25	19	25	9	10	20	34
Middle Atlantic	71	45	57	29	48	21	86	51
Midwest	45	32	56	64	32	25	66	68
East North Central	38	28	52	58	28	22	60	62
West North Central	23	13	25	26	15	10	30	27
South	72	71	60	74	41	51	86	102
South Atlantic	59	43	42	59	24	36	69	80
East South Central	31	40	32	31	21	24	41	45
West South Central	27	41	27	33	25	26	32	45
West	63	65	73	73	45	43	86	91
Mountain	20	27	18	32	12	20	24	39
Pacific	60	61	71	66	44	38	83	84
COUNTY TYPE								
Large Metro	100	86	98	105	66	57	131	135
Small Metro	70	61	66	63	46	44	87	79
250K – 1 Mil. Pop.	63	51	48	47	37	31	71	64
< 250K Pop.	32	34	45	41	27	30	48	45
Nonmetro	37	42	41	45	25	25	51	57
Urbanized	22	27	27	31	17	19	31	37
Less Urbanized	29	32	30	30	17	16	39	41
Completely Rural	10	6	6	11	2	5	12	11

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.33D (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.05	0.05	0.05	0.05	0.03	0.03	0.07	0.07
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.16	0.11	0.13	0.08	0.11	0.05	0.19	0.13
New England	0.09	0.21	0.16	0.21	0.07	0.08	0.17	0.28
Middle Atlantic	0.21	0.13	0.17	0.09	0.14	0.06	0.26	0.15
Midwest	0.08	0.06	0.10	0.12	0.06	0.04	0.12	0.12
East North Central	0.10	0.07	0.14	0.15	0.07	0.06	0.16	0.16
West North Central	0.14	0.08	0.15	0.16	0.09	0.06	0.18	0.17
South	0.08	0.08	0.07	0.08	0.05	0.06	0.10	0.11
South Atlantic	0.12	0.09	0.09	0.12	0.05	0.08	0.15	0.17
East South Central	0.21	0.27	0.22	0.21	0.14	0.16	0.28	0.30
West South Central	0.10	0.15	0.10	0.12	0.09	0.09	0.12	0.16
West	0.11	0.11	0.13	0.13	0.08	0.08	0.15	0.16
Mountain	0.12	0.16	0.11	0.19	0.07	0.11	0.14	0.22
Pacific	0.15	0.15	0.18	0.16	0.11	0.10	0.21	0.21
<b>COUNTY TYPE</b>								
Large Metro	0.07	0.07	0.07	0.08	0.05	0.04	0.10	0.10
Small Metro	0.10	0.08	0.09	0.08	0.06	0.06	0.12	0.10
250K – 1 Mil. Pop.	0.13	0.10	0.10	0.09	0.08	0.06	0.15	0.13
< 250K Pop.	0.13	0.13	0.18	0.16	0.11	0.12	0.19	0.18
Nonmetro	0.09	0.10	0.10	0.11	0.06	0.06	0.12	0.14
Urbanized	0.13	0.16	0.17	0.19	0.11	0.11	0.18	0.22
Less Urbanized	0.14	0.16	0.14	0.15	0.08	0.08	0.19	0.21
Completely Rural	0.22	0.13	0.14	0.23	0.03	0.10	0.25	0.24

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.33P (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>1</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>1</sup>		Illicit Drugs or Alcohol <sup>1,2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.1649		0.9566		0.2719		0.6033	
GEOGRAPHIC DIVISION								
Northeast	0.2315		0.2644		0.2261		0.1083	
New England	0.5326		0.5979		0.8573		0.9887	
Middle Atlantic	0.1411		0.3249		0.2290		0.0833	
Midwest	0.1440		0.6431		0.4413		0.9497	
East North Central	0.3102		0.6661		0.5503		0.8959	
West North Central	0.2121		0.8731		0.6009		0.6550	
South	0.9629		0.2476		0.5600		0.4390	
South Atlantic	0.2835		0.1681		0.3788		0.7607	
East South Central	0.5798		0.9280		0.9098		0.5661	
West South Central	0.3741		0.8784		0.9197		0.5211	
West	0.5812		0.5784		0.2473		0.6839	
Mountain	0.4151		0.4532		0.7479		0.7988	
Pacific	0.8249		0.3853		0.1393		0.7395	
COUNTY TYPE								
Large Metro	0.2064		0.9480		0.2977		0.5978	
Small Metro	0.4532		0.5925		0.4836		0.5706	
250K – 1 Mil. Pop.	0.6585		0.8705		0.5317		0.8231	
< 250K Pop.	0.4338		0.5370		0.7388		0.4752	
Nonmetro	0.9587		0.3719		0.7965		0.5109	
Urbanized	0.9655		0.8716		0.8515		0.9291	
Less Urbanized	0.8966		0.4863		0.9236		0.4954	
Completely Rural	0.7961		0.2058		0.1878		0.7049	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.