

**Table 5.38C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	84	56	*	*	22	16	80	52
Rehabilitation Facility - Inpatient	79	79	*	*	26	22	75	75
Rehabilitation Facility - Outpatient	98	88	*	12	30	25	91	82
Mental Health Center - Outpatient	75	66	*	8	24	16	70	64
Emergency Room	43	43	*	*	12	9	40	42
Private Doctor's Office	47	40	*	*	14	10	42	38
Self-Help Group	95	89	*	11	30	20	*	86
Prison/Jail	58	41	*	4	12	10	56	*

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.38D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	4.12	3.45	*	*	4.92	4.40	5.60	4.67
Rehabilitation Facility - Inpatient	3.99	3.91	*	*	5.09	4.60	5.45	5.50
Rehabilitation Facility - Outpatient	4.10	3.80	*	5.06	3.68	3.66	5.62	5.40
Mental Health Center - Outpatient	3.78	3.89	*	5.84	4.90	4.19	5.19	5.39
Emergency Room	2.58	2.90	*	*	3.17	2.71	3.47	4.09
Private Doctor's Office	2.77	2.76	*	*	3.38	2.97	3.62	3.83
Self-Help Group	4.50	3.57	*	5.77	4.16	4.54	*	4.92
Prison/Jail	3.33	2.84	*	3.53	3.21	3.10	4.62	*

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.38P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	0.4640		*		0.6649		0.3074	
Rehabilitation Facility - Inpatient	0.1972		*		0.7355		0.3519	
Rehabilitation Facility - Outpatient	0.5140		*		0.5523		0.6137	
Mental Health Center - Outpatient	0.3902		*		0.4691		0.6771	
Emergency Room	0.7715		*		0.6183		0.5653	
Private Doctor's Office	0.5989		*		0.1497		0.3634	
Self-Help Group	0.2771		*		0.0317		*	
Prison/Jail	0.0805		*		0.9850		*	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.39C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	65	91	*	*	23	15	61	89
Rehabilitation Facility - Inpatient	75	88	*	*	25	16	71	85
Rehabilitation Facility - Outpatient	89	103	*	*	28	21	84	99
Mental Health Center - Outpatient	86	82	*	*	25	15	81	81
Emergency Room	38	69	*	*	11	10	36	68
Private Doctor's Office	50	50	*	*	12	10	49	48
Self-Help Group	99	107	*	*	28	19	96	104
Prison/Jail	48	41	*	*	13	9	45	40

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.39D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	3.52	4.29	*	*	5.40	4.20	4.53	5.39
Rehabilitation Facility - Inpatient	3.81	4.03	*	*	5.37	4.13	4.87	5.12
Rehabilitation Facility - Outpatient	4.01	3.96	*	*	4.22	3.50	5.27	5.01
Mental Health Center - Outpatient	3.85	4.08	*	*	5.16	4.13	5.07	5.27
Emergency Room	2.35	3.69	*	*	3.17	3.05	3.01	4.71
Private Doctor's Office	2.97	2.89	*	*	3.47	3.11	3.91	3.68
Self-Help Group	4.02	3.91	*	*	4.40	4.20	5.39	4.98
Prison/Jail	2.82	2.44	*	*	3.66	3.00	3.69	3.10

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.39P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	0.3226		*		0.4367		0.1861	
Rehabilitation Facility - Inpatient	0.5615		*		0.5194		0.4918	
Rehabilitation Facility - Outpatient	0.3613		*		0.6589		0.3887	
Mental Health Center - Outpatient	0.4031		*		0.0815		0.7633	
Emergency Room	0.0152		*		0.6624		0.0113	
Private Doctor's Office	0.6927		*		0.6689		0.7586	
Self-Help Group	0.8708		*		0.2411		0.7581	
Prison/Jail	0.3210		*		0.4906		0.4481	

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.40C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	97	100	13	10	26	18	96	97
Rehabilitation Facility - Inpatient	95	109	11	11	27	24	91	105
Rehabilitation Facility - Outpatient	124	138	15	13	33	29	118	133
Mental Health Center - Outpatient	104	93	16	9	28	18	99	91
Emergency Room	56	76	*	8	14	12	53	74
Private Doctor's Office	61	60	9	6	17	12	56	58
Self-Help Group	123	129	15	12	34	25	119	126
Prison/Jail	65	44	*	5	15	12	63	42

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.40D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2006 and 2007**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	3.05	3.22	5.53	5.20	3.88	3.13	4.08	4.21
Rehabilitation Facility - Inpatient	3.07	3.25	5.15	5.23	3.98	3.39	4.02	4.31
Rehabilitation Facility - Outpatient	3.19	3.00	5.58	4.39	3.23	2.81	4.26	3.96
Mental Health Center - Outpatient	3.04	3.11	5.50	4.87	3.84	3.13	4.07	4.14
Emergency Room	2.08	2.68	*	4.66	2.61	2.32	2.71	3.55
Private Doctor's Office	2.25	2.26	4.45	3.93	2.82	2.33	2.88	2.95
Self-Help Group	3.53	3.17	5.65	5.02	3.26	3.55	4.74	4.24
Prison/Jail	2.38	1.74	*	3.37	2.69	2.32	3.14	2.25

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 5.40P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
Hospital as an Inpatient	0.9758		0.6554		0.5544		0.8972	
Rehabilitation Facility - Inpatient	0.1445		0.0260		0.8583		0.2267	
Rehabilitation Facility - Outpatient	0.1185		0.0342		0.6711		0.1997	
Mental Health Center - Outpatient	0.1330		0.0235		0.0463		0.4138	
Emergency Room	0.1198		*		0.7200		0.0759	
Private Doctor's Office	0.8045		0.9273		0.1064		0.5092	
Self-Help Group	0.3934		0.1931		0.0037		0.1867	
Prison/Jail	0.0385		*		0.7132		0.0451	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.