

**Table 5.41C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Numbers in Thousands, 2006 and 2007**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol <sup>1</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>DEPENDENCE</b>								
None	87	75	91	92	56	45	121	123
Both Illicit Drugs and Alcohol	50	31	47	43	42	31	57	43
Illicit Drugs or Alcohol	94	78	80	89	59	59	109	101
Illicit Drugs	88	66	57	65	49	42	95	82
Alcohol	61	53	74	74	53	51	81	75
<b>DEPENDENCE OR ABUSE</b>								
None	81	61	83	68	53	33	113	100
Both Illicit Drugs and Alcohol	57	41	52	51	47	36	63	56
Illicit Drugs or Alcohol	99	87	90	109	62	66	119	123
Illicit Drugs	90	72	59	71	50	47	97	91
Alcohol	70	65	85	97	59	59	94	102

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.41D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Percentages, 2006 and 2007**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol <sup>1</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>DEPENDENCE</b>								
None	0.04	0.03	0.04	0.04	0.02	0.02	0.05	0.05
Both Illicit Drugs and Alcohol	3.35	2.14	3.21	2.78	2.90	2.10	3.60	2.81
Illicit Drugs or Alcohol	0.75	0.64	0.66	0.72	0.49	0.49	0.85	0.81
Illicit Drugs	1.60	1.31	1.14	1.28	0.98	0.87	1.69	1.55
Alcohol	0.70	0.61	0.86	0.85	0.62	0.59	0.92	0.86
<b>DEPENDENCE OR ABUSE</b>								
None	0.04	0.03	0.04	0.03	0.02	0.01	0.05	0.04
Both Illicit Drugs and Alcohol	1.65	1.23	1.54	1.44	1.40	1.09	1.80	1.56
Illicit Drugs or Alcohol	0.43	0.38	0.40	0.47	0.28	0.29	0.51	0.53
Illicit Drugs	1.18	0.99	0.82	0.96	0.71	0.66	1.25	1.18
Alcohol	0.37	0.34	0.45	0.50	0.31	0.31	0.49	0.52

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.41P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR					
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol	
	2006	2007	2006	2007	2006	2007
<b>DEPENDENCE</b>						
None	0.6521		0.8393		0.2120	0.9703
Both Illicit Drugs and Alcohol	0.2052		0.9511		0.7672	0.3556
Illicit Drugs or Alcohol	0.1038		0.7074		0.7479	0.3431
Illicit Drugs	0.0601		0.6670		0.7342	0.1890
Alcohol	0.4873		0.8615		0.8766	0.7864
<b>DEPENDENCE OR ABUSE</b>						
None	0.4399		0.3268		0.1048	0.5205
Both Illicit Drugs and Alcohol	0.2033		0.9214		0.5067	0.5440
Illicit Drugs or Alcohol	0.2242		0.3538		0.8986	0.9240
Illicit Drugs	0.1400		0.5038		0.7651	0.4244
Alcohol	0.4293		0.5402		0.7317	0.7599

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.42C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2006 and 2007**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>2</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>2</sup>		Illicit Drugs or Alcohol <sup>2,3</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>2</sup></b>	90	72	59	71	50	47	97	91
Marijuana and Hashish	38	35	38	35	29	29	47	41
Cocaine	73	57	46	44	40	34	77	64
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	*	9	7	9	7	9	*	11
Inhalants	5	*	*	3	*	3	5	*
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	42	40	42	51	30	29	51	58
Pain Relievers	39	39	41	51	30	29	48	57
Tranquilizers	20	19	*	*	*	*	*	*
Stimulants <sup>4</sup>	23	12	*	*	12	9	*	*
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	70	65	85	97	59	59	94	102
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	57	41	52	51	47	36	63	56
<b>ILLCIT DRUGS OR ALCOHOL<sup>2</sup></b>	99	87	90	109	62	66	119	123

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Estimates in these designated rows do not include data from methamphetamine use items added in 2005 and 2006.

<sup>5</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.42D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2006 and 2007**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>2</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>2</sup>		Illicit Drugs or Alcohol <sup>2,3</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>2</sup></b>	1.18	0.99	0.82	0.96	0.71	0.66	1.25	1.18
Marijuana and Hashish	0.89	0.85	0.88	0.86	0.69	0.73	1.07	0.98
Cocaine	3.62	3.09	2.60	2.42	2.30	2.02	3.70	3.17
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	*	2.54	1.81	2.30	1.78	2.28	*	2.95
Inhalants	2.79	*	*	1.55	*	1.53	2.79	*
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	1.99	1.79	1.95	2.22	1.46	1.33	2.33	2.46
Pain Relievers	2.29	2.15	2.33	2.75	1.76	1.65	2.71	2.99
Tranquilizers	4.65	4.10	*	*	*	*	*	*
Stimulants <sup>4</sup>	5.01	3.16	*	*	3.08	2.13	*	*
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	0.37	0.34	0.45	0.50	0.31	0.31	0.49	0.52
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	1.65	1.23	1.54	1.44	1.40	1.09	1.80	1.56
<b>ILLCIT DRUGS OR ALCOHOL<sup>2</sup></b>	0.43	0.38	0.40	0.47	0.28	0.29	0.51	0.53

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Estimates in these designated rows do not include data from methamphetamine use items added in 2005 and 2006.

<sup>5</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 5.42P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>2</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>2</sup>		Illicit Drugs or Alcohol <sup>2,3</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS <sup>2</sup>	0.1400		0.5038		0.7651		0.4244	
Marijuana and Hashish	0.3191		0.6018		0.5548		0.3082	
Cocaine	0.5640		0.5889		0.6991		0.6951	
Heroin	*		*		*		*	
Hallucinogens	*		0.9155		0.8618		*	
Inhalants	*		*		*		*	
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	0.1238		0.5653		0.3430		0.2477	
Pain Relievers	0.3169		0.8343		0.4643		0.5690	
Tranquilizers	0.2361		*		*		*	
Stimulants <sup>4</sup>	0.0090		*		0.1241		*	
Sedatives	*		*		*		*	
ALCOHOL	0.4293		0.5402		0.7317		0.7599	
BOTH ILLICIT DRUGS AND ALCOHOL <sup>2</sup>	0.2033		0.9214		0.5067		0.5440	
ILLCIT DRUGS OR ALCOHOL <sup>2</sup>	0.2242		0.3538		0.8986		0.9240	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Estimates in these designated rows do not include data from methamphetamine use items added in 2005 and 2006.

<sup>5</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.