

Table 5.43C Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2006 and 2007

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	240	248	125	113	203	217	1.38	1.32
12	9	7	4	*	8	7	*	*
13	11	7	3	2	10	7	*	*
14	17	16	4	5	17	15	2.63	3.39
15	20	22	6	6	20	22	2.36	2.22
16	28	24	10	8	26	23	2.66	2.44
17	26	24	12	8	23	23	2.94	2.10
18	36	33	12	8	34	32	2.06	1.95
19	31	34	9	11	29	32	2.17	2.26
20	37	35	9	10	35	33	2.03	2.46
21	33	36	19	16	28	33	*	3.45
22	26	26	11	9	23	25	3.90	2.87
23	28	26	9	7	26	25	2.87	2.37
24	24	26	13	8	20	24	4.12	2.81
25	23	25	8	8	22	24	3.29	3.26
26-29	92	78	45	32	82	72	4.64	4.08
30-34	74	88	42	35	59	81	5.05	4.83
35-39	61	78	24	42	56	65	*	*
40-44	108	76	59	36	89	67	5.61	*
45-49	75	79	47	49	58	62	*	*
50-54	73	77	43	32	60	69	*	*
55-59	62	68	45	35	42	58	*	*
60-64	49	34	41	29	26	16	*	*
65 or Older	17	44	9	*	14	44	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.43D Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2006 and 2007

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.10	0.10	0.05	0.05	0.08	0.09	1.38	1.32
12	0.24	0.16	0.11	*	0.21	0.16	*	*
13	0.25	0.17	0.08	0.04	0.24	0.17	*	*
14	0.40	0.37	0.10	0.12	0.39	0.35	2.63	3.39
15	0.44	0.48	0.12	0.13	0.43	0.47	2.36	2.22
16	0.61	0.52	0.23	0.19	0.57	0.49	2.66	2.44
17	0.60	0.54	0.29	0.18	0.53	0.53	2.94	2.10
18	0.74	0.67	0.25	0.17	0.70	0.65	2.06	1.95
19	0.69	0.74	0.21	0.24	0.66	0.69	2.17	2.26
20	0.84	0.81	0.22	0.25	0.81	0.78	2.03	2.46
21	0.73	0.81	0.44	0.38	0.60	0.76	*	3.45
22	0.64	0.65	0.29	0.23	0.57	0.63	3.90	2.87
23	0.67	0.65	0.23	0.19	0.64	0.62	2.87	2.37
24	0.60	0.64	0.32	0.21	0.51	0.59	4.12	2.81
25	0.60	0.67	0.20	0.22	0.56	0.64	3.29	3.26
26-29	0.54	0.46	0.27	0.20	0.48	0.43	4.64	4.08
30-34	0.40	0.46	0.23	0.18	0.32	0.42	5.05	4.83
35-39	0.29	0.37	0.11	0.20	0.26	0.31	*	*
40-44	0.47	0.35	0.26	0.17	0.39	0.31	5.61	*
45-49	0.34	0.35	0.21	0.22	0.26	0.27	*	*
50-54	0.35	0.35	0.21	0.15	0.29	0.32	*	*
55-59	0.35	0.37	0.26	0.19	0.24	0.32	*	*
60-64	0.36	0.25	0.30	0.22	0.19	0.12	*	*
65 or Older	0.05	0.12	0.03	*	0.04	0.12	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.43P Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2006	2007	2006	2007	2006	2007	
TOTAL	0.4052		0.1343		0.8911		0.1885
12	0.4178		*		0.6675		*
13	0.0157		0.5087		0.0205		*
14	0.5258		0.4030		0.3556		0.2937
15	0.3670		0.9787		0.3503		0.7405
16	0.2775		0.7428		0.3113		1.0000
17	0.6412		0.2043		0.9485		0.2175
18	0.0007		0.0866		0.0029		0.4792
19	0.4794		0.9639		0.4658		0.8567
20	0.7242		0.6978		0.6287		0.5911
21	0.0874		0.5509		0.1185		*
22	0.1758		0.2471		0.0535		0.1014
23	0.9870		0.7640		0.9346		0.7565
24	0.8877		0.1438		0.3837		0.0858
25	0.4227		0.8296		0.4446		0.8754
26-29	0.2993		0.1736		0.6711		0.3370
30-34	0.9388		0.3293		0.6557		0.2797
35-39	0.0533		0.0256		0.3814		*
40-44	0.0191		0.0764		0.0987		*
45-49	0.5189		0.8630		0.4869		*
50-54	0.8340		0.7881		0.9327		*
55-59	0.9218		0.5422		0.7139		*
60-64	0.4140		0.8202		0.2332		*
65 or Older	0.3434		*		0.2226		*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.44C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	240	248	125	113	203	217	1.38	1.32
AGE								
12-17	47	42	18	13	44	40	1.40	1.14
18-25	83	82	33	29	77	77	1.13	0.98
26 or Older	217	223	120	106	182	193	2.64	2.51
GENDER								
Male	191	206	109	98	164	177	1.93	1.70
Female	127	123	65	52	108	110	2.00	1.80
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	210	234	104	111	179	202	1.39	1.47
White	176	196	90	97	148	168	1.61	1.68
Black or African American	94	112	51	52	81	98	3.36	3.89
American Indian or Alaska Native	18	20	7	4	17	19	*	*
Native Hawaiian or Other Pacific Islander	8	14	3	*	7	14	*	*
Asian	36	33	10	18	34	28	*	*
Two or More Races	30	24	8	13	29	20	*	*
Hispanic or Latino	116	81	72	22	93	77	4.71	2.19

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.44D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.10	0.10	0.05	0.05	0.08	0.09	1.38	1.32
AGE								
12-17	0.19	0.16	0.07	0.05	0.17	0.16	1.40	1.14
18-25	0.25	0.25	0.10	0.09	0.23	0.23	1.13	0.98
26 or Older	0.12	0.12	0.06	0.06	0.10	0.10	2.64	2.51
GENDER								
Male	0.16	0.17	0.09	0.08	0.14	0.15	1.93	1.70
Female	0.10	0.10	0.05	0.04	0.09	0.09	2.00	1.80
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.10	0.11	0.05	0.05	0.08	0.09	1.39	1.47
White	0.10	0.12	0.05	0.06	0.09	0.10	1.61	1.68
Black or African American	0.32	0.38	0.17	0.18	0.28	0.34	3.36	3.89
American Indian or Alaska Native	1.54	1.55	0.54	0.34	1.43	1.51	*	*
Native Hawaiian or Other Pacific Islander	0.82	1.98	0.28	*	0.78	1.98	*	*
Asian	0.35	0.32	0.09	0.17	0.34	0.27	*	*
Two or More Races	1.14	0.87	0.32	0.47	1.10	0.75	*	*
Hispanic or Latino	0.35	0.24	0.22	0.06	0.28	0.22	4.71	2.19

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.44P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2006	2007	2006	2007	2006	2007	
TOTAL	0.4052		0.1343		0.8911		0.1885
AGE							
12-17	0.1958		0.2773		0.3369		0.4554
18-25	0.8409		0.4071		0.5842		0.3339
26 or Older	0.5060		0.2415		0.9392		0.3517
GENDER							
Male	0.9782		0.6274		0.7503		0.5726
Female	0.1006		0.0348		0.4469		0.0980
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.8363		0.8696		0.7414		0.7779
White	0.3716		0.8780		0.3408		0.8338
Black or African American	0.3256		0.4527		0.5026		0.7102
American Indian or Alaska Native	0.2215		0.5095		0.2793		*
Native Hawaiian or Other Pacific Islander	0.5876		*		0.4979		*
Asian	0.6116		0.8345		0.5109		*
Two or More Races	0.5885		0.4070		0.8181		*
Hispanic or Latino	0.0155		0.0042		0.2868		0.0059

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.45C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	234	245	124	111	198	214	1.62	1.51
GENDER								
Male	188	204	109	97	160	175	2.18	1.91
Female	121	117	64	50	103	104	2.46	2.20
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	204	231	103	110	175	199	1.63	1.68
White	174	194	90	96	146	166	1.89	1.92
Black or African American	94	115	51	52	79	101	3.84	4.35
American Indian or Alaska Native	18	15	7	4	17	14	*	*
Native Hawaiian or Other Pacific Islander	8	*	3	*	7	*	*	*
Asian	33	32	7	18	33	27	*	*
Two or More Races	30	23	8	13	29	20	*	*
Hispanic or Latino	114	78	72	21	90	74	*	2.73
EDUCATION								
< High School	116	118	73	48	91	109	3.27	2.65
High School Graduate	117	136	60	76	99	112	2.50	2.91
Some College	142	115	82	47	115	106	3.47	2.41
College Graduate	91	88	34	42	85	75	*	*
CURRENT EMPLOYMENT								
Full-Time	159	166	86	67	141	155	2.39	2.02
Part-Time	80	85	38	31	71	78	3.30	2.49
Unemployed	79	63	36	39	70	50	4.20	4.63
Other ¹	129	115	84	69	96	94	4.08	3.79

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.45D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.11	0.11	0.06	0.05	0.09	0.10	1.62	1.51
GENDER								
Male	0.18	0.19	0.10	0.09	0.15	0.16	2.18	1.91
Female	0.11	0.10	0.06	0.04	0.09	0.09	2.46	2.20
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.11	0.12	0.05	0.06	0.09	0.10	1.63	1.68
White	0.11	0.12	0.06	0.06	0.09	0.11	1.89	1.92
Black or African American	0.36	0.44	0.20	0.20	0.31	0.38	3.84	4.35
American Indian or Alaska Native	1.77	1.38	0.60	0.38	1.65	1.32	*	*
Native Hawaiian or Other Pacific Islander	0.93	*	0.32	*	0.88	*	*	*
Asian	0.36	0.35	0.07	0.19	0.36	0.28	*	*
Two or More Races	1.32	1.00	0.38	0.55	1.27	0.85	*	*
Hispanic or Latino	0.40	0.26	0.25	0.07	0.31	0.25	*	2.73
EDUCATION								
< High School	0.31	0.32	0.20	0.13	0.25	0.29	3.27	2.65
High School Graduate	0.17	0.20	0.09	0.11	0.14	0.17	2.50	2.91
Some College	0.25	0.20	0.15	0.08	0.21	0.18	3.47	2.41
College Graduate	0.15	0.15	0.06	0.07	0.14	0.12	*	*
CURRENT EMPLOYMENT								
Full-Time	0.13	0.14	0.07	0.06	0.11	0.13	2.39	2.02
Part-Time	0.28	0.29	0.13	0.10	0.25	0.27	3.30	2.49
Unemployed	1.06	0.89	0.50	0.54	0.94	0.72	4.20	4.63
Other ¹	0.20	0.18	0.13	0.11	0.15	0.14	4.08	3.79

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.45P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2006	2007	2006	2007	2006	2007	
TOTAL	0.5593		0.1741		0.9403		0.2094
GENDER							
Male	0.9388		0.5995		0.6884		0.5257
Female	0.1961		0.0735		0.6167		0.1605
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.6846		0.9403		0.6109		0.7790
White	0.3231		0.7794		0.3240		0.8982
Black or African American	0.4680		0.3624		0.7808		0.5162
American Indian or Alaska Native	0.1052		0.6161		0.1205		*
Native Hawaiian or Other Pacific Islander	*		*		*		*
Asian	0.7921		0.5346		0.5758		*
Two or More Races	0.6479		0.3957		0.8993		*
Hispanic or Latino	0.0229		0.0061		0.3419		*
EDUCATION							
< High School	0.6813		0.0099		0.2385		0.0046
High School Graduate	0.4449		0.4187		0.6705		0.5854
Some College	0.1369		0.2145		0.3360		0.3730
College Graduate	0.9084		0.2748		0.6988		*
CURRENT EMPLOYMENT							
Full-Time	0.6696		0.1854		0.8414		0.2133
Part-Time	0.4194		0.9586		0.3578		0.7332
Unemployed	0.4693		0.7760		0.3040		0.4779
Other ¹	0.4793		0.3773		0.8419		0.5043

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.46C (REVISED) Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	240	249	125	114	203	217	1.38	1.32
GEOGRAPHIC DIVISION								
Northeast	105	92	72	52	78	70	4.03	3.15
New England	29	40	11	25	27	32	3.19	*
Middle Atlantic	101	83	71	45	73	62	4.97	3.73
Midwest	93	100	45	32	80	92	2.33	1.91
East North Central	78	89	38	28	68	83	2.73	2.27
West North Central	51	43	23	13	44	39	4.51	3.24
South	147	151	72	71	129	135	2.29	2.23
South Atlantic	122	113	59	43	105	107	3.50	2.75
East South Central	58	67	31	40	49	55	*	*
West South Central	73	76	27	41	70	61	3.12	4.20
West	136	135	63	65	112	116	2.76	3.07
Mountain	51	89	20	27	46	84	3.45	3.79
Pacific	125	102	60	61	102	81	3.56	4.32
COUNTY TYPE								
Large Metro	200	191	100	86	168	168	1.97	1.83
Small Metro	127	138	70	61	103	119	2.55	2.32
250K – 1 Mil. Pop.	111	106	63	51	89	90	3.29	2.87
< 250K Pop.	63	87	32	34	51	78	3.75	3.97
Nonmetro	80	76	37	42	68	64	2.78	3.18
Urbanized	45	56	22	27	36	49	4.15	4.26
Less Urbanized	62	51	29	32	54	40	4.25	5.01
Completely Rural	26	15	10	6	23	14	*	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.46D (REVISED) Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.10	0.10	0.05	0.05	0.08	0.09	1.38	1.32
GEOGRAPHIC DIVISION								
Northeast	0.23	0.20	0.16	0.11	0.17	0.15	4.03	3.15
New England	0.24	0.33	0.09	0.21	0.22	0.27	3.19	*
Middle Atlantic	0.30	0.24	0.21	0.13	0.22	0.18	4.97	3.73
Midwest	0.17	0.18	0.08	0.06	0.15	0.17	2.33	1.91
East North Central	0.20	0.23	0.10	0.07	0.18	0.22	2.73	2.27
West North Central	0.31	0.26	0.14	0.08	0.27	0.24	4.51	3.24
South	0.16	0.17	0.08	0.08	0.14	0.15	2.29	2.23
South Atlantic	0.26	0.24	0.12	0.09	0.22	0.22	3.50	2.75
East South Central	0.40	0.45	0.21	0.27	0.33	0.37	*	*
West South Central	0.27	0.27	0.10	0.15	0.26	0.22	3.12	4.20
West	0.24	0.24	0.11	0.11	0.20	0.20	2.76	3.07
Mountain	0.30	0.51	0.12	0.16	0.27	0.49	3.45	3.79
Pacific	0.32	0.26	0.15	0.15	0.26	0.20	3.56	4.32
COUNTY TYPE								
Large Metro	0.15	0.15	0.07	0.07	0.13	0.13	1.97	1.83
Small Metro	0.17	0.18	0.10	0.08	0.14	0.16	2.55	2.32
250K – 1 Mil. Pop.	0.23	0.20	0.13	0.10	0.19	0.17	3.29	2.87
< 250K Pop.	0.25	0.34	0.13	0.13	0.21	0.31	3.75	3.97
Nonmetro	0.19	0.18	0.09	0.10	0.16	0.15	2.78	3.18
Urbanized	0.27	0.31	0.13	0.16	0.22	0.27	4.15	4.26
Less Urbanized	0.28	0.25	0.14	0.16	0.24	0.19	4.25	5.01
Completely Rural	0.52	0.28	0.22	0.13	0.48	0.26	*	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.46P (REVISED) Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.4462		0.1649		0.9100		0.2208	
GEOGRAPHIC DIVISION								
Northeast	0.4714		0.2315		0.9823		0.2440	
New England	0.1817		0.5326		0.2559		*	
Middle Atlantic	0.2092		0.1411		0.6519		0.2093	
Midwest	0.3833		0.1440		0.7330		0.2255	
East North Central	0.5656		0.3102		0.8353		0.3937	
West North Central	0.4511		0.2121		0.7531		0.3378	
South	0.8419		0.9629		0.8051		0.8921	
South Atlantic	0.9566		0.2835		0.5790		0.2321	
East South Central	0.4803		0.5798		0.6486		*	
West South Central	0.7687		0.3741		0.4137		0.2655	
West	0.6349		0.5812		0.7782		0.6959	
Mountain	0.1437		0.4151		0.0636		0.0828	
Pacific	0.1175		0.8249		0.0807		0.5788	
COUNTY TYPE								
Large Metro	0.5326		0.2064		0.9509		0.2460	
Small Metro	0.4690		0.4532		0.6850		0.5651	
250K – 1 Mil. Pop.	0.1943		0.6585		0.2016		0.9813	
< 250K Pop.	0.5434		0.4338		0.3013		0.2554	
Nonmetro	0.7257		0.9587		0.6981		0.8990	
Urbanized	0.1071		0.9655		0.0610		0.4506	
Less Urbanized	0.6667		0.8966		0.5394		0.6900	
Completely Rural	0.1121		0.7961		0.1220		*	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.47C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	204	216	69	68	43	43	53	51	188	204
AGE										
12-17	46	42	7	8	5	4	5	6	46	42
18-25	83	84	17	19	7	10	16	17	81	81
26 or Older	183	191	67	65	42	42	52	49	167	180
GENDER										
Male	168	177	64	61	42	41	48	44	153	166
Female	106	110	27	32	11	15	24	28	104	105

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.47D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.00	0.00	1.05	1.04	0.68	0.69	0.83	0.81	1.05	1.04
AGE										
12-17	0.00	0.00	0.63	0.75	0.46	0.41	0.43	0.63	0.63	0.75
18-25	0.00	0.00	0.69	0.77	0.29	0.42	0.64	0.67	0.69	0.77
26 or Older	0.00	0.00	2.25	2.24	1.49	1.50	1.82	1.75	2.25	2.24
GENDER										
Male	0.00	0.00	1.49	1.41	1.02	0.97	1.15	1.06	1.49	1.41
Female	0.00	0.00	1.18	1.44	0.50	0.70	1.08	1.27	1.18	1.44

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.47P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹	FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²		
		Total		Made Effort		Made No Effort				
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	N/A		0.5731		0.6899		0.6984		0.5731	
AGE										
12-17	N/A		0.5665		0.8733		0.3843		0.5665	
18-25	N/A		0.9782		0.5186		0.6974		0.9782	
26 or Older	N/A		0.6077		0.7744		0.6821		0.6077	
GENDER										
Male	N/A		0.9967		0.9340		0.9455		0.9967	
Female	N/A		0.2084		0.3495		0.3577		0.2084	

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.