

Table 5.48C Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	419	421	125	130	407	397	0.62	0.64
AGE								
12-17	49	48	14	11	48	47	0.99	0.80
18-25	122	117	31	25	122	114	0.52	0.44
26 or Older	390	395	121	127	376	374	0.96	0.98
GENDER								
Male	341	361	99	112	329	341	0.75	0.80
Female	229	205	73	65	219	195	1.03	1.00
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	390	388	100	127	382	366	0.59	0.71
White	340	351	90	104	331	339	0.64	0.72
Black or African American	135	150	39	65	130	134	1.87	2.89
American Indian or Alaska Native	35	36	7	17	34	31	*	*
Native Hawaiian or Other Pacific Islander	24	14	5	0	24	14	*	*
Asian	52	67	8	*	51	67	*	0.11
Two or More Races	60	35	9	14	60	32	*	*
Hispanic or Latino	179	154	76	31	163	151	2.35	1.23

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.48D Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.17	0.17	0.05	0.05	0.17	0.16	0.62	0.64
AGE								
12-17	0.19	0.19	0.06	0.05	0.19	0.19	0.99	0.80
18-25	0.37	0.36	0.10	0.08	0.37	0.35	0.52	0.44
26 or Older	0.21	0.21	0.06	0.07	0.20	0.20	0.96	0.98
GENDER								
Male	0.29	0.30	0.08	0.09	0.28	0.28	0.75	0.80
Female	0.18	0.16	0.06	0.05	0.17	0.15	1.03	1.00
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.18	0.18	0.05	0.06	0.18	0.17	0.59	0.71
White	0.20	0.21	0.05	0.06	0.20	0.20	0.64	0.72
Black or African American	0.46	0.51	0.13	0.22	0.45	0.46	1.87	2.89
American Indian or Alaska Native	2.60	2.58	0.60	1.31	2.54	2.24	*	*
Native Hawaiian or Other Pacific Islander	2.66	1.98	0.51	0.07	2.62	1.98	*	*
Asian	0.48	0.64	0.08	*	0.48	0.64	*	0.11
Two or More Races	2.16	1.23	0.33	0.51	2.14	1.16	*	*
Hispanic or Latino	0.54	0.45	0.23	0.09	0.49	0.44	2.35	1.23

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.48P Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2006	2007	2006	2007	2006	2007	
TOTAL	0.5388		0.9939		0.5280		0.8734
AGE							
12-17	0.9906		0.3195		0.7886		0.3053
18-25	0.0842		0.4908		0.1154		0.7443
26 or Older	0.9219		0.7986		0.8535		0.7686
GENDER							
Male	0.5597		0.4373		0.7062		0.5337
Female	0.0301		0.2476		0.0611		0.4956
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.6727		0.2144		0.9631		0.2438
White	0.6512		0.3642		0.8490		0.4171
Black or African American	0.9898		0.3509		0.7176		0.3108
American Indian or Alaska Native	0.2911		0.2559		0.1046		*
Native Hawaiian or Other Pacific Islander	0.2452		0.1720		0.3430		*
Asian	0.2434		*		0.1955		*
Two or More Races	0.9854		0.8950		0.9879		*
Hispanic or Latino	0.0157		0.0179		0.0938		0.0401

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.49C Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	414	416	125	130	402	394	0.67	0.69
GENDER								
Male	340	359	98	112	329	339	0.78	0.85
Female	222	201	72	64	212	191	1.14	1.12
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	386	384	99	126	378	363	0.63	0.76
White	352	378	89	104	345	363	0.69	0.77
Black or African American	142	162	38	65	137	144	1.93	3.03
American Indian or Alaska Native	35	32	6	17	34	26	*	*
Native Hawaiian or Other Pacific Islander	24	14	5	0	24	14	*	*
Asian	50	67	7	0	49	67	*	0.11
Two or More Races	60	35	9	14	59	32	*	*
Hispanic or Latino	178	152	76	30	161	149	2.53	1.37
EDUCATION								
< High School	186	188	65	63	173	178	1.90	2.01
High School Graduate	236	241	78	88	222	224	1.27	1.48
Some College	205	210	55	56	195	201	1.06	1.04
College Graduate	229	238	45	31	225	237	1.07	0.74
CURRENT EMPLOYMENT								
Full-Time	348	343	84	87	341	332	0.72	0.76
Part-Time	123	138	47	28	115	135	1.77	1.06
Unemployed	98	109	28	30	93	104	2.39	2.53
Other ¹	186	211	70	84	176	196	2.18	2.57

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.49D Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.19	0.19	0.06	0.06	0.18	0.18	0.67	0.69
GENDER								
Male	0.32	0.33	0.09	0.10	0.31	0.32	0.78	0.85
Female	0.19	0.17	0.06	0.06	0.19	0.17	1.14	1.12
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.20	0.05	0.07	0.20	0.19	0.63	0.76
White	0.22	0.23	0.06	0.07	0.21	0.22	0.69	0.77
Black or African American	0.53	0.59	0.15	0.25	0.52	0.53	1.93	3.03
American Indian or Alaska Native	2.94	2.71	0.54	1.51	2.87	2.25	*	*
Native Hawaiian or Other Pacific Islander	3.09	2.23	0.58	0.07	3.04	2.22	*	*
Asian	0.52	0.71	0.07	0.01	0.52	0.71	*	0.11
Two or More Races	2.54	1.46	0.39	0.60	2.52	1.38	*	*
Hispanic or Latino	0.62	0.51	0.26	0.10	0.56	0.50	2.53	1.37
EDUCATION								
< High School	0.48	0.50	0.18	0.17	0.45	0.48	1.90	2.01
High School Graduate	0.33	0.34	0.11	0.13	0.32	0.31	1.27	1.48
Some College	0.36	0.35	0.10	0.10	0.34	0.34	1.06	1.04
College Graduate	0.37	0.38	0.08	0.05	0.36	0.37	1.07	0.74
CURRENT EMPLOYMENT								
Full-Time	0.27	0.26	0.07	0.07	0.26	0.26	0.72	0.76
Part-Time	0.42	0.46	0.16	0.10	0.39	0.45	1.77	1.06
Unemployed	1.28	1.43	0.39	0.42	1.23	1.38	2.39	2.53
Other [†]	0.29	0.32	0.11	0.13	0.27	0.30	2.18	2.57

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.49P Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2006	2007	2006	2007	2006	2007	
TOTAL	0.5257		0.9293		0.4952		0.7906
GENDER							
Male	0.5693		0.3863		0.7366		0.4725
Female	0.0273		0.2703		0.0537		0.5393
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.6566		0.1919		0.9618		0.2212
White	0.6484		0.3463		0.8552		0.3983
Black or African American	0.9760		0.3745		0.6972		0.3290
American Indian or Alaska Native	0.2578		0.1353		0.0584		*
Native Hawaiian or Other Pacific Islander	0.2388		0.1724		0.3334		*
Asian	0.1801		0.3241		0.1582		*
Two or More Races	0.8636		0.9544		0.8724		*
Hispanic or Latino	0.0124		0.0209		0.0719		0.0509
EDUCATION							
< High School	0.3519		0.4899		0.4645		0.7237
High School Graduate	0.5811		0.1727		0.2788		0.1079
Some College	0.9189		0.7865		0.8556		0.7579
College Graduate	0.9787		0.4355		0.8693		0.4262
CURRENT EMPLOYMENT							
Full-Time	0.4558		0.8221		0.4840		0.9753
Part-Time	0.8117		0.6101		0.6793		0.5615
Unemployed	0.9696		0.2990		0.7212		0.2814
Other ¹	0.9124		0.3165		0.5903		0.2648

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.50C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	425	427	81	118	48	41	66	111	411	410
AGE										
12-17	49	49	5	7	4	3	4	6	49	48
18-25	149	145	18	20	8	12	17	16	147	143
26 or Older	388	393	79	117	47	40	63	110	375	372
GENDER										
Male	347	366	75	110	41	36	62	104	334	351
Female	222	202	32	44	25	21	20	39	220	197

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.50D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.00	0.00	0.44	0.64	0.26	0.23	0.36	0.61	0.44	0.64
AGE										
12-17	0.00	0.00	0.41	0.50	0.30	0.25	0.29	0.44	0.41	0.50
18-25	0.00	0.00	0.32	0.36	0.14	0.22	0.29	0.29	0.32	0.36
26 or Older	0.00	0.00	0.69	1.00	0.42	0.35	0.56	0.96	0.69	1.00
GENDER										
Male	0.00	0.00	0.62	0.88	0.35	0.29	0.52	0.85	0.62	0.88
Female	0.00	0.00	0.51	0.75	0.40	0.37	0.33	0.66	0.51	0.75

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.50P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹	FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²		
		Total		Made Effort		Made No Effort				
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	N/A		0.0215		0.7139		0.0183		0.0215	
AGE										
12-17	N/A		0.4783		0.8431		0.4635		0.4783	
18-25	N/A		0.4925		0.1670		0.9615		0.4925	
26 or Older	N/A		0.0300		0.9763		0.0174		0.0300	
GENDER										
Male	N/A		0.0926		0.9004		0.0761		0.0926	
Female	N/A		0.0483		0.6240		0.0371		0.0483	

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.