

Table 5.51C Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	463	470	162	165	441	433	0.65	0.66
AGE								
12-17	60	57	20	15	58	56	0.93	0.76
18-25	133	128	38	33	131	124	0.52	0.47
26 or Older	423	437	158	160	400	401	1.04	1.03
GENDER								
Male	370	397	136	145	347	367	0.84	0.86
Female	251	234	90	77	236	215	1.01	0.93
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	428	425	134	162	408	393	0.64	0.74
White	364	381	120	127	345	363	0.71	0.74
Black or African American	152	167	56	95	144	139	1.90	3.02
American Indian or Alaska Native	39	40	10	17	38	36	*	*
Native Hawaiian or Other Pacific Islander	24	20	5	0	24	20	*	*
Asian	61	70	13	18	60	67	2.72	*
Two or More Races	67	38	9	19	66	33	3.14	*
Hispanic or Latino	193	167	97	34	171	163	2.45	1.15

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.51D Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.19	0.19	0.07	0.07	0.18	0.17	0.65	0.66
AGE								
12-17	0.23	0.23	0.08	0.06	0.23	0.22	0.93	0.76
18-25	0.40	0.39	0.12	0.10	0.40	0.38	0.52	0.47
26 or Older	0.23	0.23	0.08	0.08	0.21	0.21	1.04	1.03
GENDER								
Male	0.31	0.33	0.11	0.12	0.29	0.31	0.84	0.86
Female	0.20	0.18	0.07	0.06	0.19	0.17	1.01	0.93
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.20	0.06	0.08	0.19	0.18	0.64	0.74
White	0.22	0.23	0.07	0.08	0.21	0.21	0.71	0.74
Black or African American	0.52	0.57	0.19	0.32	0.49	0.48	1.90	3.02
American Indian or Alaska Native	3.02	2.90	0.79	1.32	2.91	2.61	*	*
Native Hawaiian or Other Pacific Islander	2.71	2.74	0.51	0.07	2.68	2.74	*	*
Asian	0.57	0.68	0.12	0.17	0.56	0.65	2.72	*
Two or More Races	2.35	1.36	0.36	0.67	2.34	1.20	3.14	*
Hispanic or Latino	0.58	0.49	0.29	0.10	0.51	0.48	2.45	1.15

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.51P Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2006	2007	2006	2007	2006	2007	
TOTAL	0.3838		0.5396		0.4964		0.7060
AGE							
12-17	0.2459		0.2466		0.4157		0.3695
18-25	0.2089		0.6781		0.2468		0.9159
26 or Older	0.7273		0.6838		0.8378		0.7581
GENDER							
Male	0.6523		0.7374		0.7245		0.8326
Female	0.0166		0.0784		0.0594		0.2535
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.7951		0.3581		0.9328		0.3771
White	0.5392		0.6551		0.6374		0.7747
Black or African American	0.6784		0.3889		0.3486		0.2764
American Indian or Alaska Native	0.1833		0.4694		0.0862		*
Native Hawaiian or Other Pacific Islander	0.5359		0.1720		0.6643		*
Asian	0.6028		0.7419		0.5338		*
Two or More Races	0.7842		0.3204		0.5636		*
Hispanic or Latino	0.0070		0.0014		0.1287		0.0033

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.52C Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	453	464	161	165	431	428	0.71	0.72
GENDER								
Male	366	394	135	144	343	364	0.89	0.92
Female	243	227	89	76	228	209	1.14	1.05
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	420	420	133	161	402	389	0.70	0.80
White	375	410	119	127	357	387	0.77	0.80
Black or African American	162	184	57	96	151	152	2.06	3.22
American Indian or Alaska Native	39	34	8	17	38	29	*	*
Native Hawaiian or Other Pacific Islander	24	20	5	0	24	20	*	*
Asian	59	69	11	18	58	66	*	*
Two or More Races	66	38	9	18	66	33	*	*
Hispanic or Latino	193	164	96	34	169	161	2.68	1.30
EDUCATION								
< High School	209	212	93	84	186	195	2.00	2.04
High School Graduate	251	258	90	102	232	237	1.23	1.42
Some College	239	229	94	72	218	218	1.42	1.12
College Graduate	235	246	46	52	231	242	1.03	1.11
CURRENT EMPLOYMENT								
Full-Time	372	367	104	110	362	354	0.78	0.84
Part-Time	142	153	61	34	128	148	1.83	1.03
Unemployed	111	112	43	44	101	102	2.69	2.75
Other ¹	213	238	104	101	189	212	2.36	2.33

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.52D Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.21	0.21	0.07	0.07	0.20	0.19	0.71	0.72
GENDER								
Male	0.34	0.37	0.13	0.13	0.32	0.34	0.89	0.92
Female	0.21	0.20	0.08	0.07	0.20	0.18	1.14	1.05
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.22	0.22	0.07	0.08	0.21	0.20	0.70	0.80
White	0.23	0.24	0.08	0.08	0.22	0.23	0.77	0.80
Black or African American	0.60	0.65	0.22	0.37	0.57	0.54	2.06	3.22
American Indian or Alaska Native	3.43	2.96	0.78	1.52	3.33	2.53	*	*
Native Hawaiian or Other Pacific Islander	3.15	3.06	0.58	0.07	3.11	3.06	*	*
Asian	0.62	0.75	0.11	0.19	0.61	0.71	*	*
Two or More Races	2.77	1.60	0.42	0.79	2.75	1.41	*	*
Hispanic or Latino	0.67	0.56	0.33	0.11	0.59	0.54	2.68	1.30
EDUCATION								
< High School	0.53	0.56	0.25	0.23	0.48	0.52	2.00	2.04
High School Graduate	0.35	0.37	0.13	0.15	0.33	0.33	1.23	1.42
Some College	0.41	0.38	0.17	0.13	0.38	0.36	1.42	1.12
College Graduate	0.38	0.39	0.08	0.09	0.37	0.38	1.03	1.11
CURRENT EMPLOYMENT								
Full-Time	0.29	0.28	0.09	0.09	0.28	0.28	0.78	0.84
Part-Time	0.48	0.52	0.21	0.12	0.44	0.50	1.83	1.03
Unemployed	1.41	1.46	0.60	0.61	1.31	1.35	2.69	2.75
Other ¹	0.33	0.37	0.16	0.16	0.30	0.32	2.36	2.33

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.52P Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2006	2007	2006	2007	2006	2007	
TOTAL	0.4534		0.6203		0.5510		0.7727
GENDER							
Male	0.6145		0.7398		0.6814		0.8493
Female	0.0224		0.1275		0.0651		0.3580
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.6975		0.3088		0.9941		0.3438
White	0.5032		0.5893		0.6220		0.7140
Black or African American	0.8168		0.4330		0.4851		0.3446
American Indian or Alaska Native	0.1278		0.2501		0.0335		*
Native Hawaiian or Other Pacific Islander	0.5006		0.1724		0.6254		*
Asian	0.4835		0.9927		0.4700		*
Two or More Races	0.8139		0.3508		0.6039		*
Hispanic or Latino	0.0075		0.0015		0.1288		0.0036
EDUCATION							
< High School	0.3028		0.0916		0.7581		0.1527
High School Graduate	0.7154		0.2455		0.3790		0.1699
Some College	0.4896		0.5353		0.6296		0.6369
College Graduate	0.6286		0.6475		0.6940		0.7152
CURRENT EMPLOYMENT							
Full-Time	0.5007		0.8575		0.5287		1.0000
Part-Time	0.8420		0.2257		0.4967		0.1757
Unemployed	0.9913		0.5982		0.8165		0.5707
Other ¹	0.6509		0.8552		0.5457		0.6640

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.53C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	458	463	100	148	55	56	82	136	439	439
AGE										
12-17	60	59	10	10	6	5	8	8	60	58
18-25	167	163	25	25	10	15	24	20	164	160
26 or Older	412	419	96	145	54	53	79	135	393	393
GENDER										
Male	369	393	91	137	48	50	76	128	351	374
Female	239	224	41	55	27	25	31	49	234	217

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.53D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.00	0.00	0.45	0.68	0.26	0.26	0.38	0.64	0.45	0.68
AGE										
12-17	0.00	0.00	0.50	0.53	0.30	0.27	0.40	0.46	0.50	0.53
18-25	0.00	0.00	0.38	0.38	0.14	0.24	0.35	0.31	0.38	0.38
26 or Older	0.00	0.00	0.74	1.09	0.43	0.42	0.61	1.03	0.74	1.09
GENDER										
Male	0.00	0.00	0.64	0.95	0.35	0.35	0.54	0.90	0.64	0.95
Female	0.00	0.00	0.54	0.77	0.36	0.36	0.42	0.69	0.54	0.77

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 5.53P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹	FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
		Total		Made Effort		Made No Effort			
	2006	2007	2006	2007	2006	2007	2006	2007	
TOTAL	N/A		0.0178		0.3684		0.0297		0.0178
AGE									
12-17	N/A		0.8232		0.9913		0.7845		0.8232
18-25	N/A		0.6997		0.0515		0.4558		0.6997
26 or Older	N/A		0.0207		0.6614		0.0190		0.0207
GENDER									
Male	N/A		0.1171		0.5427		0.1494		0.1171
Female	N/A		0.0196		0.4597		0.0244		0.0196

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.