

**Table 6.27A Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Gender and Detailed Age Category: Numbers in Thousands, 2006 and 2007**

| Gender/Age Category | Had Past Year MDE <sup>1</sup> |       |                                     |       | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|---------------------|--------------------------------|-------|-------------------------------------|-------|--|------|-------------------------------------|------|
|                     | Total                          |       | With Severe Impairment <sup>3</sup> |       | Total  |      | With Severe Impairment <sup>3</sup> |      |
|                     | 2006                           | 2007  | 2006                                | 2007  | 2006   | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>        | 1,969                          | 2,016 | 1,359                               | 1,369 | 762  | 781  | 628                                 | 600  |
| 12                  | 149                            | 109   | 71                                  | 70    | *  | 45   | *                                   | *    |
| 13                  | 234                            | 228   | 140                                 | 130   | 77   | 92   | 55                                  | 54   |
| 14                  | 292                            | 274   | 233                                 | 193   | 102  | 84   | 89                                  | 71   |
| 15                  | 393                            | 432   | 286                                 | 308   | 163  | 176  | 144                                 | 147  |
| 16                  | 473                            | 519   | 349                                 | 348   | 209  | 201  | 177                                 | 154  |
| 17                  | 428                            | 454   | 280                                 | 320   | 156  | 182  | 126                                 | 144  |
| <b>MALE</b>         | 540                            | 582   | 337                                 | 383   | 190  | 213  | 134                                 | 153  |
| 12                  | 54                             | 38    | 23                                  | 22    | *  | *    | *                                   | *    |
| 13                  | 71                             | 56    | 39                                  | 34    | *  | *    | *                                   | *    |
| 14                  | 72                             | 63    | 50                                  | 43    | *  | *    | *                                   | *    |
| 15                  | 88 <sup>a</sup>                | 133   | 59 <sup>a</sup>                     | 98    | *  | *    | *                                   | *    |
| 16                  | 108                            | 154   | 74                                  | 98    | *  | *    | *                                   | *    |
| 17                  | 146                            | 138   | 92                                  | 89    | 45   | 41   | *                                   | *    |
| <b>FEMALE</b>       | 1,429                          | 1,433 | 1,022                               | 986   | 572  | 568  | 494                                 | 447  |
| 12                  | 95                             | 71    | 48                                  | 48    | *  | *    | *                                   | *    |
| 13                  | 163                            | 172   | 101                                 | 96    | 53   | 66   | *                                   | *    |
| 14                  | 220                            | 211   | 182                                 | 150   | 79   | 67   | 73                                  | 62   |
| 15                  | 304                            | 299   | 227                                 | 211   | 135  | 127  | 125                                 | 104  |
| 16                  | 365                            | 366   | 276                                 | 251   | 169  | 141  | 147                                 | 111  |
| 17                  | 282                            | 315   | 188                                 | 231   | 110  | 141  | 89                                  | 117  |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) chores at home, (2) school or work, (3) close relationships with family, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.27B Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Gender and Detailed Age Category: Percentages, 2006 and 2007**

| Gender/Age Category | Had Past Year MDE <sup>1</sup> |      |                                     |      | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|---------------------|--------------------------------|------|-------------------------------------|------|--|------|-------------------------------------|------|
|                     | Total                          |      | With Severe Impairment <sup>3</sup> |      | Total  |      | With Severe Impairment <sup>3</sup> |      |
|                     | 2006                           | 2007 | 2006                                | 2007 | 2006   | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>        | 7.9                            | 8.2  | 5.5                                 | 5.5  | 38.9   | 38.9 | 46.6                                | 43.9 |
| 12                  | 4.0 <sup>a</sup>               | 2.8  | 1.9                                 | 1.8  | *  | 43.1 | *                                   | *    |
| 13                  | 5.8                            | 5.7  | 3.5                                 | 3.2  | 33.2   | 40.6 | 40.0                                | 41.7 |
| 14                  | 7.0                            | 6.8  | 5.5                                 | 4.8  | 34.9   | 30.9 | 38.3                                | 36.9 |
| 15                  | 8.8                            | 10.0 | 6.4                                 | 7.1  | 41.5   | 40.7 | 50.4                                | 47.5 |
| 16                  | 11.1                           | 11.8 | 8.2                                 | 7.9  | 44.7   | 38.9 | 51.4                                | 44.4 |
| 17                  | 10.3                           | 11.1 | 6.8                                 | 7.9  | 36.5   | 40.3 | 45.3                                | 45.1 |
| <b>MALE</b>         | 4.2                            | 4.6  | 2.6                                 | 3.0  | 35.4   | 36.7 | 40.1                                | 40.2 |
| 12                  | 2.9                            | 1.9  | 1.2                                 | 1.1  | *  | *    | *                                   | *    |
| 13                  | 3.3                            | 2.7  | 1.8                                 | 1.6  | *  | *    | *                                   | *    |
| 14                  | 3.2                            | 3.0  | 2.2                                 | 2.0  | *  | *    | *                                   | *    |
| 15                  | 3.9 <sup>a</sup>               | 6.2  | 2.6 <sup>a</sup>                    | 4.5  | *  | *    | *                                   | *    |
| 16                  | 5.1                            | 6.7  | 3.5                                 | 4.3  | *  | *    | *                                   | *    |
| 17                  | 6.8                            | 6.6  | 4.3                                 | 4.3  | 31.0   | 29.8 | *                                   | *    |
| <b>FEMALE</b>       | 11.8                           | 11.9 | 8.4                                 | 8.2  | 40.3   | 39.9 | 48.7                                | 45.3 |
| 12                  | 5.0                            | 3.7  | 2.5                                 | 2.5  | *  | *    | *                                   | *    |
| 13                  | 8.5                            | 8.7  | 5.3                                 | 4.9  | 33.1   | 38.7 | *                                   | *    |
| 14                  | 11.2                           | 11.0 | 9.3                                 | 7.8  | 36.1   | 31.9 | 40.0                                | 41.1 |
| 15                  | 13.7                           | 13.8 | 10.2                                | 9.7  | 44.3   | 42.7 | 55.0                                | 49.4 |
| 16                  | 17.0                           | 17.3 | 12.8                                | 11.9 | 47.2   | 38.7 | 54.6                                | 44.4 |
| 17                  | 14.0                           | 15.9 | 9.4                                 | 11.6 | 39.3   | 44.9 | 47.6                                | 50.5 |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) chores at home, (2) school or work, (3) close relationships with family, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.28A Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Detailed Age Category: Numbers in Thousands, 2006 and 2007**

| Age Category | Had Past Year MDE <sup>1</sup> |        |                                     |        | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |        |                                     |       |
|--------------|--------------------------------|--------|-------------------------------------|--------|--|--------|-------------------------------------|-------|
|              | Total                          |        | With Severe Impairment <sup>3</sup> |        | Total  |        | With Severe Impairment <sup>3</sup> |       |
|              | 2006                           | 2007   | 2006                                | 2007   | 2006   | 2007   | 2006                                | 2007  |
| <b>TOTAL</b> | 15,796                         | 16,462 | 10,052                              | 10,143 | 10,916   | 10,621 | 7,450                               | 7,318 |
| 18           | 381                            | 372    | 246                                 | 244    | 174  | 151    | 130                                 | 109   |
| 19           | 409                            | 347    | 275                                 | 222    | 171  | 137    | 127                                 | 92    |
| 20           | 333                            | 328    | 223                                 | 210    | 159  | 139    | 118                                 | 96    |
| 21           | 417                            | 395    | 277                                 | 268    | 190  | 176    | 139                                 | 133   |
| 22           | 349                            | 326    | 227                                 | 223    | 125  | 141    | 102                                 | 111   |
| 23           | 288 <sup>b</sup>               | 412    | 176 <sup>a</sup>                    | 253    | 143  | 185    | 97                                  | 129   |
| 24           | 374                            | 356    | 215                                 | 218    | 180  | 170    | 127                                 | 111   |
| 25           | 368                            | 353    | 225                                 | 218    | 193  | 178    | 141                                 | 129   |
| 26-49        | 8,482                          | 8,417  | 5,573                               | 5,297  | 5,831  | 5,522  | 4,155                               | 3,957 |
| 50 or Older  | 4,393                          | 5,155  | 2,615                               | 2,992  | 3,751  | 3,823  | 2,315                               | 2,452 |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) home management, (2) work, (3) close relationships with others, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.28B Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Detailed Age Category: Percentages, 2006 and 2007**

| Age Category | Had Past Year MDE <sup>1</sup> |      |                                     |      | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|--------------|--------------------------------|------|-------------------------------------|------|--|------|-------------------------------------|------|
|              | Total                          |      | With Severe Impairment <sup>3</sup> |      | Total  |      | With Severe Impairment <sup>3</sup> |      |
|              | 2006                           | 2007 | 2006                                | 2007 | 2006   | 2007 | 2006                                | 2007 |
| <b>TOTAL</b> | 7.2                            | 7.5  | 4.6                                 | 4.6  | 69.1 <sup>b</sup>  | 64.5 | 74.1                                | 72.2 |
| 18           | 8.4                            | 7.9  | 5.4                                 | 5.2  | 45.5   | 40.5 | 52.6                                | 44.6 |
| 19           | 9.9                            | 8.0  | 6.7                                 | 5.1  | 41.7   | 39.4 | 46.1                                | 41.5 |
| 20           | 8.3                            | 8.1  | 5.6                                 | 5.2  | 47.6   | 42.4 | 52.7                                | 45.6 |
| 21           | 9.8                            | 9.8  | 6.5                                 | 6.6  | 45.5   | 44.6 | 50.3                                | 49.6 |
| 22           | 8.9                            | 8.7  | 5.8                                 | 5.9  | 35.8   | 43.1 | 45.0                                | 50.0 |
| 23           | 7.4 <sup>b</sup>               | 10.5 | 4.5 <sup>a</sup>                    | 6.4  | 49.7   | 44.8 | 55.1                                | 51.1 |
| 24           | 9.7                            | 9.1  | 5.6                                 | 5.6  | 48.2   | 47.7 | 59.0                                | 50.8 |
| 25           | 9.7                            | 9.6  | 6.0                                 | 5.9  | 52.4   | 50.8 | 62.5                                | 59.0 |
| 26-49        | 8.5                            | 8.5  | 5.6                                 | 5.3  | 68.7   | 65.6 | 74.6                                | 74.7 |
| 50 or Older  | 5.1                            | 5.8  | 3.0                                 | 3.4  | 85.4 <sup>b</sup>  | 74.2 | 88.5                                | 82.0 |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) home management, (2) work, (3) close relationships with others, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.29A Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Gender and Age Group: Numbers in Thousands, 2006 and 2007**

| Gender/Age    | Had Past Year MDE <sup>1</sup> |        |                                     |        | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |        |                                     |       |
|---------------|--------------------------------|--------|-------------------------------------|--------|--|--------|-------------------------------------|-------|
|               | Total                          |        | With Severe Impairment <sup>3</sup> |        | Total  |        | With Severe Impairment <sup>3</sup> |       |
|               | 2006                           | 2007   | 2006                                | 2007   | 2006   | 2007   | 2006                                | 2007  |
| <b>TOTAL</b>  | 15,796                         | 16,462 | 10,052                              | 10,143 | 10,916   | 10,621 | 7,450                               | 7,318 |
| 18-25         | 2,920                          | 2,891  | 1,864                               | 1,855  | 1,334  | 1,277  | 980                                 | 909   |
| 26-49         | 8,482                          | 8,417  | 5,573                               | 5,297  | 5,831  | 5,522  | 4,155                               | 3,957 |
| 50 or Older   | 4,393                          | 5,155  | 2,615                               | 2,992  | 3,751  | 3,823  | 2,315                               | 2,452 |
| <b>MALE</b>   | 5,604                          | 5,607  | 3,686                               | 3,540  | 3,410  | 3,243  | 2,463                               | 2,307 |
| 18-25         | 1,042                          | 979    | 651                                 | 635    | 341  | 337    | 262                                 | 249   |
| 26-49         | 3,070                          | 2,907  | 2,068                               | 1,803  | 1,852  | 1,698  | 1,384                               | 1,220 |
| 50 or Older   | 1,492                          | 1,722  | 967                                 | 1,102  | 1,217  | *      | *                                   | *     |
| <b>FEMALE</b> | 10,191                         | 10,855 | 6,366                               | 6,603  | 7,506  | 7,378  | 4,987                               | 5,011 |
| 18-25         | 1,878                          | 1,912  | 1,214                               | 1,220  | 993  | 939    | 718                                 | 660   |
| 26-49         | 5,412                          | 5,510  | 3,505                               | 3,494  | 3,979  | 3,823  | 2,772                               | 2,736 |
| 50 or Older   | 2,901                          | 3,433  | 1,647                               | 1,890  | 2,534  | 2,615  | 1,498                               | 1,614 |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) home management, (2) work, (3) close relationships with others, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.29B Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Gender and Age Group: Percentages, 2006 and 2007**

| Gender/Age    | Had Past Year MDE <sup>1</sup> |      |                                     |      | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|---------------|--------------------------------|------|-------------------------------------|------|--|------|-------------------------------------|------|
|               | Total                          |      | With Severe Impairment <sup>3</sup> |      | Total  |      | With Severe Impairment <sup>3</sup> |      |
|               | 2006                           | 2007 | 2006                                | 2007 | 2006   | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>  | 7.2                            | 7.5  | 4.6                                 | 4.6  | 69.1 <sup>b</sup>  | 64.5 | 74.1                                | 72.2 |
| 18-25         | 9.0                            | 8.9  | 5.8                                 | 5.7  | 45.7   | 44.2 | 52.6                                | 49.0 |
| 26-49         | 8.5                            | 8.5  | 5.6                                 | 5.3  | 68.7   | 65.6 | 74.6                                | 74.7 |
| 50 or Older   | 5.1                            | 5.8  | 3.0                                 | 3.4  | 85.4 <sup>b</sup>  | 74.2 | 88.5                                | 82.0 |
| <b>MALE</b>   | 5.3                            | 5.3  | 3.5                                 | 3.3  | 60.8   | 57.8 | 66.8                                | 65.2 |
| 18-25         | 6.4                            | 6.0  | 4.0                                 | 3.9  | 32.7   | 34.5 | 40.2                                | 39.2 |
| 26-49         | 6.2                            | 5.9  | 4.2                                 | 3.7  | 60.3   | 58.4 | 66.9                                | 67.7 |
| 50 or Older   | 3.7                            | 4.2  | 2.4                                 | 2.7  | 81.6   | *    | *                                   | *    |
| <b>FEMALE</b> | 9.0                            | 9.5  | 5.6                                 | 5.8  | 73.7 <sup>b</sup>  | 68.0 | 78.3                                | 75.9 |
| 18-25         | 11.7                           | 11.9 | 7.6                                 | 7.6  | 52.9   | 49.2 | 59.2                                | 54.1 |
| 26-49         | 10.7                           | 11.0 | 6.9                                 | 7.0  | 73.5   | 69.4 | 79.1                                | 78.3 |
| 50 or Older   | 6.2                            | 7.2  | 3.5                                 | 4.0  | 87.4 <sup>b</sup>  | 76.2 | 90.9                                | 85.4 |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) home management, (2) work, (3) close relationships with others, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.30A Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Hispanic Origin and Race: Numbers in Thousands, 2006 and 2007**

| Hispanic Origin and Race                  | Had Past Year MDE <sup>1</sup> |       |                                     |       | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|---|--------------------------------|-------|-------------------------------------|-------|--|------|-------------------------------------|------|
|   | Total                          |       | With Severe Impairment <sup>3</sup> |       | Total  |      | With Severe Impairment <sup>3</sup> |      |
|   | 2006                           | 2007  | 2006                                | 2007  | 2006   | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>                              | 1,969                          | 2,016 | 1,359                               | 1,369 | 762  | 781  | 628                                 | 600  |
| Not Hispanic or Latino                    | 1,610                          | 1,691 | 1,116                               | 1,141 | 635  | 690  | 536                                 | 533  |
| White                                     | 1,215                          | 1,282 | 869                                 | 871   | 502  | 543  | 432                                 | 438  |
| Black or African American                 | 245                            | 293   | 150                                 | 193   | 70 <sup>a</sup>  | 117  | 53                                  | 73   |
| American Indian or Alaska Native          | 12                             | 7     | 9                                   | 4     | *  | *    | *                                   | *    |
| Native Hawaiian or Other Pacific Islander | *                              | *     | *                                   | *     | *  | *    | *                                   | *    |
| Asian                                     | 77                             | 67    | 54                                  | 40    | *  | *    | *                                   | *    |
| Two or More Races                         | 53                             | 41    | 32                                  | 32    | *  | *    | *                                   | *    |
| Hispanic or Latino                        | 359                            | 324   | 242                                 | 229   | 127  | 91   | 93                                  | 67   |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) chores at home, (2) school or work, (3) close relationships with family, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.30B Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Hispanic Origin and Race: Percentages, 2006 and 2007**

| Hispanic Origin and Race                  | Had Past Year MDE <sup>1</sup> |      |                                     |      | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|---|--------------------------------|------|-------------------------------------|------|--|------|-------------------------------------|------|
|   | Total                          |      | With Severe Impairment <sup>3</sup> |      | Total  |      | With Severe Impairment <sup>3</sup> |      |
|   | 2006                           | 2007 | 2006                                | 2007 | 2006   | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>                              | 7.9                            | 8.2  | 5.5                                 | 5.5  | 38.9   | 38.9 | 46.6                                | 43.9 |
| Not Hispanic or Latino                    | 7.9                            | 8.4  | 5.5                                 | 5.7  | 39.6   | 41.0 | 48.1                                | 46.8 |
| White                                     | 8.1                            | 8.7  | 5.8                                 | 5.9  | 41.4   | 42.6 | 49.9                                | 50.4 |
| Black or African American                 | 6.4                            | 7.8  | 3.9                                 | 5.1  | 29.0 <sup>a</sup>  | 39.9 | 35.6                                | 37.7 |
| American Indian or Alaska Native          | 9.3                            | 4.6  | 6.6                                 | 2.6  | *  | *    | *                                   | *    |
| Native Hawaiian or Other Pacific Islander | *                              | *    | *                                   | *    | *  | *    | *                                   | *    |
| Asian                                     | 7.6                            | 6.8  | 5.3                                 | 4.0  | *  | *    | *                                   | *    |
| Two or More Races                         | 13.0                           | 10.0 | 8.0                                 | 7.8  | *  | *    | *                                   | *    |
| Hispanic or Latino                        | 8.0                            | 7.1  | 5.4                                 | 5.0  | 36.0   | 28.1 | 39.3                                | 29.3 |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) chores at home, (2) school or work, (3) close relationships with family, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 6.31A Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

| Demographic Characteristic                | Had Past Year MDE <sup>1</sup> |        |                                     |        | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |        |                                     |       |
|---|--------------------------------|--------|-------------------------------------|--------|--|--------|-------------------------------------|-------|
|   | Total                          |        | With Severe Impairment <sup>3</sup> |        | Total  |        | With Severe Impairment <sup>3</sup> |       |
|   | 2006                           | 2007   | 2006                                | 2007   | 2006   | 2007   | 2006                                | 2007  |
| <b>TOTAL</b>                              | 15,796                         | 16,462 | 10,052                              | 10,143 | 10,916   | 10,621 | 7,450                               | 7,318 |
| <b>GENDER</b>                             |                                |        |                                     |        |  |        |                                     |       |
| Male                                      | 5,604                          | 5,607  | 3,686                               | 3,540  | 3,410  | 3,243  | 2,463                               | 2,307 |
| Female                                    | 10,191                         | 10,855 | 6,366                               | 6,603  | 7,506  | 7,378  | 4,987                               | 5,011 |
| <b>HISPANIC ORIGIN AND RACE</b>           |                                |        |                                     |        |  |        |                                     |       |
| Not Hispanic or Latino                    | 14,255                         | 14,611 | 9,106                               | 9,149  | 10,117   | 9,624  | 6,873                               | 6,731 |
| White                                     | 11,909                         | 12,355 | 7,564                               | 7,719  | 8,732  | 8,456  | 5,874                               | 5,820 |
| Black or African American                 | 1,579                          | 1,520  | 1,003                               | 1,079  | 948  | 806    | 664                                 | 668   |
| American Indian or Alaska Native          | 132                            | 101    | 107                                 | 50     | *  | *      | *                                   | *     |
| Native Hawaiian or Other Pacific Islander | 48                             | *      | 45                                  | 18     | *  | *      | *                                   | *     |
| Asian                                     | 273                            | 275    | 136                                 | 145    | *  | *      | *                                   | *     |
| Two or More Races                         | 315                            | 278    | 252                                 | 139    | *  | *      | *                                   | *     |
| Hispanic or Latino                        | 1,541                          | 1,851  | 946                                 | 994    | 799  | 997    | 577                                 | 587   |
| <b>EDUCATION</b>                          |                                |        |                                     |        |  |        |                                     |       |
| < High School                             | 2,776                          | 3,086  | 1,736                               | 2,090  | 1,823  | 2,012  | 1,199                               | 1,488 |
| High School Graduate                      | 4,709                          | 4,767  | 2,901                               | 2,983  | 3,187  | 3,111  | 2,096                               | 2,168 |
| Some College                              | 4,943                          | 4,687  | 3,239                               | 2,801  | 3,455  | 2,984  | 2,447                               | 2,022 |
| College Graduate                          | 3,367                          | 3,922  | 2,176                               | 2,269  | 2,452  | 2,514  | 1,708                               | 1,641 |
| <b>CURRENT EMPLOYMENT</b>                 |                                |        |                                     |        |  |        |                                     |       |
| Full-Time                                 | 7,931                          | 7,508  | 5,021 <sup>a</sup>                  | 4,298  | 5,074 <sup>a</sup>   | 4,283  | 3,493 <sup>a</sup>                  | 2,836 |
| Part-Time                                 | 2,192                          | 2,525  | 1,313                               | 1,515  | 1,353  | 1,694  | 880                                 | 1,092 |
| Unemployed                                | 813                            | 1,007  | 549                                 | 712    | 490  | 545    | 373                                 | 400   |
| Other <sup>4</sup>                        | 4,860                          | 5,421  | 3,169                               | 3,619  | 3,999  | 4,099  | 2,704                               | 2,991 |
| <b>MARITAL STATUS</b>                     |                                |        |                                     |        |  |        |                                     |       |
| Married                                   | 6,458                          | 6,444  | 3,951                               | 3,727  | 4,850  | 4,607  | 3,239                               | 2,974 |
| Widowed                                   | 886                            | 1,039  | 450                                 | 455    | *  | *      | *                                   | *     |
| Divorced or Separated                     | 3,162 <sup>a</sup>             | 3,834  | 2,175                               | 2,617  | 2,373  | 2,704  | 1,692                               | 2,084 |
| Never Married                             | 5,289                          | 5,144  | 3,476                               | 3,344  | 2,933  | 2,677  | 2,139                               | 1,949 |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) home management, (2) work, (3) close relationships with others, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.31B Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Demographic Characteristics: Percentages, 2006 and 2007**

| Demographic Characteristic                | Had Past Year MDE <sup>1</sup> |      |                                     |      | Received Treatment for Depression in the Past Year among Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|---|--------------------------------|------|-------------------------------------|------|--|------|-------------------------------------|------|
|   | Total                          |      | With Severe Impairment <sup>3</sup> |      | Total  |      | With Severe Impairment <sup>3</sup> |      |
|   | 2006                           | 2007 | 2006                                | 2007 | 2006   | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>                              | 7.2                            | 7.5  | 4.6                                 | 4.6  | 69.1 <sup>b</sup>  | 64.5 | 74.1                                | 72.2 |
| <b>GENDER</b>                             |                                |      |                                     |      |  |      |                                     |      |
| Male                                      | 5.3                            | 5.3  | 3.5                                 | 3.3  | 60.8   | 57.8 | 66.8                                | 65.2 |
| Female                                    | 9.0                            | 9.5  | 5.6                                 | 5.8  | 73.7 <sup>b</sup>  | 68.0 | 78.3                                | 75.9 |
| <b>HISPANIC ORIGIN AND RACE</b>           |                                |      |                                     |      |  |      |                                     |      |
| Not Hispanic or Latino                    | 7.5                            | 7.6  | 4.8                                 | 4.8  | 71.0 <sup>b</sup>  | 65.9 | 75.5                                | 73.6 |
| White                                     | 7.8                            | 8.1  | 5.0                                 | 5.1  | 73.3 <sup>b</sup>  | 68.5 | 77.7                                | 75.4 |
| Black or African American                 | 6.3                            | 6.1  | 4.0                                 | 4.3  | 60.1   | 53.0 | 66.2                                | 61.9 |
| American Indian or Alaska Native          | 12.1                           | 9.2  | 9.8                                 | 4.6  | *  | *    | *                                   | *    |
| Native Hawaiian or Other Pacific Islander | 5.8                            | *    | 5.4                                 | 3.1  | *  | *    | *                                   | *    |
| Asian                                     | 3.0                            | 2.9  | 1.5                                 | 1.5  | *  | *    | *                                   | *    |
| Two or More Races                         | 14.3                           | 12.1 | 11.4 <sup>a</sup>                   | 6.1  | *  | *    | *                                   | *    |
| Hispanic or Latino                        | 5.4                            | 6.3  | 3.3                                 | 3.4  | 51.8   | 53.9 | 61.0                                | 59.1 |
| <b>EDUCATION</b>                          |                                |      |                                     |      |  |      |                                     |      |
| < High School                             | 7.7                            | 8.6  | 4.8                                 | 5.8  | 65.7   | 65.2 | 69.1                                | 71.2 |
| High School Graduate                      | 6.9                            | 7.1  | 4.2                                 | 4.4  | 67.7   | 65.3 | 72.2                                | 72.7 |
| Some College                              | 9.0                            | 8.2  | 5.9 <sup>a</sup>                    | 4.9  | 69.9 <sup>a</sup>  | 63.7 | 75.6                                | 72.2 |
| College Graduate                          | 5.7                            | 6.5  | 3.7                                 | 3.8  | 72.8 <sup>a</sup>  | 64.1 | 78.5                                | 72.3 |
| <b>CURRENT EMPLOYMENT</b>                 |                                |      |                                     |      |  |      |                                     |      |
| Full-Time                                 | 6.6                            | 6.2  | 4.2 <sup>a</sup>                    | 3.6  | 64.0 <sup>b</sup>  | 57.0 | 69.6                                | 66.0 |
| Part-Time                                 | 7.6                            | 8.6  | 4.6                                 | 5.2  | 61.7   | 67.2 | 67.1                                | 72.1 |
| Unemployed                                | 11.6                           | 14.3 | 7.8                                 | 10.2 | 60.3   | 54.1 | 67.9                                | 56.1 |
| Other <sup>4</sup>                        | 7.8                            | 8.5  | 5.1                                 | 5.7  | 82.3 <sup>a</sup>  | 75.6 | 85.3                                | 82.7 |
| <b>MARITAL STATUS</b>                     |                                |      |                                     |      |  |      |                                     |      |
| Married                                   | 5.3                            | 5.3  | 3.2                                 | 3.0  | 75.1   | 71.5 | 82.0                                | 79.8 |
| Widowed                                   | 6.1                            | 7.9  | 3.1                                 | 3.5  | *  | *    | *                                   | *    |
| Divorced or Separated                     | 11.4                           | 13.1 | 7.9                                 | 8.9  | 75.0   | 70.5 | 77.8                                | 79.6 |
| Never Married                             | 9.6                            | 9.2  | 6.3                                 | 6.0  | 55.5   | 52.1 | 61.5                                | 58.3 |

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) home management, (2) work, (3) close relationships with others, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.

<sup>4</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.32A (REVISED) Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Numbers in Thousands, 2006 and 2007**

| Geographic/Socioeconomic/<br>Health Characteristic | Had Past Year MDE <sup>1</sup> |       |                                     |       | Received Treatment for Depression in the Past Year among<br>Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|--|--------------------------------|-------|-------------------------------------|-------|---|------|-------------------------------------|------|
|  | Total                          |       | With Severe Impairment <sup>3</sup> |       | Total   |      | With Severe Impairment <sup>3</sup> |      |
|  | 2006                           | 2007  | 2006                                | 2007  | 2006  | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>                                       | 1,970                          | 2,016 | 1,358                               | 1,371 | 760   | 782  | 627                                 | 601  |
| <b>GEOGRAPHIC REGION</b>                           |                                |       |                                     |       |   |      |                                     |      |
| Northeast  | 315                            | 345   | 230                                 | 236   | 140   | 160  | 130                                 | 119  |
| Midwest  | 445                            | 466   | 321                                 | 328   | 174   | 177  | 140                                 | 148  |
| South  | 766                            | 720   | 503                                 | 461   | 289   | 267  | 238                                 | 189  |
| West   | 445                            | 485   | 304                                 | 346   | 157   | 179  | 120                                 | 146  |
| <b>COUNTY TYPE</b>                                 |                                |       |                                     |       |   |      |                                     |      |
| Large Metro  | 1,008                          | 1,056 | 687                                 | 712   | 383   | 396  | 306                                 | 299  |
| Small Metro  | 618                            | 636   | 430                                 | 451   | 254   | 250  | 215                                 | 199  |
| Nonmetro   | 344                            | 324   | 241                                 | 208   | 123   | 136  | 106                                 | 103  |
| <b>FAMILY INCOME</b>                               |                                |       |                                     |       |   |      |                                     |      |
| Less Than \$20,000                                 | 329                            | 339   | 225                                 | 237   | 113   | 136  | 88                                  | 95   |
| \$20,000 - \$49,999                                | 737                            | 701   | 511                                 | 472   | 276   | 266  | 234                                 | 200  |
| \$50,000 - \$74,999                                | 333                            | 350   | 223                                 | 245   | 140   | 126  | 105                                 | 98   |
| \$75,000 or More                                   | 572                            | 626   | 400                                 | 416   | 232   | 255  | 200                                 | 207  |
| <b>GOVERNMENT ASSISTANCE<sup>4</sup></b>           |                                |       |                                     |       |   |      |                                     |      |
| Yes  | 441                            | 406   | 300                                 | 274   | 177   | 184  | 147                                 | 130  |
| No   | 1,529                          | 1,609 | 1,058                               | 1,097 | 583   | 599  | 480                                 | 471  |
| <b>HEALTH INSURANCE<sup>5</sup></b>                |                                |       |                                     |       |   |      |                                     |      |
| Private  | 1,239                          | 1,320 | 851                                 | 904   | 474   | 536  | 390                                 | 423  |
| Medicaid/CHIP <sup>6</sup>                         | 534                            | 527   | 370                                 | 348   | 215   | 224  | 175                                 | 157  |
| Other <sup>7</sup>                                 | 124                            | 99    | 84                                  | 73    | *   | *    | *                                   | *    |
| No Coverage  | 172                            | 148   | 114                                 | 103   | 56 <sup>b</sup>   | 25   | 48                                  | *    |
| <b>OVERALL HEALTH<sup>8</sup></b>                  |                                |       |                                     |       |   |      |                                     |      |
| Excellent  | 456                            | 442   | 272                                 | 289   | 146   | 140  | 112                                 | 103  |
| Very Good  | 821                            | 850   | 568                                 | 573   | 319   | 324  | 264                                 | 247  |
| Good   | 549                            | 577   | 406                                 | 391   | 219   | 243  | 181                                 | 189  |
| Fair/Poor  | 144                            | 146   | 112                                 | 117   | 76  | 73   | *                                   | *    |

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) chores at home, (2) school or work, (3) close relationships with family, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.<sup>4</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>5</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>6</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>7</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>8</sup> Respondents with unknown health data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.32B (REVISED) Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 12 to 17, and Receipt of Treatment for Depression in the Past Year among Persons Aged 12 to 17 with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Percentages, 2006 and 2007**

| Geographic/Socioeconomic/<br>Health Characteristic | Had Past Year MDE <sup>1</sup> |      |                                     |      | Received Treatment for Depression in the Past Year among<br>Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|--|--------------------------------|------|-------------------------------------|------|---|------|-------------------------------------|------|
|  | Total                          |      | With Severe Impairment <sup>3</sup> |      | Total   |      | With Severe Impairment <sup>3</sup> |      |
|  | 2006                           | 2007 | 2006                                | 2007 | 2006  | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>                                       | 7.9                            | 8.2  | 5.5                                 | 5.5  | 38.8  | 39.0 | 46.5                                | 43.9 |
| <b>GEOGRAPHIC REGION</b>                           |                                |      |                                     |      |   |      |                                     |      |
| Northeast  | 7.1                            | 7.9  | 5.2                                 | 5.4  | 44.7  | 46.8 | 56.7                                | 50.3 |
| Midwest  | 8.0                            | 8.5  | 5.8                                 | 6.0  | 39.3  | 37.9 | 43.8                                | 45.0 |
| South  | 8.6                            | 8.0  | 5.6                                 | 5.1  | 37.9  | 37.4 | 47.4                                | 41.1 |
| West   | 7.5                            | 8.3  | 5.1                                 | 5.9  | 35.8  | 37.0 | 40.2                                | 42.2 |
| <b>COUNTY TYPE</b>                                 |                                |      |                                     |      |   |      |                                     |      |
| Large Metro  | 7.5                            | 7.9  | 5.1                                 | 5.3  | 38.3  | 37.8 | 45.1                                | 42.1 |
| Small Metro  | 8.3                            | 8.8  | 5.8                                 | 6.2  | 41.3  | 39.5 | 50.1                                | 44.2 |
| Nonmetro   | 8.5                            | 7.9  | 6.0                                 | 5.1  | 35.9  | 42.1 | 44.2                                | 49.5 |
| <b>FAMILY INCOME</b>                               |                                |      |                                     |      |   |      |                                     |      |
| Less Than \$20,000                                 | 7.8                            | 8.1  | 5.4                                 | 5.7  | 34.6  | 40.2 | 39.5                                | 40.0 |
| \$20,000 - \$49,999                                | 9.1                            | 9.3  | 6.3                                 | 6.3  | 37.5  | 38.2 | 46.0                                | 42.4 |
| \$50,000 - \$74,999                                | 7.2                            | 7.8  | 4.8                                 | 5.5  | 43.1  | 36.0 | 48.7                                | 40.2 |
| \$75,000 or More                                   | 7.2                            | 7.3  | 5.0                                 | 4.9  | 40.6  | 41.0 | 50.0                                | 50.0 |
| <b>GOVERNMENT ASSISTANCE<sup>4</sup></b>           |                                |      |                                     |      |   |      |                                     |      |
| Yes  | 9.1                            | 8.3  | 6.2                                 | 5.6  | 40.2  | 45.3 | 48.9                                | 47.4 |
| No   | 7.6                            | 8.1  | 5.3                                 | 5.5  | 38.5  | 37.4 | 45.8                                | 43.1 |
| <b>HEALTH INSURANCE<sup>5</sup></b>                |                                |      |                                     |      |   |      |                                     |      |
| Private  | 7.5                            | 8.1  | 5.2                                 | 5.6  | 38.5  | 40.8 | 46.2                                | 46.9 |
| Medicaid/CHIP <sup>6</sup>                         | 8.5                            | 8.2  | 5.9                                 | 5.4  | 40.8  | 42.8 | 47.7                                | 45.0 |
| Other <sup>7</sup>                                 | 12.1                           | 9.6  | 8.2                                 | 7.1  | *   | *    | *                                   | *    |
| No Coverage  | 8.0                            | 7.5  | 5.3                                 | 5.2  | 32.4 <sup>a</sup>   | 17.3 | 41.6                                | *    |
| <b>OVERALL HEALTH<sup>8</sup></b>                  |                                |      |                                     |      |   |      |                                     |      |
| Excellent  | 5.5                            | 5.4  | 3.3                                 | 3.5  | 32.2  | 32.0 | 41.3                                | 35.6 |
| Very Good  | 7.8                            | 8.2  | 5.4                                 | 5.5  | 38.8  | 38.4 | 46.5                                | 43.1 |
| Good   | 10.3                           | 11.2 | 7.6                                 | 7.6  | 40.5  | 42.2 | 45.4                                | 48.5 |
| Fair/Poor  | 17.1                           | 15.0 | 13.3                                | 12.0 | 54.1  | 50.8 | *                                   | *    |

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) chores at home, (2) school or work, (3) close relationships with family, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.<sup>4</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>5</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>6</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>7</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>8</sup> Respondents with unknown health data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.33A (REVISED) Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Numbers in Thousands, 2006 and 2007**

| Geographic/Socioeconomic/<br>Health Characteristic | Had Past Year MDE <sup>1</sup> |        |                                     |        | Received Treatment for Depression in the Past Year among<br>Persons with Past Year MDE <sup>1,2</sup> |        |                                     |       |
|--|--------------------------------|--------|-------------------------------------|--------|---|--------|-------------------------------------|-------|
|  | Total                          |        | With Severe Impairment <sup>3</sup> |        | Total   |        | With Severe Impairment <sup>3</sup> |       |
|  | 2006                           | 2007   | 2006                                | 2007   | 2006  | 2007   | 2006                                | 2007  |
| <b>TOTAL</b>                                       | 15,840                         | 16,540 | 10,076                              | 10,208 | 10,937  | 10,691 | 7,464                               | 7,380 |
| <b>GEOGRAPHIC REGION</b>                           |                                |        |                                     |        |   |        |                                     |       |
| Northeast  | 2,952                          | 2,829  | 1,942                               | 1,746  | 2,081   | 2,038  | 1,515                               | 1,412 |
| Midwest  | 3,753                          | 3,641  | 2,297                               | 2,253  | 2,639 <sup>a</sup>  | 2,174  | 1,715                               | 1,515 |
| South  | 5,958                          | 6,363  | 3,746                               | 3,934  | 4,165   | 4,160  | 2,799                               | 2,808 |
| West   | 3,178                          | 3,706  | 2,092                               | 2,275  | 2,052   | 2,319  | 1,434                               | 1,645 |
| <b>COUNTY TYPE</b>                                 |                                |        |                                     |        |   |        |                                     |       |
| Large Metro  | 7,891                          | 8,625  | 4,934                               | 5,282  | 5,371   | 5,339  | 3,622                               | 3,739 |
| Small Metro  | 4,642                          | 4,915  | 3,076                               | 3,141  | 3,214   | 3,228  | 2,283                               | 2,248 |
| Nonmetro   | 3,307                          | 3,000  | 2,066                               | 1,784  | 2,353   | 2,125  | 1,559                               | 1,393 |
| <b>FAMILY INCOME</b>                               |                                |        |                                     |        |   |        |                                     |       |
| Less Than \$20,000                                 | 3,962                          | 4,082  | 2,644                               | 2,812  | 2,735   | 2,836  | 1,892                               | 2,095 |
| \$20,000 - \$49,999                                | 5,827                          | 5,687  | 3,790                               | 3,487  | 3,935   | 3,513  | 2,755                               | 2,490 |
| \$50,000 - \$74,999                                | 2,459 <sup>a</sup>             | 3,031  | 1,413                               | 1,693  | 1,733   | 1,959  | 1,087                               | 1,269 |
| \$75,000 or More                                   | 3,592                          | 3,740  | 2,230                               | 2,216  | 2,534   | 2,384  | 1,729                               | 1,526 |
| <b>GOVERNMENT ASSISTANCE<sup>4</sup></b>           |                                |        |                                     |        |   |        |                                     |       |
| Yes  | 3,933                          | 4,034  | 2,774                               | 2,817  | 2,787   | 2,962  | 2,089                               | 2,246 |
| No   | 11,907                         | 12,506 | 7,303                               | 7,391  | 8,150   | 7,730  | 5,375                               | 5,134 |
| <b>HEALTH INSURANCE<sup>5</sup></b>                |                                |        |                                     |        |   |        |                                     |       |
| Private  | 9,372                          | 9,343  | 5,614                               | 5,335  | 6,656   | 6,025  | 4,312                               | 3,907 |
| Medicaid/CHIP <sup>6</sup>                         | 2,138                          | 2,353  | 1,512                               | 1,707  | 1,708   | 1,804  | 1,246                               | 1,404 |
| Other <sup>7</sup>                                 | 2,886                          | 3,325  | 1,941                               | 2,112  | 2,505   | 2,584  | 1,746                               | 1,790 |
| No Coverage  | 3,006                          | 3,467  | 2,026                               | 2,213  | 1,490   | 1,713  | 1,100                               | 1,264 |
| <b>OVERALL HEALTH<sup>8</sup></b>                  |                                |        |                                     |        |   |        |                                     |       |
| Excellent  | 2,086                          | 2,213  | 1,228                               | 1,242  | 1,281   | 1,210  | 819                                 | 748   |
| Very Good  | 5,035                          | 4,700  | 2,873                               | 2,563  | 3,218   | 2,777  | 2,000                               | 1,704 |
| Good   | 4,956                          | 5,353  | 3,184                               | 3,169  | 3,396   | 3,348  | 2,374                               | 2,301 |
| Fair/Poor  | 3,752                          | 4,275  | 2,788                               | 3,235  | 3,034   | 3,356  | 2,270                               | 2,627 |

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) home management, (2) work, (3) close relationships with others, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.<sup>4</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>5</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>6</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>7</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>8</sup> Respondents with unknown health data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.33B (REVISED) Had at Least One Major Depressive Episode (MDE) or MDE with Severe Impairment in the Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in the Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in the Past Year, by Geographic, Socioeconomic, and Health Characteristics: Percentages, 2006 and 2007**

| Geographic/Socioeconomic/<br>Health Characteristic | Had Past Year MDE <sup>1</sup> |      |                                     |      | Received Treatment for Depression in the Past Year among<br>Persons with Past Year MDE <sup>1,2</sup> |      |                                     |      |
|--|--------------------------------|------|-------------------------------------|------|---|------|-------------------------------------|------|
|  | Total                          |      | With Severe Impairment <sup>3</sup> |      | Total   |      | With Severe Impairment <sup>3</sup> |      |
|  | 2006                           | 2007 | 2006                                | 2007 | 2006  | 2007 | 2006                                | 2007 |
| <b>TOTAL</b>                                       | 7.2                            | 7.5  | 4.6                                 | 4.6  | 69.0 <sup>b</sup>   | 64.6 | 74.1                                | 72.3 |
| <b>GEOGRAPHIC REGION</b>                           |                                |      |                                     |      |   |      |                                     |      |
| Northeast  | 7.2                            | 6.9  | 4.7                                 | 4.3  | 70.5  | 72.0 | 78.1                                | 80.8 |
| Midwest  | 7.7                            | 7.5  | 4.7                                 | 4.6  | 70.3 <sup>b</sup>   | 59.7 | 74.6 <sup>a</sup>                   | 67.3 |
| South  | 7.5                            | 8.0  | 4.7                                 | 4.9  | 69.9  | 65.4 | 74.7                                | 71.4 |
| West   | 6.3                            | 7.3  | 4.2                                 | 4.5  | 64.6  | 62.6 | 68.6                                | 72.3 |
| <b>COUNTY TYPE</b>                                 |                                |      |                                     |      |   |      |                                     |      |
| Large Metro  | 6.7                            | 7.3  | 4.2                                 | 4.5  | 68.1 <sup>a</sup>   | 61.9 | 73.4                                | 70.8 |
| Small Metro  | 7.4                            | 7.4  | 4.9                                 | 4.8  | 69.2  | 65.7 | 74.2                                | 71.6 |
| Nonmetro   | 8.7                            | 8.2  | 5.5                                 | 4.9  | 71.1  | 70.9 | 75.5                                | 78.1 |
| <b>FAMILY INCOME</b>                               |                                |      |                                     |      |   |      |                                     |      |
| Less Than \$20,000                                 | 9.4                            | 10.2 | 6.3                                 | 7.0  | 69.0  | 69.5 | 71.6                                | 74.5 |
| \$20,000 - \$49,999                                | 7.7                            | 7.8  | 5.0                                 | 4.8  | 67.5  | 61.8 | 72.7                                | 71.4 |
| \$50,000 - \$74,999                                | 6.4                            | 7.5  | 3.7                                 | 4.2  | 70.5  | 64.7 | 76.9                                | 75.0 |
| \$75,000 or More                                   | 5.7                            | 5.6  | 3.6                                 | 3.3  | 70.5  | 63.7 | 77.6                                | 68.9 |
| <b>GOVERNMENT ASSISTANCE<sup>4</sup></b>           |                                |      |                                     |      |   |      |                                     |      |
| Yes  | 12.2                           | 12.7 | 8.6                                 | 8.9  | 70.9  | 73.4 | 75.3                                | 79.7 |
| No   | 6.4                            | 6.6  | 3.9                                 | 3.9  | 68.4 <sup>b</sup>   | 61.8 | 73.6                                | 69.5 |
| <b>HEALTH INSURANCE<sup>5</sup></b>                |                                |      |                                     |      |   |      |                                     |      |
| Private  | 6.1                            | 6.1  | 3.7                                 | 3.5  | 71.0 <sup>b</sup>   | 64.5 | 76.8                                | 73.2 |
| Medicaid/CHIP <sup>6</sup>                         | 12.8                           | 13.0 | 9.1                                 | 9.5  | 79.9  | 76.7 | 82.4                                | 82.3 |
| Other <sup>7</sup>                                 | 5.9                            | 6.6  | 4.0                                 | 4.2  | 86.8 <sup>a</sup>   | 77.7 | 90.0                                | 84.8 |
| No Coverage  | 9.1                            | 10.2 | 6.1                                 | 6.5  | 49.6  | 49.4 | 54.3                                | 57.1 |
| <b>OVERALL HEALTH<sup>8</sup></b>                  |                                |      |                                     |      |   |      |                                     |      |
| Excellent  | 4.1                            | 4.3  | 2.4                                 | 2.4  | 61.4  | 54.7 | 66.7                                | 60.2 |
| Very Good  | 6.4                            | 5.9  | 3.7                                 | 3.2  | 63.9  | 59.1 | 69.6                                | 66.5 |
| Good   | 8.2                            | 9.0  | 5.3                                 | 5.3  | 68.5  | 62.6 | 74.6                                | 72.6 |
| Fair/Poor  | 12.9                           | 14.3 | 9.6                                 | 10.9 | 80.9  | 78.5 | 81.4                                | 81.2 |

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Impairment is based on the Sheehan Disability Scale (SDS) role domains, which measure the impact of a disorder on a person's life. Impairment is defined as the highest severity level of role impairment across four domains: (1) home management, (2) work, (3) close relationships with others, and (4) social life. Ratings  $\geq 7$  on a 0 to 10 scale were considered Severe Impairment.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown Past Year MDE data were excluded.

<sup>2</sup> Treatment is defined as seeing or talking to a medical doctor or other professional or using prescription medication for depression in the past year. Respondents with unknown treatment data were excluded.

<sup>3</sup> Respondents with unknown Severe Impairment data were excluded.<sup>4</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>5</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>6</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>7</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>8</sup> Respondents with unknown health data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.