

Table 6.40A Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	762	781	468	412	42	49	249 ^a	313
GENDER								
Male	190	213	121	105	17	17	50 ^a	91
Female	572	568	347	308	25	32	199	222
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	635	690	368	357	37	42	227 ^a	285
White	502	543	266	245	31	36	203	258
Black or African American	70 ^a	117	61	92	4	4	5	19
Other or Two or More Races	*	*	*	*	*	2	*	8
Hispanic or Latino	127	91	100 ^a	55	*	7	22	28
FAMILY INCOME								
Less Than \$20,000	113	135	84	85	7	6	22 ^a	43
\$20,000 - \$49,999	276	265	170	154	17	19	88	88
\$50,000 - \$74,999	140	127	80	67	12	11	49	47
\$75,000 or More	232	254	133	106	7	13	91 ^a	135
GOVERNMENT ASSISTANCE²								
Yes	177	183	120	107	11	11	45	61
No	584	598	348	306	31	38	204	253
HEALTH INSURANCE³								
Private	474	535	267	268	18	31	188	234
Medicaid/CHIP ⁴	216	224	147	126	16	19	54	75
Other ⁵	*	*	*	*	*	*	5	*
No Coverage	56 ^b	25	32 ^a	14	8	2	15	9

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.40B Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Percentages, 2006 and 2007

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	38.9	38.9	23.9	20.5	2.1	2.5	12.7	15.6
GENDER								
Male	35.4	36.7	22.5	18.0	3.1	2.9	9.4 ^a	15.7
Female	40.3	39.9	24.5	21.6	1.8	2.3	14.0	15.6
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	39.6	41.0	22.9	21.2	2.3	2.5	14.1	16.9
White	41.4	42.6	22.0	19.2	2.6	2.8	16.8	20.2
Black or African American	29.0 ^a	39.9	25.1	31.6	1.5	1.4	2.2	6.7
Other or Two or More Races	*	*	*	*	*	1.6	*	6.5
Hispanic or Latino	36.0	28.1	28.3 ^a	17.0	*	2.3	6.3	8.8
FAMILY INCOME								
Less Than \$20,000	34.7	39.9	26.0	25.3	2.0	1.8	6.6 ^a	12.8
\$20,000 - \$49,999	37.5	38.2	23.1	22.1	2.3	2.7	11.9	12.7
\$50,000 - \$74,999	43.2	36.1	24.7	19.1	3.6	3.2	14.9	13.5
\$75,000 or More	40.7	40.8	23.4 ^a	17.1	1.2	2.1	15.9	21.6
GOVERNMENT ASSISTANCE²								
Yes	40.4	45.0	27.4	26.3	2.5	2.7	10.3	15.0
No	38.5	37.4	22.9	19.1	2.0	2.4	13.4	15.7
HEALTH INSURANCE³								
Private	38.5	40.6	21.7	20.3	1.4	2.4	15.3	17.8
Medicaid/CHIP ⁴	41.0	42.9	27.7	24.1	3.0	3.5	10.1	14.5
Other ⁵	*	*	*	*	*	*	4.0	*
No Coverage	32.6 ^a	17.2	18.9	9.4	4.6	1.6	8.9	5.8

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.41A Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2006 and 2007

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	10,916	10,621	2,573	2,545	760	755	7,555	7,284
GENDER								
Male	3,410	3,243	980	884	229	245	2,200	2,114
Female	7,506	7,378	1,593	1,661	531	510	5,356	5,171
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	10,117	9,624	2,288	2,176	703	676	7,099	6,734
White	8,732	8,456	1,871	1,682	657	609	6,202	6,151
Black or African American	948	806	312	335	36	45	576	404
Other or Two or More Races	437	*	104	160	11	22	322 ^a	180
Hispanic or Latino	799	997	285	368	57	79	456	550
FAMILY INCOME								
Less Than \$20,000	2,721	2,819	688	606	255	254	1,753	1,922
\$20,000 - \$49,999	3,934	3,495	811	925	277	198	2,846	2,372
\$50,000 - \$74,999	1,735	1,944	360	469	122	116	1,251	1,360
\$75,000 or More	2,527	2,362	713	545	107	186	1,706	1,631
GOVERNMENT ASSISTANCE²								
Yes	2,775	2,937	620	488	183	254	1,947	2,168
No	8,141	7,683	1,953	2,057	577	501	5,609	5,116
HEALTH INSURANCE³								
Private	6,644	5,979	1,682	1,419	414	437	4,546	4,122
Medicaid/CHIP ⁴	1,702	1,798	317	264	103	148	1,280	1,359
Other ⁵	2,501	2,577	372	472	194	245	1,910	1,838
No Coverage	1,491	1,702	443 ^a	652	153	84	895	957

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.41B Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Percentages, 2006 and 2007

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	69.1 ^b	64.5	16.3	15.5	4.8	4.6	47.9	44.4
GENDER								
Male	60.8	57.8	17.5	15.8	4.1	4.4	39.3	37.7
Female	73.7 ^b	68.0	15.6	15.3	5.2	4.7	52.7 ^a	47.8
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	71.0 ^b	65.9	16.1	14.9	4.9	4.6	49.9	46.2
White	73.3 ^b	68.5	15.7	13.6	5.5	4.9	52.1	49.9
Black or African American	60.1	53.0	19.8	22.3	2.3	3.0	37.0	27.0
Other or Two or More Races	57.0	*	13.5	21.7	1.4	3.0	42.0 ^a	24.5
Hispanic or Latino	51.8	53.9	18.5	19.9	3.7	4.3	29.6	29.7
FAMILY INCOME								
Less Than \$20,000	69.0	69.4	17.5	15.0	6.5	6.3	44.7	47.8
\$20,000 - \$49,999	67.6 ^a	61.6	13.9	16.3	4.8	3.5	48.9 ^a	41.8
\$50,000 - \$74,999	70.6	64.6	14.7	15.6	5.0	3.8	51.0	45.2
\$75,000 or More	70.6	63.5	19.9	14.7	3.0	5.0	47.6	43.9
GOVERNMENT ASSISTANCE²								
Yes	70.9	73.3	15.8	12.2	4.7	6.3	50.0	54.4
No	68.5 ^b	61.7	16.4	16.5	4.9	4.0	47.2 ^b	41.1
HEALTH INSURANCE³								
Private	71.1 ^b	64.4	18.0	15.3	4.4	4.7	48.7	44.4
Medicaid/CHIP ⁴	79.9	76.7	14.9	11.4	4.8	6.3	60.2	58.6
Other ⁵	86.8 ^a	77.6	12.9	14.3	6.8	7.4	66.9 ^a	55.8
No Coverage	49.6	49.3	14.7	18.9	5.1	2.4	29.7	27.8

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.